



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking)

ISO 9001; 14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna-800004

Tel. No.: 0612-2660850 • Fax No.: 0612-2660256

E-mail: bseidc@gmail.com • website: <http://www.bseidc.in> • CIN U80301BR2010SGC015859

दर आमंत्रण हेतु अल्पकालीन कोटेशन आमंत्रण सूचना संख्या-11 वर्ष-2020-21

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के निबंधित संवेदकों/ख्याति प्राप्त फर्मों/कंपनियों से दिनांक:- 15.09.2020 के अपराहन 03:00 बजे तक राज्य के विभिन्न जिलान्तर्गत विभिन्न निर्माण कार्यों में प्रयोग हेतु PHE से संबंधित कार्यों हेतु गैर अनुसूचित मदों की आपूर्ति एवं अधिष्ठापन के लिए निम्नांकित मदों हेतु मुहरबंद कोटेशन अधीक्षण अभियंता, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा एवं उसी दिन अपराहन 03:30 बजे कोटेशनदाताओं या उनके अधिकृत प्रतिनिधियों के समक्ष खोला जाएगा।

Sl. No.	Description of items	Qty	Unit	Rate In Digits	Rate In Words
1	Supplying, installation, testing & commissioning of suitable capacity of and type of submersible pump set (1HP) capable of clean filtered water from a deep tubewell at a total head of 30 meter complete with control panel, gate valve, 60 mtr. of neoprane cable etc. (Crompton/KSB make) all complete job as per direction of E/I.	1	Each		
2	Supplying, installation, testing & commissioning of suitable capacity of and type of submersible pump set (3HP) capable of clean filtered water from a deep tubewell at a total head of 30 meter complete with control panel, gate valve, 60 mtr. of neoprane cable etc. (Crompton/KSB make) all complete job as per direction of E/I.	1	Each		
3	Supplying, installation, testing & commissioning of suitable capacity of and type of submersible pump set (5HP) capable of clean filtered water from a deep tubewell at a total head of 30 meter complete with control panel, gate valve, 60 mtr. of neoprane cable etc. (Crompton/KSB make) all complete job as per direction of E/I.	1	Each		
4	Providing, fitting & fixing of 25 mm CPVC full Way valve all complete job as per direction of E/I.	1	Each		
5	Providing, fitting & fixing of 32 mm CPVC valve all complete job as per direction of E/I.	1	Each		
6	Providing, fitting & fixing of 40 mm CPVC valve all complete job as per direction of E/I.	1	Each		

[Handwritten signatures and initials]

7	Providing, fitting & fixing of 50 mm CPVC valve all complete job as per direction of E/I.	1	Each		
8	Providing, fitting & fixing of 65 mm CPVC valve all complete job as per direction of E/I.	1	Each		
9	Providing, fitting & fixing of 80 mm CPVC valve all complete job as per direction of E/I.	1	Each		
10	Providing, fitting & fixing of 100 mm CPVC valve all complete job as per direction of E/I.	1	Each		
11	Providing, fitting & fixing of 25 mm CPVC Union all complete job as per direction of E/I.	1	Each		
12	Providing, fitting & fixing of 32 mm CPVC Union all complete job as per direction of E/I.	1	Each		
13	Providing, fitting & fixing of 40 mm CPVC Union all complete job as per direction of E/I.	1	Each		
14	Providing, fitting & fixing of 50 mm CPVC Union all complete job as per direction of E/I.	1	Each		
15	Providing, fitting & fixing of 65 mm CPVC Union all complete job as per direction of E/I.	1	Each		
16	Providing, fitting & fixing of 80 mm CPVC Union all complete job as per direction of E/I.	1	Each		
17	Providing, fitting & fixing of 100 mm CPVC Union all complete job as per direction of E/I.	1	Each		
18	Providing, fitting & fixing of 50 mm CPVC Non Return Valve all complete job as per direction of E/I.	1	Each		
19	Providing, fitting & fixing of 110 mm UPVC Cowl all complete job as per direction of E/I.	1	Each		
20	Providing, fitting & fixing of PVC 110 mm SWR P-Trap Valve all complete job as per direction of E/I.	1	Each		
21	Providing, fitting & fixing of PVC 75 mm SWR P-Trap Valve all complete job as per direction of E/I.	1	Each		
22	Providing, fitting & fixing of PVC Floor Trap 110X110 mm dia all complete job as per direction of E/I.	1	Each		
23	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) of Make- Jaquar/ Cera/ Kohler/Marc with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures all complete job as per direction of E/I.	1	Each		

Handwritten signature and initials in blue ink.

24	Providing and fixing water closet squatting pan (Indian type W.C.pan) of Make- Make- Jaquar/ Cera/ Kohler/Marc with 100 mm sand cast Iron P or S trap, 10 litre low fixtures complete, including cutting and making good the walls and level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and floors wherever required : White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	1	Each		
25	Supplying, storing, handling, shifting, installation, testing and commissioning of CP flexible hose, spray, wall flange of Make- Jaquar/ Cera/ Kohler/Marc with all fittings and fixtures all complete job as per direction of E/I.	1	Each		
26	Providing, fitting & fixing of CP Bib Cock two in one Make- Jaquar/ Cera/ Kohler/Marc all complete job as per direction of E/I.	1	Each		
27	Providing and fixing white vitreous china battery based infrared sensor operated urinal of Make Make- Jaquar/ Cera/ Kohler/Marc of size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all complete job as per direction of E/I.	1	Each		
28	Providing and fixing Hand dryer of Make Dolphy/Alpine all complete job as per direction of E/I.	1	Each		
29	Providing and fixing CP Bottle Trap for Wash basin and sink. Bottle trap 31 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms all complete job as per direction of E/I.	1	Each		
30	Providing and fixing CP liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour weighing not less than 105 gms all complete job as per direction of E/I.	1	Each		
31	Providing & fixing CP towel ring trapezoidal shape/ rod of 215 mm long 200 mm wide with minimum distance of 37 mm from wall face with concealed fittings arrangement of approved quality and colour weighing not less than 88 gms all complete job as per direction of E/I.	1	Each		
32	Providing and fixing S.S soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms	1	Each		

Deewan ~~A~~ ~~A~~


33	Providing and fixing S.S grating of approved quality and colour. Circular type 125 mm nominal dia.	1	Each		
34	Providing fixing testing and commissioning of cp brass shower mixer with provision of over head shower with 115 mm long bend pipe in built spout ,spout/shower selector with wall flange complete with all accessories as required and making good the walls wherever required Make- Hindware/ parryware/cera/jaquar as per direction of E/I.	1	Each		
35	Providing fixing testing and commissioning of cp brass 115 mm long shower ARM with wall flange and pressure adjustable Shower Rose complete with wall accessories as required and making good the walls wherever required Make- Hindware/ parryware/cera/jaquar as per direction of E/I.	1	Each		
36	Supplying, Storing, handling, shifting, installation, testing and commissioning of CP flexible hose, spary wall flange etc. complete Make- Hindware/ parryware/cera/jaquar as per direction of E/I.	1	Each		
37	Providing and fixing straight type macfit single body push fit type WC pan connector with factory supplied spring loaded seal guard of Mcalpine,UK with intergral single mould sealing fins made of flexble EVA body,including bush/adoptor for use with C.I Pipe as supplied with the pan connector.	1	Each		
38	Providing Fixing Saith finish Stainless steel AiSI 316 grade wall mounted coat hook on door complete Make- Hindware/ parryware/cera/jaquar as per direction of E/I.	1	Each		
39	Providing Fixing hand Shower (Health Faut) (ABS Body) with 1mtr long Easy Flex Tube in Chrome Finish and wall hook. Make- Hindware/ parryware/cera/jaquar as per direction of E/I.	1	Each		
40	Fixing of Storage type water heater/ Geyser with required accessories like 15 mm CP angle valve on inlet , heavy duty reinforced flexible PVC connector for cold water line and flexible CP brass connector with CP checkout for hot water line, CPVC line connection, MS bracket with two coats of enamel paint, anchor fastners etc to hang the units, providing and fixing of 16 A 3 Pin plug of , etc complete as required. Make- Hindware/ parryware/cera/jaquar as per direction of E/I. Capacity 15 Liters	1	Each		

Rawson ~~A~~ ~~A~~

41	Fixing of Storage type water heater/ Geyser with required accessories like 15 mm CP angle valve on inlet , heavy duty reinforced flexible PVC connector for cold water line and flexible CP brass connector with CP checkout for hot water line, CPVC line connection, MS bracket with two coats of enamel paint, anchor fastners etc to hang the units, providing and fixing of 16 A 3 Pin plug of , etc complete as required. Make- Hindware/ parryware/cera/jaquar as per direction of E/I. Capacity 25 Liters	1	Each		
42	Providing & Fixing water purifier cum water cooler made of stainless steel having storage capacity of 40 liter & cooling capacity 40 liter / hour with Reverse osmosis system & ultra violet membrane TDS reduction 90% having automatic back wash system with filtration unit & all other required accessories complete in all respect as per direction of the engineer in charge	1	Each		
43	Supplying and fixing Water Purifier with R.O & U.V :- Water Purifier of 15 Ltr. with with R.O & U.V Technology heavy duty all complete job as per direction of EI. (Make-Aquagaurd/Eureka Forbes /Kent)	1	Each		
44	Supplying 100mm dia. Submersible pump sets confirming to IS 8034 and motor cconfirming to IS 9283. Pump shall be suitable for various delivery head and discharge with stainless steel pump shaft ant polypropylene/ norylimpeller. Motor suitable for working on 415 V+10%, 3PH, 50 HZ, AC supply with cable guard, thurst carbon/ fibre bearing to withstand entire hydraulic thrust, water proof winding shall be provided. The pump set shall be suitable for direct coupling. Pump shall have suitable outlet as per manufacturers design. Anti thrust stream lined no return valve shall be provided with pump. 3 m submersible copper conductor cable in single/ double run and nylon rope as required length shall be provided with each pump. Submersible pump set 100mm dia 2 HP. all complete job as per direction of E/I. Make:KIRLOSKERX/HAVELS/CROMPTON	1	Each		

विशेष शर्तें—

- यह कोटेशन सिर्फ दर निर्धारण हेतु आमंत्रित किया गया है।
- कोटेशनदाताओं को अपना दर (सभी करों, GST एवं ढुलाई व्यय के साथ) अंक एवं अक्षरों में उद्धृत करना होगा।
- विशेष सूचना के लिए सूचनापट्ट या वेबसाइट www.prdbihar.gov.in एवं www.bseidc.in देखें अथवा अधोहस्ताक्षरी के कार्यालय में कार्यावधि में संपर्क किया जा सकता है।






8/9/2020
अधीक्षण अभियंता
BSEIDC, पटना।