Schedule XLV-Form No. 61 Resource Centre, Bijaipur,
Gopalganj. (SL No. - 58)

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Fren Sagar Yadar. ITEM RATE TENDER AND CONTRACT FOR WORKS

tareement NB. 156 F2 of 2016-17. General Rule and Direction for the guidance of Contractors

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.		
If the amount of the estimate does not exceed Rs. 2,000			50
If the amount of the estimate exceeds Rs. 2,000 but does	16,113	2019	30
not exceed Rs. 5,000			100
If the amount of the estimate exceeds Rs. 5,000 but does			100
not exceed Rs. 10,000			200
For each additional Rs. 5,000 or portion of Rs. 5.000			200
additional earnest money			100
C A D		•••	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other canditions of any soft, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the enveloph residence for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be

Ltd.

ALGANJ

memorandum at d in accodance in abjects to the accordance with,

: Commencement of

EEN MONTHS

gineer td, Patna

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate lender & contract for works to see that the form has been properly filled up and signed by the characteristic form has been properly filled up and signed by the characteristic form has been properly filled up and signed by the characteristic form for signature is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

Name of work

Estimated cost

Earnest money

RATE TENDERED

(a) If several sub-work are included they should be tained in a separate list.

(b) This deposit will be 5% of the estimated cost of the

(c) This percentage [d] eduction from bills will be credited to the contractors security deposit.

Item No.

of the

[h]

Item of work

[a]

[d] Initial security deposits (including earnest money) to be deposited befor the commencement of the work

[e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)

[f] Time required for the work from date of written order to commence monthly

In figures

[g] Date of written other to commence

Total number of item of work tendered for

In words

Per

Chief Engineer

16/01

B.S.E.I.D.C. Ltd, Patna

1 Ltd.

PALGANJ

memorandum at and in accodance in Subjects to the accordance with,

he Commencement of

FEEN MONTHS

ngineer
Ltd, Patna

Item No.	Item of work	RATE TE	NDERED		
	Remot Work	In figures	In words	Per	
			STATE OF THE STATE		
	diskipation to accompanies considered as a	THE SHOP STATES	AND AND SHA		
100	all 1997-208 to appearant and the will	Thouse (see	a Chinglens		
	AND STATE SECTION OF THE		r Clouder to		
7.					
		10 m			
			4		
			1847774	•	
	Allegation is a first backward of	Print of the sector	are the second	in the second	
		Military Malays Marco	•		
draft	ig fall spanier (122 at all all all all all all all all all				
4		7 C 8 S			
	and the devices a management of a virial	STATE STATE OF THE			
10 m		Carlo Trace			
	TO THE SECOND OF SECOND SECOND	Wild it deputing	of the state of the		
			Section 2		
	化自己 的复数电子 医自己性		of the state of		
	•				
	The state of the s				
	the state of the section of the				
ants it at					
	and property of the second				
, 1, -,					
			-45		
130 00	2. 10 · 10 · 10 · 10 · 10 · 10 · 10 · 10				
1100	Will be the second				
17/17				1	
7.9.90169	Chief Su 8,5,5,1,0 C.1				
MEY DIL	B.S.E.I.D C.				

7	-	-	-	VIV	Form	NIO	61
-0	um		æ	VFA -	FUILL	NO.	0

		(5)	MDEDED		<u>1 Ltd.</u>
Item No.	Item of work	In figures	NDERED In words	Per	PALGANJ
					-
					memorandum at nd in accodance in
			Value Value Value		Subjects to the
					accordance with,
			Y		
	3				
		***	C		he Commencement
					ne Commencement

					TEEN MONTHS
			· · · · · · · · · · · · · · · · · · ·		
			. 1		
					(10)
					ingineer Ltd, Patna Skerwhys
			V.5		Ltd, Patna
					JEG WAS IN

Item No.	Itom of work	RATE TE	RATE TENDERED			
item 140.	Item of work	In figures	In words	Per		
	•		t.			
			100			
Contract						
			* 3			
12 6						
*						
7			•			
			*			
and the second						
4						

4 (7) shedule XLV - Form No. 61 n Ltd. RATE TENDERED Item No. Item of work Per **PALGANJ** In figures In words n memorandum at and in accodance in Subjects to the accordance with, the Commencement of TEEN MONTHS Engineer

Ltd, Patna

Skirushus Chief Engineer E.S.E.I.D.C.Li. Patra

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

*Signature, of contractor before comission of tender

witness Address

Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Biha Dated the day of

> signature of the office accepting the tende

Acceptances communicated on 26-09-2016

signature of the part taking the tende



CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor t Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security depos being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, o arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tende shall be strictly observed by the contractor and shall be reckoned from the date or which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percenauthorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the sail estimated cost of the whole work for every day that the due quantity of wor remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in on sum or deducted by instalments) the Executive Engineer an behalf on the Biha Government shall have been powered to adopt any of the following courses, as may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contract under the hand of the Executive Engineer shall be contracted and in which case the sectitiry deposit of the contractors and partition and be sectionally deposit of the contractors. absolutely at the disposal of Government.

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers; conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Ex Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be Chiefallogineer proper. The Executive Engineer shall at the same time inform the contract Proper hetd, Patna

claims compensation for the delay.

n Ltd.

PALGANJ

n memorandum at nd in accodance in Subjects to the accordance with,

contractor remains liable to pay compensation if action not take under

the Commencement of

TEEN MONTHS

Power to take posession of or require removal of or sell contractor plant.

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

•Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

U

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due untirere after to become due to the contractor under the contract or otherwise, or against of form the security deposit, or the proceed of sale thereof, if the same is held in Government and shall supplied to the contractor shall remain the absolute property of Sovernment and shall not on any accounts he removed from this site of the work and shall times be open to

01

Stores supplied Government

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor cation drawing other etc. shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason and out. of any afternation having been made in the original specification, drawing test pandtd, Patna instruction, which shall involve any installment of the work as original acontemplated clause 12(a) As contained in G O 1929 dated 11.9.56. 16/01

on Ltd.

OPALGANJ

ten memorandum at and in accodance in d Subjects to the in accordance with,

Work to be executed accordance with specifi-

Alteration in specifications and designation

re the Commencement of

Do not in validate contract

FIFTEEN MONTHS

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

> ef Engineer D.C. Ltd, Patna

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electrical telephone posts or wires, trees, grass or grassland or cultivated ground contiguous for which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperied to become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

(13)

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any abourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward r advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person the employ of Government in any way relating to his officer or employment or if any uch officer or person shall become in any way directly or indirectly interested in the ontract the Executive Engineer may there upon by notice in writing rescind the contract he security deposit of the contractor shall there upon stand forfeited and be absolute the disposal of Government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and the same consequence shall ensure as if the government and government and the government and government and government and ad been recipied under clause 3 here of, in addition the contractor shall not be entired. Ltd, Patna recover by be paid to any work therefore actually performed the under the contract.

damage done and for imperfection a months

Contractor to supply to plantladder scaffolding

OPALGANJ

on Ltd.

ten memorandum at e and in accodance in id Subjects to the ; in accordance with,

arising for non-provision

ore the Commencement of

Work not to be subject

FIFTEEN MONTHS

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

> lief Engineer I.D.C. Ltd, Patna

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21 :- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22 :- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineerin-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

where Action specificaiton

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions. shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained ...clearly understand them. to me and.....certify.....

Chief Engineer Witness:

Schedule XLV - Form No. 61

8.

tion Ltd.

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

GOPALGANJ

Rates at which the material will be charged to the Place of delivery contractor Unit Rs. P.

ritten memorandum at nce and in accodance in and Subjects to the ects in accordance with,

before the Commencement of

nce FIFTEEN MONTHS

Note:-The person or firm submitting the tender should see that the rates in the above schedules are up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Chief Engineer

SPICE (Ed. DE Redutel, Protonor) 16/01

Chief Engineer
.S.E.I.D.C. Ltd, Patna

Sind strangering for the company of the company of

Wid!

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at BIJAIPUR, GOPALGANJ

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- detained in the separate list
- (a) If several sub-work are
 (A) Name of Work:- Construction of Block Resource Centre at BIJAIPUR, GOPALGANJ(SL. NO.-58)
 - (B) Estimated Cost :- Rs. 76,29,908=00 Agreement value :- Rs. 68,66,917=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money :- Rs. 4,15,5000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 116

16/11/12

Chief Engineer B.S.E.I.D.C. Ltd. Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014

SL. No.	DISTRICT	NAME OF INSTITUTE	BLOCK
1	GOPALGA NJ	BLOCK RESOURCE CENTRE	BIJAIPUR
1		CITIES Y	

CIVIL WORKS

Sl. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2	3	4	5	6	7
	PILE WORKS					/
1	20.2	Boring, providing and installing bored castin-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000	meter	1200 20	Rs. One thousand three hundred nine and paise
	20.2.2	400 mm dia Piles	0.000	meter		Rs. One thousand five hundred twenty three an
	20.2.3	450 mm dia Piles	0.000	meter		Rs. One thousand nine hundred seventy eight and paise eighty only.
	20.2.4	500 mm dia Piles	0.000	meter		Rs. Two thousand three hundred six and paise
	20.2.5	600 mm dia Piles	0.000			Rs. Two thousand nine hundred ninety six and
	20.2.6	750 mm dia Piles	0.000	meter		paise ten only. Rs. Four thousand two hundred nineteen and paise seventy only.

psvadu

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

2124

16/01

2			11			
	20.3	Boring, Providing and installing cast in si single under reamed piles of specific diameter and length below pile cap in M-2 cement concrete, to carry a safe workin load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):	ed 25 1g le le d			
	20.3.1	300 mm dia Piles				Rs. One thousand nine hundred thirty four and
3	20.3.2	400 mm dia Piles	0.000	meter	1934.20	paise twenty only. Rs. Two thousand two
	20.3.3	450 mm dia Piles	0.000	meter	2225.30	hundred twenty five and paise thirty only. Rs. Two thousand three
	20.3.4	550 mm dia Piles	0.000	meter	2397.50	hundred ninety seven and paise fifty only.
		and the s	0.000	meter		Rs. Two thousand six hundred five and paise ten only.
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).	1.			
,	20.4.1	300 mm dia Piles 400 mm dia Piles	0.000	Each	1240.10	Rs. One thousand two hundred forty and paise ten only.
			0.000	Each		Rs. One thousand three hundred seventy three and paise eighty only.
	20.4.3	450 mm dia Piles				Rs. One thousand four hundred fifty four and
	20.4.4	500 mm dia Piles	0.000	Each	1454.80	paise eighty only.
			0.000	Each		Rs. One thousand five nundred ninety seven and paise twenty only.

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Skehoudhor 16/01

4						
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well 10sqm on plan) incloding dressing of side and ramming of bottom, lift upto 1 including getting out the excavated soil are disposal of surplus soil as directed within lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	es es .5			Rs. Two hundred five and paise twenty only
5	2.29.1	Sunface	318.530	cum	205.20	
	2.27.1	Surface dressing of the ground including removing vegetation and inequalities no exceeding 15 cm deep and disposal or ubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	t	100 com		Rs. Seven hundred eighteen and paise eig only.
	EARTH FILLIN	G	130.410	100 sqm	718.800	
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM		,		Rs. Sixty six and paise forty only.
	SAND FILLING		188.980	cu.m	66.40	
7	2.28					
FLA	AT BRICK SOLI		119.810	cu.m	192.50	Rs. One hundred ninety wo and paise fifty only
)	11.72	Providing designation 100 A one brick flat	/			
		soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, $10 + 2$, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM	305.410		Se	ds. Two hundred twenty even and paise sixty nly.

Psterde

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

2/19/

	P.C.C.		13)		
9				1/2		
	4.1.5	Providing and laying in position cem- concrete of specified grade excluding a cost of centring and shuttering- all wo upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 grad stone aggregate 20mm nominal size) = 13 CUM	the ork			Rs. Two thousand ser hundred seventy five paise seventy only.
10	4.1.4	Providing and laying in position ceme	13.000	cu.m	2775.7	0
		concrete of specified grade excluding the cost of centring and shuttering- all wo upto plinth level 1:2:4 (1 Cement: 2 coarse sand: 4 grade stone aggregate 40 mm nominal size)10 + 2, BUILDING 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	he rk			Rs. Three thousand tw hundred nineteen and paise seventy only.
	FLOORING		11.720	cu.m	3219.70	
11	11.38	Providing and laying Ceramic glazed floo tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM	d y			Rs. Eight hundred one and paise eighty only.
	WALL TILES		46.040	sq.m	801.800	
2		Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.			f	Rs. Seven hundred fifty our and paise twenty only.
LOO	RING & SKIRTI	NC.	188.874	sq.m	754.200	
	TINING & SKIKII	NG				

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skihoudherj

16/01

1	1.
1	4

			14			
13	11.26.1	Kota stone slab flooring over 20 m (average) thick base laid over and jointed with grey cement slur mixed with pigment to match the shade of the slab includir rubbing and polishing complete. Base with 1:1:1 (1 lime:	nm rry			Rs. Nine hundred sixty eight only.
		surkhi: 1 coarse sand) / 1:4 (20 TO 25M) THICK) = 281.852 SQM				
14	11.27	Kota stone slabs 20 mm thick in risers of	281.852	sq.m	968.0	00
		steps skirting. Dado & pillars laid on 12 mm (average (thic cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grecement slurry mixed with pigment to match the shade of the slal including rubbing and polishing complete. Details of cost for 10 sqm	k y			Rs. Nine hundred twenty seven and paise fifty only.
15	8.3.2	Extra for providing edge moulding to 18	74.37	sq.m	927.5	0
		mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work				Two Hundred Thirty Nine and paise ten only
C.C. WO	ORK BELOW PL	INTELLATI	0.00	M	239.10	
16						
	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size) = 59.183 CUM				Rs. Five thousand one hundred ten and paise seventy only.
C.C. WC	ORK ABOVE PLI	NTH LVL.	59.183	cu.m	5110.70	
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) $10 + 2$, BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
			20.510	cu.m	5666.20	

psyndr

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

| Deboulter |

18	5.1.3	Providing	15			
	3.1.3	Providing and laying in position specification grade of reinforced cement concrete excluding the cost of	ed			
		reinforcement-All work puto	nd		=	Rs. Three thousand for
		plinth level. 1:2:4 (1 cement:2 coarse sand graded stone	:4			hundred thirty eight a paise ninety only.
		aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM				, , , , , , , , , , , , , , , , , , , ,
19	5.3	Doinform	0.930	cum	3438.9	0
	5.33B.4 +	beams, suspended floors, roofs having slop upto 15, landings, balconiec, shelve	c l		3430.7	0
	5.33B.1	chajjas, lintels, bands, plain window sill staircases and spiral stair cases upto floo five level excludingthe cost of centring	\r			
		shuttering, finishing and reinforement with 1:2:4(1 cement:2 coars sand:4 graded stone aggregate 20 mr	e			
		nominal size). Add or deduct for providing richer or leane				Rs. Four thousand five hundred eighty one and
		mixes respectively at all floor levels. Providing M-15grade R.C.C instead of M 20 grade R.C.C.				paise twenty only.
		Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C. = 100.44 CUM				
	BRICK WORK		100.440	cu.m	4581.20	
20	6.1.14A				4381.20	
		Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand)				
		= 39.878 CUM				Rs. Three thousand nine hundred ninety two and paise ninety only.
21	6.1.14A	Brick work with bricks of class designation	39.878	cu.m	3992.90	
	+ 6.3A	mortar 1:6 (1 cement: 6 coarse sand)				
		Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM			1	Rs. Four thousand four nundred twenty seven and paise fifty only.
22	6.18.4A	Half brick masonry with bricks of class	160.082	cu.m	4427.50	
	+ 6.19A	designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)				
		Extra for half Brick masonry in superstructure above pinth level upto floor V level.			e	ss. Five hundred thirty ight and paise thirty nly.
		12.1				•
		= 134.043 SQM				

psyedr

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

16 01

	6.21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every thir	n			
		course of half brick masonry (with F. P. Sbricks) = 134.043 SQM	d S.			Rs. Seventy five and
		2				paise ninety only.
24	6.1A + 6.1.12/	1 Duistern 1 St. L.	134.043	Sq.m.	75.90	
	0.1.12/	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1 .:4 (1 cement: 4 coarse sand) = 8.75 CUM			/	Rs. Four thousand one hundred eighty four on
		S.75 COIVI	0.77.0	2		randred eighty four off
	PLASTER WOF	RK	8.750	cum	4184.00	
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM				Rs. One hundred twent three and paise fifty on
26	13.13.1	20 mm cement Plaster 1:3 (1 cement: 3	836.658	sq.m	123.50	
	+ 13.26	coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM				Rs. One hundred eighty five and paise sixty only
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1	16.650	sq.m	185.60	
		cement : 6 coarse sand) = 1041.58 SQM			I t	Rs. Eighty nine and pair hirty only.
28 3	3.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3	1041.580	sq.m	89.30	
		coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM			R	Rs. One hundred forty ive and paise fifty only.
9	13.24.2	6mm this C	52.820	sq.m	145.50	
		6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	SQ m	Rapa	s. Seventy seven and nise forty only.
0 1	1	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc. = 136.41 SQM	30.330	sq.m	77.40 Rs two	s. Two hundred thirty o and paise ninety ly.

Ready

Chief Engineer

8.S.E.I.D.C. Ltd. Patna

| Chief Engineer

	FINICHING		17	_		
2.1	FINISHING W		1			
31	13.46.1	Finishing walls with Acrylic Smoot exterior paint of required shade: New work (Two or mor coat applied @ 1.67 ltr/ 10 sqm over and including priming coat exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM	e			Rs. Sixty eight and paise eighty only.
32	13.80A.2	Drovidin	836.658	sq.m	68.8	0
	13.00/4.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	f			Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa ble	2266.768	sq.m	118.70	
		distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM				Rs. Sixty four only.
34	13.81.1	Applying priming coat with ready mixed	1430.110	sq.m	64.00	
		pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM				Rs. Twenty five and paise twenty only.
35	13.81.3	Applying priming coat with ready mixed	115.680	sq.m	25.20	
36	12.02.1	zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM	105.728	sq.m	1	Rs. Twenty one and paise thirty only.
36	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM	/	94.111	21.30	Rs. Fifty and paise ninety only.

221.408

sq.m

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

16 0

50.90

			18			
37	10.14.1	Providing and fixing T-iron frames for doors, windows and ventilators of mils steed. Tee-sections, joints miltred and welded wit 15x3 mm lugs 10 cm long embedded in cement concered blocks 15x10x10 cm of 1:3:6 (1 cement : coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or raw plugs and screws or with fixing clips or with bolts and nuts as required including	el h e 3 0			Rs. Seventy five and paise ten only.
38	0.21.1	= 339.675 KG	339.675	Kg.	75.10	
38	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of		Ng.	73.10	
		shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM				Rs. One thousand eight hundred twenty three and paise eighty only.
			10.105			
39	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	48.195	sq.m	1823.80	Rs. Sixty six and paise fifty only.
			44.000	ench	((50	
40	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2 , BUILDING = 44 EACH	44.000	each		Rs. Twenty seven and paise fifty only.
41	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	44.000	each		Rs. Eighty two and paise eventy only.
42	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	Se	es. One hundred seventy even and paise forty nly.
			22.000	each	177.40	

Psycon

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Rehoushory

10				
TC	P		8	
	4	r		

	STEEL WORK		19			
43						
43		Providing and fixing glazed steel doors windows or ventilators of standard rolle steel sections, joints mitered and welde with 15x3 mm M.S. lugs10cm long wit steel legs embedded in cement concret blocks 15x10x10cm.of (1:3:6) (1cement 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing or glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows. = 95.715 SQM	d d d h e e : e e s a a s a a s a a a a a a a a a a a			Rs. Three thousand two hundred seventy and paise sixty only.
44	0.12.1+10.13C		95.715	sq.m	3270.60	
	s b s s s s s s s s s s s s s s s s s s	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete clocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with ixing clips or with bolts and nuts as equired, including providing and fixing of lass panels with glazing clips and special netal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except ecessary hinges or pivots as equired. Doors extra for providing and fixing steel beading of approved shape and section with screws stread of glaxing clips and met. Sash putty steel doors, windows, ventilators and omposite units. Steel ventilators 3.24 SQM			ŀ	Rs. Three thousand two nundred seventy seven and paise sixty only.
			3.240	sq.m	3277.60	

psych

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Wehousky

16/01

			20	١		
45	9.82.1	Providing and fixing M.S. grills	of	,		<i>J.</i>
		requirement pattern in frames of windo	We			
		etc. with M.S. flats square or round bars of	eto.			
		all complete				D- N'
		fixed to steel windows by welding.				Rs. Ninety one and pais
		= 1722.87 KG				fifty only.
1.0			1722.87	0 1		
46	5.22	Reinforcement for RCC work including	20	0 Kgs.	91.5	0
		straightening, cutting, bending placing	in			
		position and bonding all complete.				
	5 22 7 1	TMTC-500				
	5.22.7A	Thermo-Mechanically Treated bars TMTC	C-			
		500 8mm dia				
		= 8300 KG				Rs. Seventy four and
		SEPTIC TANK = 93 CUM				paise forty only.
	5.22.7B	TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	
	3.22./B	Thermo-Mechanically Treated bars TMTC	- /	Ro	74.40	
		300 10mm dia				Rs. Seventy three and
	5.22.7C	= 1300 KG	1300.000	KG	73.10	paise ten only.
	3.22.70	Thermo-Mechanically Treated bars TMTC	-		/3.10	
		500 12mm dia	-			Rs. Seventy one and
İ	5.22.7D	= 7000 KG	7000.000	KG	71.80	paise eighty only.
	0.22.70	Thermo-Mechanically Treated bars TMT-500 16mm dia			71.80	
		= 700 KG				Rs. Seventy two and
Ī	5.22.7E		700.000	KG	72.80	paise eighty only.
		Thermo-Mechanically Treated bars TMT-500 20mm dia				
		= 750 KG				Rs. Seventy two and
	5.22.7F		750.000	KG	72.20	paise twenty only.
		Thermo-Mechanically Treated bars TMT-500 25mm dia				Rs. Seventy two and
47	10.19	Providing & fixing M.S. Fan hook of 16	0.000	KG	72.20	paise twenty only.
		mm. dia. M.S. bar 1 Mtr. Long bent to				ballot twenty only.
		required size and shape, placed in position				
		and fixed in Truss Frame / RCC Slab / beam				
		at the time of casting all complete as per	-		,	
		building specification and direction of E/I.			1	Rs. One hundred twenty
		(Where materials is not supplied by deptt.)				one and paise eighty
		= 42 EACH				only.
						A STATE OF THE STA
48	10.22.1		42.000	Each	121.00	
40	10.33.1	Providing & fixing hand rail by welding etc.	12,000	Lacii	121.80	
		to steel ladder railling & staircases railling				
		including applying a priming coat of				
		approved steel primer.			R	s. Ninety one and paise
		MS tube (medium) 40mm nominal bore.			te	n only.
		= 550 KG	550,000			
			550.000	kg.	91.10	

psyady

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skipouhy

steel shutters with vertical channes 20x10x2mm and braced with flat from diagonals 20x5mm size with to pand bottom rail of T-fron 40x40x6mm with 40mm dia steel pulleys complete with botts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer. ### Miscellaneous work ###	49	10.5	Providing and fiving	2			
steet pulleys complete with bolts nuts looking arrangement stoppers handles including applying a priming coat of approved steel primer. MISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3.6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. The state of th			steel shutters with vertical chann- 20x10x2mm and braced with flat iro- diagonals 20x5mm size with top and bottom	es on			
Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. SHUTTERING SHUTTERING SHUTTERING SHUTTERING Toundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM Centring and shuttering including strutting, propping etc. and removal of form for formass concrete. = 55.781 SQM S5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 349.241 Sqm. 251.30 Rs. Two hundred fifty one and paise thirty only and paise forty only one and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Some and paise thirty only and paise forty only one and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Rs. Two hundred fifty one and paise thirty only and paise seventy only. Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. 275.60			locking arrangement stoppers handle including applying a priming cost of	ts			Rs. Four thousand on hundred fifteen and p sixty only.
Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. SHUTTERING SHUTTERING SHUTTERING SHUTTERING Toundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM Centring and shuttering including strutting, propping etc. and removal of form for formass concrete. = 55.781 SQM S5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 349.241 Sqm. 251.30 Rs. Two hundred fifty one and paise thirty only and paise forty only one and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Some and paise thirty only and paise forty only one and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Some and paise thirty only and paise seventy only. Rs. Two hundred fifty one and paise thirty only and paise seventy only. Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. 275.60				4.50			
SHUTTERING SHUTTERING SHUTTERING SHUTTERING SHUTTERING SHUTTERING SHUTTERING SHUTTERING SHUTTERING To suppose the condition of the control of the c		ELLANEOUS	WORK	4.52	sq.m	4115.6	50
sand: 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. 75.414 SQM	50	4.17	Making plinth protection 50mm thick o cement concrete 1:3:6 (1 cement :3 coorse	f			
SHUTTERING SHUTTERING 51 5.9.1 Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 349.241 Sqm. 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 367.575 Sqm. 344.40 Asqm. 319.30 Rs. One hundred sixty and paise seventy only. Rs. Two hundred fifty one and paise thin only. Rs. Two hundred fifty one and paise thin only. Asqm. 251.30 Rs. Two hundred fifty one and paise forty only afficient and access platform. = 451.54 SQM 451.540 Sqm. 275.60 Total 5.716.706.8*			sand: 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend				Rs Three hundred
SHUTTERING 5.9.1 Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 4. 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 4. 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 4. 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 4. 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 4. 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 5.716,706.8°			and consolidated and grouted with fine sand including finishing the top smooth				nineteen and paise this
Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 55.781 Sqm. Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 349.241 Sqm. Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM Sym. Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Total Total Total Sym. Rs. One hundred sixty and paise seventy only. Rs. Two hundred fifty one and paise forty only and paise sixty only.	S	SHUTTERING		75.414	sq.m	319.3	0
propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 52 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 4 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. 275.60 Total 5.716.706.88	51						
Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM Sqm. 251.30 Rs. Two hundred fifty one and paise thirty only one and paise thirty only one and paise thirty only strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Total Total Sqm. 251.30 Rs. Two hundred fifty one and paise thirty only four and paise forty only four and paise forty only four and paise sixty only.			propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete.			7	Rs. One hundred sixty and paise seventy only.
propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM Sqm. 251.30 Rs. Two hundred fifty one and paise thirty only one and paise forty only struts = 367.575 SQM Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. 275.60 Total 5.716.706.88	52	5.9.5	Centring and shuttoning:	55.781	Sqm.	166.70	
Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Rs. Three hundred forty four and paise forty only Rs. Two hundred sevents five and paise sixty only. Total 5,716,706.88			propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers.			100.770	
propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Rs. Three hundred forty four and paise forty only Rs. Two hundred seventy five and paise sixty only. Total Total 5,716,706.86	53	5.9.6	Centring and shuttering including strutting	349.241	Sqm.	251.30	
Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. 275.60 Total 5,716,706.86			propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts	267.575			Rs. Three hundred forty four and paise forty only
propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. Total Total 7,716,706.86	4	5.9.3	Centring and shuttering including strutting.	307.375	Sqm.	344.40	
Total 5,716,706.89			propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.				Rs. Two hundred seventy five and paise sixty only.
Total 5,716,706.89				451.540	Sqm.	275.60	
							5,716,706.85

pstode

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Alchoudhen

lur	nbing and sar	itam Wayle	22			
1011	and sai	ntary work				
55	B.S.R	Providing and C.				
	12.78	Providing and fixing on wall fac unplastidsed PVC (working pressure 4 kg per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.	ef o			
	12.78.2	110 mm diameter. = 40 MTS				Rs. Two hundred fourteen and paise twe
56	SOR 12.79	Providing and fixing on wall face	40.000	MTS	214.200	only.
		unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				
	SOR 12.79.1	Coupler		-		
	SOR 12.79.1.2	110mm				
	SOR 12.79.5	= 10 MTS Bend 87.50°	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
		Delia 67.50				
	SOR 12.79.5.2	110mm bend = 12 MTS				Rs. One hundred sevent three and paise seventy
	SOR 12.79.6	Shoe (Plain)	12.000	Each	173.700	only.
						/
		110mm Shoe = 12 MTS	12,000			Rs. Three hundred fourteen and paise
7	B.S.R	Providing and fixining water closet	12.000	Each	314.730	seventy three only.
	17.1.1	squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				

porade

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

| 101

16/10/

1			23			
		White Vitreous China Orissa pattern W pan of size 580 x 440 mm with integral ty foot rest. = 6 EACH	С			Rs. Three thousand thirt five and paise forty only
58	0.5.10	Providing and fixing white vitreous chir	6.000	Each	3035.400	
	17.2.2	pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre log level white P.V.C. flushing cistern including flush pipe, with manuall controlled device (handle lever conforming to IS: 7231, with all fitting and fixtures complete, including cutting an making good the walls and floors wherever required:	www.n,,,lly)),,sssdd			
		W.C. pan with ISI marked black solid	d			D. T. d.
		plastic seat and lid = 3 EACH				Rs. Two thousand nine hundred twenty eight and
59	B.S.R	Providing and fixing white vitreous china	3.000	Each	2928.300	paise thirty only.
	17.4.2	flat back or wall corner type lipped from urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white	t d			
		P.V.C. automatic flushing cistern = 3 EACH				Rs. Four thousand six hundred eighty eight and paise ninety only.
60	SOR 17.34	Dravding 1 C :	3.000	Each	4688.900	,,
	17.34	Provding and fixing toilet paper holder				
	SOR 17.34.2	Vitreous china	3	Г. 1		
61				Each	304.2	Rs. Three hundred four and paise twenty only.
61	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

A. Jkhowhen

2/12. 16/0/

	White Vitreous China Wash basin siz 630x450 mm with a pair of 15 mm C.F.	ce			
	brass pillar taps. = 12 EACH	P.			Rs. Two thousand one hundred twenty and pa
18.63	Providing and fiving PTMT	12.000	Each	2120.300	thirty only.
	Providing and fixing PTMT angle stop cocl 15 mm nominal bore,weighing not less than 85 gms				Rs. One hundred eight
D C D	D	15 000	Engh	100.00	and paise ninety only.
17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.		Lacii	180.900	
17.28.2.1	Flexible pipe 32 mm dia				
	= 12 EACH	12.000			Rs. Seventy eight and
	Providing and fixing mirror of superior	12.000	Each	78.600	paise sixty only.
17.52.2	shape and size with plastic moulded frame of approved make and shade with 6				Po Sint 1 1 1
	Rectangular shape 453 x 357 mm = 12 EACH				Rs. Six hundred forty three and paise forty only.
B.S.R	Providing and C.	12.000	Each	643 400	
17.33	glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH			043.400	Rs. Four hundred seventy eight and paise thirty only.
B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	12.000	Each	478.300	Rs. Two hundred forty one only.
	B.S.R 17.32.2 B.S.R 17.33	B.S.R 17.28 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 17.28.2.1 Flexible pipe 32 mm dia = 12 EACH B.S.R Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH B.S.R Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH B.S.R Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	B.S.R 17.28 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 17.28.2.1 Flexible pipe 32 mm dia = 12 EACH B.S.R Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH B.S.R Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH B.S.R Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes	B.S.R 17.28 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 17.28.2.1 Flexible pipe 32 mm dia = 12 EACH B.S.R 17.32.2 Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH B.S.R 17.33 Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH B.S.R Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	B.S.R 17.28 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 17.28.2.1 Flexible pipe 32 mm dia = 12 EACH B.S.R 17.32.2 Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH B.S.R 17.33 Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH B.S.R Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER

psych

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

18/01

67	B.S.R	Providing and fining Class	25			
	18.9.3	Providing and fixing Chlorinated Polyvin Chloride (CPVC) pipes, having thern stability for hot & cold water suppincluding all CPVC plain & brass thread fittings This includes jointing of pipes fittings with one step CPVC solvent cemes trenching, refilling & testing of joir complete as per direction of Engineer Charge.	nal bly ed & nt,			Rs. One hundred nine three and paise eighty only.
		25 mm nominal inner dia Pipes = 60 METER	60,000			
	18.9.4	32 mm nominal outer dia Pipes	60.000	metre	193.800	
						Rs. Two hundred fifty
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	251.100	one only.
						Rs. One hundred forty
68	B.S.R	Providing and placing on terrace (at al	40.000	metre	146.400	and paise forty only.
	18.48	floor levels) polyethylene water storage tand ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes bu	e			Do C'
		without fittings and the base support for tank. = 4000 PER LITER	r	per		Rs. Six and paise eight only.
69	B.S.R	Providing and fixing C.P. brass bib cock of	4000.000	litre	6.800	
	18.49	approved quality conforming to IS:8931				
		15 mm nominal bore. = 12 EACH				Rs. Four hundred ninet
70	B.S.R	Providing and fixing C.P. brass stop cock	12.000	Each	497.000	seven only.
	18.52	(concealed of standard design and of approved make conforming to IS: 8931				
	18.52.1	15 mm nominal bore. = 10 EACH				Rs. Six hundred seventy
71	SOR 18.58	Providing and fixing P.T.M.T. grating of approved quality & colour	10.000	Each	670.700	and paise seventy only.
	COR			4		
	SOR 18.58.1	circular type				
-	SOR 18.58.1.1	100 mm nominal dia,				
	20.00.7.1	100 mm nominar dra,	1	Each	47.90	Rs. Forty seven and paise ninety only.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

72	B.S.R	Providing and India	26			
	19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER				Rs. Three hundred twelve and paise fifty only.
73	B.S.R	Providing and laying non-pressure NP2	50.000	metre	312.500	
	19.6.1	class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER				Rs. Three hundred twelve and paise ninety only.
74	B.S.R	Constructing brick masonry road gully	15.000	metre	312.900	·
	19.27.1	chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 2 EACH	2000			Rs. Three thousand one hundred seventeen and paise thirty only.
75	B.S.R	Contructing brick masonry chamber for	2.000	Each	3117.300	
	19.30.1.1	Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH				Rs. Three thousand nine hundred forty nine and paise ten only.
			6.000	Each	3949.100	

peresh

Chief Engineer

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

16/01/17

-	_	
-	4	_
/		
-	- 1	

76	D.C.D.		27			
	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 med deep with 45 x 45 cm dry brick honey conshaft with brick and S.W. drain pipe 10 mm diameter, 1.8 m long complete as p standard design. With common burnt clay F.P.S. (no modular) bricks of class designation 7.5 = 1 EACH	mb 00 eer			Rs. Twenty five thousa nine hundred and paise ten only.
77	B.S.R	Providing and fixing S.W. intercepting tra	n	Each	25900.100	
	19.34	in manholes with stiff mixture of cemer mortar 1:1 (1 cement : 1 fine sand including testing of joints etc. complete :	nt			
	19.34.1	100 mm dia	-			
70		= 2 EACH	2.000	Each	282 800	Rs. Two hundred eighty three and paise eighty
78		Detailed Estimate for construction of 12:	5	Lacii	283.800	only.
		mm x 40 mm x 90 mm Tube well Manua Boring = 1 EACH	.1			Rs. Sixty thousand four hundred thirty two and paise sixty five only
79	ANALYSIS	NON SCHEDULED ITEMS(MARKET	1.000	Each	60432.650	, and only
		RATE) = EACH				
		P.V.C. PIPE = EACH				
		Provding and fixing soil, waste and vent pipes = EACH				
		110 mm dia = 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven and only.
		P.V.C. FITTINGS = EACH		metre	347.000	seven and only.
		DOOR TEE 110 mm dia = 4 EACH DOOR BEND 110 mm dia	4.000	each	365.000	Rs. Three hundred sixty five only.
		= 8 EACH BEND 45° 110 mm dia	8.000	each	283.000	Rs. Two hundred eighty three only.
		= 10 EACH VENT COWEL 110 mm dia	10.000	each	185.000	Rs. One hundred eighty five only.
		= 3 EACH	3.000	each	65,000	Rs. Sixty five only.
		PIPE CLIP 110 mm dia = 100 EACH	100.000		65.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia = 10 EACH		each	33.000	Rs. Four hundred thirty
			10.000	each		six only.

pered

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

			28			
80	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside SEPTIC TANK = 1 EACH				Rs. Three hundred seventy four and paise s.
81	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia	1.000	Each	374.060	only.
	1021	SEPTIC TANK = 1 EACH	1.000	Each	126 100	Rs. Four hundred thirty
82	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia	1.000	Each	436.400	six and paise forty only.
		SEPTIC TANK = 1 EACH				Rs. Seven hundred forty eight and paise eleven
			1.000	Each	748.110	only.
					Total	348,404.9
					Total (D)	240.407
					Total (B)	348,405.0
		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with				
		Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.				
	1.10.3	Group C	119.000	Nos.		Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-			~	
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required			S	Rs. Seven hundred seventy seven and paise seventy only.
85	1.31	Supply and Fixing Light Plug Point with	3.000	Nos.	777.700	
	N	Modular Type Accessories:-				

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Mehowhan

16/01/17

			29			
		Supplying and fixing suitable size GI bowith modular plate and cover in front on surface or in recessincluding providing and fixing 3 pin 5/6 amps modular socket outleand 5/6 amps modular switch, connection etc. as required. (Folight plugs to be used in non residential buildings).	s, et			Rs. Three hundred six and paise three only.
86	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-	25.000	Nos.	306.030	
		Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.	5			Rs. Five hundred ninety only.
87	2.18	Supply & fixing 20A SPN MCB Industrial	12.000	Nos.	590.000	
		Socket Outlet:-				
		Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required		N		Rs. Nine hundred sixty three and paise fifty four only.
88	1.12	Power Plug Wiring in PVC conduit (2x4 sq.	12.000	Nos.	963.540	
		mm):- Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	420,000			Rs. One hundred sixty three and paise sixty two only.
89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required	420.000	Mtrs.	163.620	
	1.24.1	5/6 amps switch.			7	Rs. Eighty one and paise
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	81.810	eighty one only. Rs. Seventy nine and
			25.000	Each	79.790	paise seventy nine and

peresh

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

10. Skinoudhy

16/01

			30			
90	1.14	Circuit / Sub-main wiring in PVC Conduit:	-			-
		Wiring for circuit / sub-main wiring alon	g			
		with earth wire with the following sizes o	of			
		PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit	e			
		as required.	t			
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				
		The state of the cutting of the cutt	40.000	Mtrs.	107.060	Rs. One hundred seven
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	101000	TVILIS.	107.060	and paise six only. Rs. One hundred thirty
						two and paise thirty one
	1.14.9	4,600	350.000	Mtrs.	132.310	only.
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)			The state of the s	Rs. Three hundred ninety
		be used as sub main)	74.000		4 5	two and paise eighty nine
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	54.000	Mtrs.	392.890	only.
		2 A To Sq. Illin cartii wife	10.000	Mtun	(02.050	Rs. Six hundred two and
		S/F 'C' series SP MCB:-	10.000	Mtrs.	602.970	paise ninety seven only.
91		Supplying and fixing 240 volts, 'C' series.	/			/
		miniature circuit breaker suitable for				
		inductive loads of following poles in the		- 1		
		existing MCB DB complete with				
		connections, testing and commissioning etc, as required.				
		as required.				
	2.10.1	6/32A, Single Pole				
						Rs. One hundred seventy
	2.10.3	6/32A ,DP	36.000	Each	170.690	and paise sixty nine only.
		0.0271,101			- Annie Control	Rs. Four hundred sixty
			3.000	Each	162.500	three and paise fifty nine
92	2.13	S/F TPN MCB:-	3.000	Each	463.590	only.
		Supplying and fixing following rating, four				
		pole, 240 volts, isolator in the existing				
		MCB DB complete with connections,				6
		testing and commissioning etc. as required				
	2.13.2	63 A,TPN				
	2.75.2	05 A, 11 IV				Rs. Six hundred seventy
			3.000	F 1		six and paise seventy
93	2.15	S/F TPN RCCB:-Supplying and fixing of	3.000	Each	676.700	only.
		following rating three phase and neutral				
		415 volts, residual current circuit breaker				
		(RCCB) having a sensitivity current upto				
		300 miliamperes in the existing MCB DB				
		complete with connections, testing and				
		commissioning etc. as required.				TI T
			1			

Psych

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

16/01

	2.15.2	40 Amp.	31	•		
94			3.000	Each	2144.22	Rs. Two thousand one hundred forty four and
94	2.8	S/F TP MCB DB:-	3.000	Each	2144.230	paise twenty three only
		Supplying and fixing of following				
		Supplying and fixing of followi way, horizontal type three pole and neutron sheet steel, MCB distribution board, 4 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, ear bar, din bar, detachable gland plate interconnections, phosphatized and powd painted including earthing etc. as require (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.	al, 15 ith tth te, er			
	2.8.5	4 Ways (4+12 ways) double door				
95			3.000	Set	7420.77	Rs. Seven thousand four hundred thirty and paise
93	1.33	S/F Ceiling Rose:-	3.000	Set	7430.570	fifty seven only.
		Supplying and fixing 2 pin ceiling rose or	2			
96	1.34	the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and paise forty three only.
	1.54	S/F Batten / Angle Holder:-			13.430	Rs. Seventy four and
0.7	N. C.	Supplying and fixing batten / angle holder including connection etc as required.	27.000	Each	74.740	paise seventy four only.
97	1.25	S/F Modular type electronic fan regulator:- Supplying and fixing stepped type fan	24.000	Each	286.840	Rs. Two hundred eighty six and paise eighty four only.
		regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm				
9		Telephone Wiring in Existing Conduit:-	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

All 101

1			32			
	1.18	Supplying and drawing following pair 0 mm dia FRLS PVC insulated annealed copper conducto unarmored telephone cable in the existing surface/ recessed steel/ PVG conduit as required	.5 or,			
	1.18.2	2 pair	-			Do Fields 1
100	1.24	S/F Modular type Switch / Socket:-	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
		Supplying and fixing following modula type switch / socket on the existing modula plate and switch box including connection but excluding modular plate etc a required.	ar S			
	1.24.6	Telephone socket outlet				Rs. Ninety five and paise
		EARTHING	2.000	Each	95.950	ninety five only.
101	5.6	COPPER EARTH PLATE ELECTRODE:-				
		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.				Rs. Nine thousand three hundred eighty four and paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pine:	2.000	Each	9384.920	
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.				Rs. One thousand ninety two and paise eighty two only.
103	5.14	P/F 25 x 5 mm copper earth strip in surface/	12.000	Mtrs.	1092.820	
		recess:-				
4		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	064.560	Rs. Eight hundred sixty four and paise fifty six
104		Cable Laying of 1.1 KV & 11 KV :-	24.000	IVILIS.	864.560	only.
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.				Rs. Two hundred four
105		G.I. Pipe for Cable protection:-	80.000	Mtrs.	204.020	and paise two only.
L						

			33			
	14.14	Providing, laying and fixing following di RCC pipe NP2 class(light duty) in groun complete with RCC collars, joints wit cement mortar 1:2 (1 cement: 2 fine sand including trenching (75 cm) and refillin etc.as required. (Road crossing as per sit condition)	ia d h			
	14.14.2	150 mm dia				
106			10.000	Mtr.	387.840	Rs. Three hundred eighty seven and paise eighty four only.
106	9.1	1.1 KV Cable End Termination: Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.			307.010	Tour only.
107	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred seventy two and paise seventy only.
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.		`	272.700	
		3.5C x 50 Sq.mm 1.1kV	100,000	24		Rs. Three hundred ninety
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.	100.000	Mtrs.	391.000	one only.
	2.1.2	63 amps,TP&N, HRC	0.000	0.000	0.000	-
		or unipo, 11 cerv, 11KC				Rs. Two thousand two

3.000

Each

2260.380

psyadr

2.5

S/F Busbar Chamber:-

109

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

Michoudha

Rs. Two thousand two hundred sixty and paise

thirty eight only.

ī			21			
	2.5.3	Providing and fixing following capacit	y 37			
	B.S.R	busbar chamber with 4 strips of suitable size	re			
-	2009	made of capper, heavy duty, complete wit	h			
		all accessories including				De Civ thousand
	_	connections, earthing the body, etc a	IS			Rs. Six thousand two
		required.				hundred twenty two and
		200 amp.TPN				paise sixty one only.
						· ·
110	0 274	D 14	1.000	Each	6222.610	
111	0 2.7.4 B.S.R	Providing and fixing following capacit	у			
	2009	four pole OFF-load changeover switch with	h			
	2009	side handle operation, in sheet enclosure in	n			
		existing metal board, including drilling	g			D- C
		holes in metal panel, making connection	S			Rs. Seven thousand nin
		etc. as required.				hundred seven only.
	- 2	125 Amps, Four pole				
			1.000	Each	7007.000	· ·
111	6.5	Providing and fixing copper tape 20 mm X	1.000	Each	7907.000	
		3 mm thick on parapet				
		or surface of wall for lightning conductor				Rs. Three hundred
		complete as required.			-	
		(For horizontal run)				seventy nine and paise
						seventy six only.
112	6.6	Droviding and C.	80.000	meter	379.760	
	0.0	Providing and fixing copper tape 20 mm X 3 mm thick on parapet				
		or surface of parapet				
		or surface of wall for lightning conductor				Rs. Four hundred ten and
		complete as required. (For vertical run)				paise six only.
		(For vertical run)				
113	2.2	Providing and fixing follwing rteing and	30.000	meter	410.060	
		breaking capacity MCCB in existing				
	1	cubicale panel bord including drilling hole				
		cubicale panel making connection etc as				, and a second s
		required				
		, in quite				
	2.2.3	160 cm = 16V A				
	2.2.3	160 amp. 16KA				Rs. Four thousand five
						hundred sixty five and
			1.000	EACH	4565.200	paise twenty only.
		FIDE EXCUSES:			Total (C)	
114	DOGED	FIRE FIGHTING				- 00,012110
114	DGS&D	Brand new ISI marked Life Guard ABC				
		type multipurpose Fire Extinguishers 4 Kgs.				
		Capacity, fitted with pressure guage				Rs. Seven thousand five
		complete in all respects, ready to use,				hundred forty nine and
		complete installation kit.			-	paise seventy five only.
			10.000	Nos.	7549.750	
					1347.730	*
					Total	75,497.50
						/3,47/.50
		CARRIAGE OF MATERIALS			Total (D)	75,498.00
115		J. J. MATEMALS				
		The state of the s				
		Type of materials		9	Rate Incl. 1%	

psych

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skihoudhy

16101

2	~
3	2

1			35			
		Cement	139.566	MT	289.87	Rs. Two hundred eighty nine and paise eighty
		Sand	188.457	cum	1707.20	One Thousand Seven Hundred Seven and paise
		Local Sand	125.918	cum	205.29	Twenty Only. Two Hundred Five and
		Stone Chips	176.279	cum		Two Thousand Three Hundred Sixteen and
		Brick	120.253	Thous.	601.67	paise Fifty Seven only Rs. Six hundred one and
		Steel	18.050	MT		Rs. Two hundred eighty nine and paise eighty
116	ADD EVEDA C	OCT OF MATERIAL				seven only.
110	Bricks	OST OF MATERIAL FOR SARAN	4			
	Bricks		120.253	Thous.	0.00	Zero
	Cement		139.566	MT	798.89	Senen Hundred Ninety Eight and paise Eighty Nine only
					Total	985,484.71
					Total (E)	985,485.00
				~	` ` `	703,403.00
SL. No.				Grand Tota	I(A+B+C+D+E)	7,629,907.73
	DISTRICT	NAME OF INSTITU	TE			Amount (Rs.)
1	GOPALGANJ	BLOCK RESOURCE C	ENTRE			7,629,907.73
						0.00
						0.00
				st in 'Rs'		7,629,908.00
	(Rupees S	eventy Six lacs Twenty Nine	thousand	d Nine F	Jundred Ei	ght Only)
	"Details	of Sl. No. 78 (Construction of 125mr	n v 40mm	v 00m Tub	o well) is given	sheles
Part 'A	' - Cost of Mat	erials	A TOMMIN	a John Tul	be well) is given	i below
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	313.001	Rs. Three hundred fifteen only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter		Rs. Ninety nine and paise thirty eight only.
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	104.001	Rs. One hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	2/(1.00)	Rs. Two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.001	Rs. One hundred forty only.
		Providing and fixing of G.I pipes complete with G.I fittings and clamps, including,				Rs. Two hundred twenty

Psterde

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

18/0/

			36	5		
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.2	Rs. Five hundred elever and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary rise				
0		pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.0	Rs. Twenty six thousar four hundred forty six only.
		Sub - Total "A"				
Part 'B'	- Cost of La	abour				46138.3
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socke etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
		(i) 0 to 30.5 m				
9		(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seventy seven only.
10	-	(b) for 40 mm dia UPVC pipe				
× .		(i) 0 to 30.5 m	3.5	mtr		Rs. One hundred nineteen and paise three only.
		(ii) 30.5 m to 61.0 m	And the second			
11		(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eight
		(iii) 61.00 m to 75.00 m				only.
12		a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
		(iv) 75.00 m to above				
13		a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79 e	Rs. One hundred forty ight and paise seventy ine only.

PStech

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Ja.

1600

Providing all labour & tools and lowering 14 32 mm dia G.I pipe as per specificatin etc. Rs. Twenty one and 24 mtr 21.34 all Complete paise thirty four only. Supplying labour and developing the 15 T/Well to have sand free discharge all Rs. Two hundred eighty 1 Each complete as per direction of E/I and paise fifty only. Sub - Total 14,294.28

Tender approved in favour of Prem Sagar Yadav @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 68,66,917=00 (Rupees Sixty Eight Lacs Sixty Six Thousand Nine Hundred Seventeen Only)

push

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Performance Security

Name of Agency – "Prem Sagar Yadav"

Performance Security of "Prem Sagar Yadav" of "BRC-Bajaipur(SL. No.-58)"

Passbook No. 6111845 6112377 6111857 6112316 FDR No. 35811512088	DOI Reg No 08.07.14 17.07.15 30.07.14 24.04.15 DOI 03.06.16 To 03.06.17		Amount 100000.00 90000.00 30000.00 25000.00
		Total	415000.00

(Rupees Four Lacs Fifteen Thousands Only)

Amir kan Som 7/1/17 लेखा पदाधिकारी

विहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पटना

Sanyay OHOWIT

psyde

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2643/2016-17/- 10483 To.

29:10:16 Date.....

Prem Sagar Yadav, Vill+P.O.-Kalyanpur, P.S.-Bhore, Distt.-Gopalganj.

Dear Sir.

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Bijaipur, Gopalganj (SL. No.-58 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 68,66,917=00 (Rs. Sixty Eight Lacs Sixty Six Thousand Nine Hundred Seventeen Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,95,000=00 (Rs. Three Lacs Ninety Five Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

Memo no: BSEIDC/FIN/2643/2016-17/- 1048 \$

Chief Consultant (Technical)

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2643/2016-17/- 1048 3

9-10-2016 Chief Consultant (Technical)

Date: 29:10:16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2643/2016-17/- 10483

Chief Consultant (Technical)

Date: ... 29.110.16

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

PSYNDL

Chief Engineer B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail. bseide@gmail.com, website; www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रमाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना–800004, दूरमाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 3 95 v

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

SL.	Existing provision	Amended provision
SPANIES.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
a	Date and Time of Pre bid Meeting – 25.04,2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016. Date and Time of Pre bid Meeting – 25.05.2016, 14:30 Hrs.
(2)	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016, 15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
8	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

Chief Engineer

S.S.E.I.D.C. Ltd, Patna

psycoh

बिद्धार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–४००००४, दूरभाष–०६12—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 03-2016

Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

2		
no.	Existing provision	Amended provision
	Period of Sale of Bid document (Download)	Derived of Solo of Dill 3
	from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	dated 16.04.2016 to 10.05.2016,
	Date and Time of B. 1 11 1	15:00 Hrs.
CI -	14:30 Hrs.	14:30 Hrs.
	38t 19th 9th 1 the Amar Commencer	10:00 Hrs.
3	on dated 29 03 2016 15:00 H.	Last date and time for receipt (Upload) of Bids on
	Time and date E.	dated 11.05,2016,15:00 Hrs.
7	dated 31 02 2016 16 20 30	Time and date for opening of Technical Bids on
THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT	Time 11, 05:2010, 10:30 Hrs.	dated 13. 05.2016, 16:30 Hrs.
10	Time and date for opening of Financial Bids on	Time and date for onening of Pinanaial Dia.
The state of the s	dated 11.04.2016, 15:30 Hrs.	dated 27.05.2016, 15:30 Hrs
9	The Cont of Door	
The state of the s	THE COST OF BOQ and EMD will be a	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

Allech

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

3	Victing and	
100.	Existing provision	Amended provision
Woodnessed,	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016,
2	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01.05.2016.15:00 Hrs.
m	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04, 05, 2016, 16:30 Hz.
4	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05.2016. 15:30 Hrs
50	The Cost of BOQ and EMD will be a	The Cost of BOQ and EMD will be accepted up to 04.05.2016. 15:00 Hrs.

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer)

PStade

Page 1 of 2

Chief Engineer B.S.E.I.D.C. Ltd, Patna

44

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

Page 2 of

Chief Engineer 3.S.E.I.D.C. Ltd, Patna

16/01

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 45 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना–800004 (दूरभाष:–0612–2910314)

निविदा आमंत्रण सूचना संख्या— 40 वर्ष 2015—16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख में)	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि	Beltron Bio Processing	समाप्ति
1	BRC Ekma, Saran		, ,	(रू० में)	Fee (In Rs.)) की अवधि
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
3	BRC Masrak, Saran	85.2	1,70,400	10,000	5750	15 माह
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 माह
5	BRC Amnour, Saran	85.2	1,70,400	10,000	5750	15 माह
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 माह
8	BRC,Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
14	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 माह
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 माह
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
26	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
28	BRC, Mohanpur,Samastipur	85.2	1,70,400	10,000	5750	15 माह
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 माह
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15 माह
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
33	BRC Chakia,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
35	BRC Madhuban,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
36	BRC Patahi,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
37	BRC Raxaul,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
38	BRC Adapur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
39	RPC Pankatura F Cl	85.2	1,70,400	10,000	5750	15 माह
40	BRC Dhaka F Champaran	85.2	1,70,400	10,000	5750	15 माह
41	BRC Bairia W. Champaran	85.2	1,70,400	10,000	\$7,50	15 माह
42	BRC Narkatiogeni W. Cl	85.2	1,70,400	10,000	5750	15 माह
43	BRC Narkatiaganj, W.Champaran	85.2	1,70,400	10,000	5750 1	15 माह
	BRC Sikta, W.Champaran	85.2	1,70,400	10,000	5750 16	15 माह
44	BRC Bhithan, W.Champaran	85.2	1,70,400	10.000:05	Fratispeet	15 777
	pstoshu	85.2	1,70,400	10,00Rief 3.S.E.I.D.	Engineer C. Ltd, Par	15 माह na

	45	BRC Lauriya, W. Champaran					
	46	BRC Pinrosi W.Cl.	85.2	-,. 0, 100	, , , , ,	5750	15 माह
	47	BRC, Majhaulia, W. Champaran 46	85.2	1,70,400		5750	15 माह
	48	BRC Darauli, Siwan	85.2	1,70,400		5750	15 माह
	49	BRC Hussaingani, Siwan	85.2	1,70,400		5750	15 माह
	50	BRC Mairwa, Siwan	85.2	1,70,400		5750	15 माह
	51	BRC Basantpur, Siwan	85.2	1,70,400	-,	5750	15 माह
	52	BRC Maharajgani, Siwan	85.2	1,70,400	, , , , ,	5750	15 माह
	53	BRC,Bhagwanpur,Siwan	85.2	1,70,400	-,000	5750	15 माह
	54	BRC, Hasanpur, Siwan	85.2	1,70,400	- 0,000	5750	15 माह
	55	BRC Uchkagaon, Gopalgani	85.2	1,70,400	10,000	5750	15 माह
	56	BRC Sidhwalia, Gopalgani	85.2	1,70,400	-,	5750	15 माह
	57	BRC Bhorey, Gopalgani	85.2	1,70,400	10,000	5750	15 माह
	58	BRC,Bijaipur,Gopalgani	85.2	1,70,400	10,000	5750	15 माह
	59	BRC Pachdeuri, Gopalgani	85.2	1,70,400	10,000	5750	15 माह
	60	BRC Kuchaikot, Gopalgani	85.2	1,70,400	10,000	5750	15 माह
	61	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 माह
	62	BRC Chainpur, Kaimur	85.2	1,70,400	10,000	5750	15 माह
	63	BRC Bhagwanpur, Kaimur	85.2	1,70,400	10,000	5750	15 माह
	64	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
	65	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
	66	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 माह
	67	BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	68	BRC Karahgar, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	69	BRC Kochas,Rohtas	85.2	1,70,400	10,000	5750	15 माह
	70	BRC Tilauthu,Rohtas	85.2	1,70,400	10,000	5750	15 माह
	71	BRC Karakat,Rohtas	85.2	1,70,400	10,000	5750	15 माह
	72	BRC Dawat, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	73	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	15 माह
	74	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15 माह
	75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15 माह
	76	BRC, Kadwa,Katihar	85.2	1,70,400	10,000	5750	15 माह
	77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15 माह
	78	BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	15 माह
	79	BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	15 माह
	80	BRC, Araria	85.2	1,70,400	10,000	5750	15 माह
	81	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
	82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 माह
	83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
	84	BRC,Purnea East,	85.2	1,70,400	10,000	5750	15 माह
	85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 माह
	86	BRC,Amour,Purnea	85.2	1,70,400	10,000	5750	15 माह
	87	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 माह
	88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 माह
	89	BRC,Tarhagach,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
	90	BRC,Thakurganj,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
	91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
-		BRC Katoria, Banka	85.2	1,70,400	10,000	5750	
	93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	
-		BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15 माह
		BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15 माह
		BRC Jamui	85.2	1,70,400	10,000	5750	15 माह
-			85.2	1,70,400	10,000	5750	15 माह
-	98 I	BRC Barnat, Jamui	85.2	1,70,400	10,000	£750	15 माह
-	98 I	oke Chakai, Jamui	85.2	1,70,400	10,000		15 माह
	100 H	oke Glanour, Jamui	85.2		10,000	5750	15 माह
	100	OKU Sikandra Jamui	85.2	4 = 0	10,000	5750 VO	1 5 माह
		101, 1		-, -, -, -, -, -, -, -, -, -, -, -, -, -			1/5 माह
		fstoch		. 5/8	Chief	Engineer	na
	8.S.E.I.D.C. 2007						
	- 210. 16/61						
	16/61						
7					()		

101	BRC Asharganj, Munger	07.0	4 =0 400				
102	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह	
103	BRC Pirpainti,Bhagalpur 47	85.2 85.2	1,70,400	10,000	5750	15 माह	
104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह	
105	BRC Puraini, Madhepura	85.2	1,70,400	10,000	5750	15 माह	
106	BRC Gwalpada,Madhepura	85.2	1,70,400	10,000	5750	15 माह	
107	BRC Kumarkhand, Madhepura	85.2	1,70,400 1,70,400	10,000	5750	15 माह	
108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 माह	
109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 माह	
110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह	
111	BRC Mahensi,Saharsa	85.2	1,70,400	10,000	5750 5750	15 माह	
112	BRC Sonbarsa, Saharsa	85.2	1,70,400	10,000	5750	15 माह 15 माह	
113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह 15 माह	
114	BRC Supaul	85.2	1,70,400	10,000	5750		
115	BRC Pipra,Supaul	85.2	1,70,400	10,000	5750		
116	BRC Pratapganj, Supaul	85.2	1,70,400	10,000	5750		
117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750		
118	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750		
119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750		
120	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750		
121	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750		
122	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750		
123	BRC, Imamganj, Gaya	85.2	1,70,400	10,000	5750		
124	BRC Amas,Gaya	85.2	1,70,400	10,000	5750		
125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750		
126	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह	
127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000		15 माह	
128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750 5750	15 माह	
129	BRC Arwal	85.2	1,70,400	10,000		15 माह	
130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह	
131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह	
132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750 5750	15 माह	
133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000		15 माह	
134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह	
135	BRC, Rega,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह	
136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750 5750	15 माह	
137	BRC,Pupri,Sitamarhi	85.2	1,70,400	10,000		15 माह	
138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह	
139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह	
140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह	
141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह	
142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह	
143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह	
144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह	
145	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह	
146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750 5750	15 माह	
147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह	
148	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह	
149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह	
150	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह	
151	BRC, Karaiparsurai, Nalanda	85.2	1,70,400		5750	15 माह	
152	BRC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह	
153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह	
154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह	
155	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह	
156	BRC,Minapur,Muzaffarpur	85.2		10,000	\$730	15 माह	
		03.2	1,70,400	10,000	5750	71/5 माह	
	psyeds			Chief	Engineer	_	
	3.S.E.I.D.C. Ltd, Patha						
	Zya.						
	16141						

157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC, Jagdishpur, Bhojpur BRC, Charmolchii Bhojinur	85.2	1,70,400	10,000	5750	15 माह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह 15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 माह 15 माह
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	
170	BRC, Bakhri,Begusarai	85.2	1,70,400	10,000	5750	15 माह 15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह 15 माह
172	BRC, Cheria Bariyarpur,Begusarai	85.2	1,70,400	10,000	5750	
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह 15 माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह 15 माह
175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15 माह 15 माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह 15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह 15 माह
178	BRC ,Desari, Vaishali	85.2	1,70,400	10,000	5750	15 माह 15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	
180	BRC,Jandaha,Vaishali	85.2	1,70,400	10,000	5750	
181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000		15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai				5750	15 माह
103	,	85.2	1,70,400	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii).वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभत

संरचना विकास निगम, पटना। (5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:— दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय दिनांक- 31.03.2016, समय- 15:00 घंटा

टेक्निकल बिड खोलने की तिथि एवं समय दिनांक- 31.03.2016, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय दिनांक— 11.04.2016, समय— 15:30 घंटा

(9) निविदा खोलने का स्थान वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पन्न को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-मिविदा के साथ संलग्न करना अनिवार्य है।

परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्तों एवं सरकारी निर्णयान्सीर 31 STORE Chief Engineer

Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

B.S.E.I.D.C. Ltd, Patna

Psyde

(14) (क) प्रत्यक पारमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) (14) (क) प्रत्यक पारमाण विषय पर पूर्ण जा अरुपर गाउँचा पर जा कर का जा कर किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE 49. DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई–टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता

Oslada

Chief Engineer 3.S.E.I.D.C. Ltd, Patna