Schedule XLV-Form No. 67 Resource Centre, at Baheri,
Darbhauga. (SL No. - 13)

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Ramesh Chandra ITEM RATE (TENDER AND CONTRACT FOR WORKS Yadav.

Agreement No. 162 F2 of 2016-17.

General Rule and Direction for the guidance of Contractors.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.	
If the amount of the estimate does not exceed Rs. 2,000	1	 50
If the amount of the estimate exceeds Rs. 2,000 but does		
not exceed Rs. 5,000	1.01	 100
If the amount of the estimate exceeds Rs. 5,000 but does		A Long B
not exceed Rs. 10,000		 200
For each additional Rs. 5,000 or portion of Rs. 5.000		articles
additional earnest money		 100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for atmosts oney here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

n Ltd.

BHANGA

memorandum at d in accodance in ubjects to the accordance with,

Commencement of

N MONTHS

701/1)

atna

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the certification have signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

18/0

(3) 2

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are included they should be detained in a separate list.
- (b) This deposit will be 5% of the estimated cost of the Work.
- (c) This percentage [d] leduction from bills will be credited to the contractors security deposit.

Item No.

[e]

Item of work

- Name of work [b]
 - Estimated cost

Initial security deposits (including earnest money) to be deposited befor

RATE TENDERED

In words

- Earnest money
- the commencement of the work Percentage to be deducted from bills Rs. 5% (Rupees five percent)
- Time required for the work from date of written order to commence [f] monthly

In figures

- Date of written other to commence [g]
- Total number of item of work tendered for [h]

Commencement of

n Ltd.

BHANGA

memorandum at

nd in accodance in

accordance with,

ubjects to the

EN MONTHS

Per

Patna

, 18 18 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
X Table 1			>,
		12	
	1'	4 - 2 - 1	
			180
			Chief Engineer B.S.E.I.D.C. Ltd, Patna
			DEELDC Ltd Patna
	X		B.S.E.I.D.G. Ltu, Fatha
111	11		21er
	011		
11.1/20	0		8/01/17

Item No.	Item of work	1	RATE TE	ENDERED	T
	CONT OF WORK		In figures	In words	Per
			The York	STATE	A 11 8 -18 11 6
		H HS			1 1 3 4 1 1 1 1
				a later	
	新山田市政府 (1)	Volas III.		-	
		796.	10 mm 20 20		
· .		11			ASSESSED NO. 1
			-		
· se			income de		
Marine J.					
	Service Committee				
17,5-161,547		1			The Property of the Control of the C
			O April 1		
		100			, y
		DDS: Tells			
	a sept de l'orbination	in to come to	NOT CALCULATE		
10-7					
				X .	
			ber by a		
		1	-		
in in					
			1. 1. 1. 1. 1. 1. 1. 1.		
1 190					
el Enginer D.C. Ltd. Pa	MÖ.				

RATE	ENDERED	Per
In figures	In words	rei

n Ltd.

BHANGA

1 memorandum at nd in accodance in Subjects to the accordance with,

e Commencement of

EEN MONTHS

neer d, Patna

Item No.	How of the d	RATE T	ENDERED	1
, item No.	Item of work	In figures	In words	Pe
A CONTRACTOR				
With the same of t				
MARINE SALES				
自由				
GENERAL CONTRACTOR				
				F
			1	
	are and a second			
The state of the s				
A STATE OF THE STA				
The state of the s		100		
Transport				
		N. Carlotte		

chedule XLV - Form No. 61

n Ltd.		NDERED	RATE TENDERED		
BHAN	Per	In words	In figures	Item of work	Item No.
n memora					
nd in acc					
Subjects	The state of the s				nation of the
				2403 89, 93	
	,		to product		
L			101/412.2		
			d = ng = ez		
		por ture ve			
e Comme					O(O)
		96	,		
		Arresta Silvania	nitration to the party		
EEN MO		**************************************			
D					
Signal					
meer td, Patn				or Tehro	glover
td. Patn	19711			Chief Cro	snich bu

A

dum at dance in the e with,

cement of

THS

Dated the

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions

*Signature, of contractor before comission of tender

day of

witness :-

Address

Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the day of

> signature of the officer accepting the tender.

Acceptances communicated on 30 - 08 - 2016

signature of the party taking the tender

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which defects as pointed by the Executive En- gineer or his contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall the work is finished after throughout the stipulated period of the contract be carried on with all due diligence necessary rectification of (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security

Clause 3 :- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start fortened absolutely at the disposal of Government.

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary incomproper. The Executive Engineer shall at the same time inform the central to the late. Patna

Power to take posession of or require removal of

or sell contractor plant.

contractor remains liable

to pay compensation if

action not take under

Extension of time

on Ltd.

RBHANGA

en memorandum at and in accodance in Subjects to the n accordance with,

ie Commencement of

EEN MONTHS

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incontractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

•Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums ther due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in covernment security the same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same of sufficient portion thereof in this case sold for the pure same same of sufficient portion thereof in this case sold for the sufficient portion thereof in this case sold for the sufficient portion supplied to the contractor shall remain the absolute property of Government aposthall not on any accounts he removed from this site of the workand shall at all times be open to

1810

(11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10:- The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full but which be did not derive in consequence of the full amount of the work in the work in the carried out not having seen carried out neither shall he have any claim for compensation by reasontd, be carried out of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56

on Ltd.

RBHANGA

en memorandum at and in accodance in I Subjects to the in accordance with,

Alteration in specifications and designation

Work to be executed

accordance with specifi-

cation drawing other etc.

he Commencement of

TEEN MONTHS

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

td. Patna

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 - If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be,at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work while it progress from any cause whatsoever or any imperfection became apparent in within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been garagety the Engineer-in-charge

18/01

Sto

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Soveriment and the same consequence shall ensure as if Chieft Engineer had been recinced under clause 3 here of, in addition the contractor shatingt per priced Ltd, Patna to recover or behald to any work therefore actually performed the under the contract

damage done and for imperfection a months

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become ion Ltd.

RBHANGA

ten memorandum at and in accodance in d Subjects to the in accordance with,

the Commencement of

TEEN MONTHS

.td. Patna

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: - The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness.

Contractor.

8

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be	which the materia charged to the contractor	1	Place of delivery
	Unit	Rs.	P.	
9			21041	the type is reconstilled in the
9		est meterals (8.919	
		100 00	() A.A.	SINIAL STATE OF THE STATE OF TH
		0.4 115-12		r (f. 1808) i Mesaphile Ces Tepiska sari kultur barre
A.				
			,	
		Paracolis (Ispanio		
		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
		100 Y 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Shaping Cincipals
		statuded from		
			0.683	of water a star to distance to
		6135743 clargo	nci;	
		A brahaman film and		
		*	-	

Note:-The person or firm sub				

ion Ltd.

ARBHANGA

tten memorandum at e and in accodance in nd Subjects to the in accordance with,

it

the Commencement of

FTEEN MONTHS

the Engineer-in-charge on the issue of the form prior to the submission of the tender

(Signature of Contrator)

Chief Engineer
(Signstuffelof) Eccluted, Engineer)

ngineer Ltd, Patna

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at BAHERI, DARBHANGA

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with,

MEMORANDUM

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work :- Construction of Block Resource Centre at BAHERI, DARBHANGA (SL. NO.-13)
- (B) Estimated Cost :- Rs. 75,59,864=00 Agreement value :- Rs. 68,03,878=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of

Earnest Money:- Rs. 3,41,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 116

Chief Engineer B.S.E.I.D.C. Ltd, Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

1	T	HE IT	EM PATE DAGE	R BLOCK RESC	OURCE C	ENTRE IN	BIHAR	
SL. No.			EM RATE BASED ON S.O.	R BCD BIHAR	, DATE -	15-09-2014,	& D.S.R (EL	FCTPICAL
	DIST	RICT	NAME OF INSTI	TUTE				
1	DAF		BLOCK PESOUP OF				BLO	CK
	AN	JA	BLOCK RESOURCE	ECENTRE			BAHE	ERI
				<u>CIVIL</u> v	VORKS	3	1	
Sl. No.	SOI Item I		Itom - CVV					
1	2	NO.	Item of Work		Qty.	Unit	Rate (Rs.	Amount
ILE WO	ORKS		3		4	5	6	(113.)
1	20.2	F	Boring, providing and installing					7
		bi be ap	ength below the pile cap, to rorking load not less that collider the cost of steel rest including the cost of bentonite solution and temporal propriate length for setting moval of same and the cost of the cost	n specified, einforcement poring, with ry casing of				
	20.2.1	to conear for of p	moval of same and the length be embedded in the pile of mplete, including removal of the with all lifts and leads (Lengayment shall be measured upile cap).	of the pile cap etc. all f excavated				
	20.2.1	to con ear for of J	be embedded in the pile of mplete, including removal of the with all lifts and leads (Let payment shall be measured upile cap).	of the pile cap etc. all f excavated ngth of pile upto bottom	0.000	meter	1309.3	Rs. One thousand three hundred nine and paise 0 thirty only.
2		to con ear for of 1	be embedded in the pile of mplete, including removal of the with all lifts and leads (Ler payment shall be measured upile cap).	of the pile cap etc. all f excavated ngth of pile ipto bottom	0.000	meter		hundred nine and paise thirty only. Rs. One thousand five hundred twenty three and paise twenty only.
2	20.2.2	to con ear for of p 300	be embedded in the pile of mplete, including removal of the with all lifts and leads (Let payment shall be measured upile cap). mm dia Piles mm dia Piles	of the pile cap etc. all f excavated ngth of pile pto bottom			1523.20	hundred nine and paise thirty only. Rs. One thousand five hundred twenty three and paise twenty only. Rs. One thousand nine hundred seventy eight and paise eighty only.
2 20	0.2.3	to con ear for of	be embedded in the pile of mplete, including removal of the with all lifts and leads (Let payment shall be measured upile cap). mm dia Piles mm dia Piles	of the pile cap etc. all f excavated ngth of pile upto bottom	.000	meter	1523.20	hundred nine and paise thirty only. Rs. One thousand five hundred twenty three and paise twenty only. Rs. One thousand nine
20 20	0.2.3	to con ear for of	be embedded in the pile of mplete, including removal of the with all lifts and leads (Let payment shall be measured upile cap). mm dia Piles mm dia Piles mm dia Piles	of the pile cap etc. all f excavated ngth of pile upto bottom	.000	meter	1523.20	hundred nine and paise thirty only. Rs. One thousand five hundred twenty three and paise twenty only. Rs. One thousand nine hundred seventy eight and paise eighty only. Rs. Two thousand three hundred six and paise

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Skepoucker 18/01

2	20	Boring, Providing and installing of	11			
		single under roomad is	cast in situ			
		single under reamed piles of	specified			
		and length below pile as				
		content concrete to carry a sec				
		hour not less than specified available	ludia d			
		of steel leinforcement but inc	India - 41			
		leost of boring with hentonite and				
		the length of the pile to be embadd	1 - 1 * * * * * *			
		oup cic. all complete (Length of	f == 1 - C			
		payment shall be measured upt	0 to the			
		bottom of pile cap):				
	20.2.1					
	20.3.1	300 mm dia Piles				
						D 0
						Rs. One thousand nin
	20.3.2	100	0.000			hundred thirty four ar
	20.3.2	400 mm dia Piles	0.000	meter	1934.2	paise twenty only.
					see	
						Rs. Two thousand two
						hundred twenty five a
	20.3.3	450 mm dia Piles	0.000	meter	2225.30	120 0 - 11
		The same of the sa			2223.30	
						Rs. Two thousand thre
						hundred ninety seven a
	20.3.4	550 mm dia Piles	0.000	meter	2225	
	3,017	oso min dia Piles		meter	2397.50	only.
					and the same of th	Rs. Two thousand six
						hundred five and paise
			0.000	meter	2605.10	ten only.
3	20.4	Extra over item N		meter	2605.10	ten only.
		Extra over item No. 23.3 for providing	g			
		additional bulb in under reamed piles,	under			
		specified dia meter	1			
		(Only the quantity of extra bulbs are to	be			
		paid).			1	
-	20.4.1	200				
	20.7.1	300 mm dia Piles				
					li li	Rs. One thousand two
					l.	nundred forty and paise
	20.4.2	400 mm dia Piles	0.000	Each	1240.10 t	en only
		did i lies			1240.10	only.
					F	Rs. One thousand three
					h	undred seventy three
	20.4.3	450 mm dia Piles	0.000	Each		nd paise eighty only.
		Too min dia Piles		Lacii	1373.80 a	puise eighty only.
					R	s. One thousand four
					h	undred fifty four and
	20.4.4	500 mm dia Piles	0.000	Each	1454 90 02	aise eighty only.
		dia i iles				
					R	s. One thousand five
					hu	indred ninety seven and
			0.000	Each	1597 20 pa	ise twenty only.
		CAVATION			1001.20	only.

N. 7/2/01/12

B.S.E.I.D.C. Ltd. Patna
Skehoushy

4	2.8.	1 Earthwork in exception :		12				
		Earthwork in excavation in a 30cm in depth. 1.5m in width 10sqm on plan) incloding dressi and ramming of both the state of	as well es	g S				
		disposal of surplus soil as direct						
		lead of 50m. All Kind of soil	within a					Rs. Two hundred fi
		= 286.64 CUM						and paise twenty on
		SEPTIC TANK = 31 80 CUM						
		TOTAL QUANTITY = 318.53 CU	JM					
5	2.29.1	Surface dressing of the great		318.530) cu	m	205.20	<u> </u>
							203.20	
						The state of the s		~
		All kinds of soil.	o 1.5m					Rs. Seven hundred
		= 136.41 CUM						eighteen and paise eight
								only.
	TH FILL	ING		136.410	100 sc	ım 71	8.800	
6	2.26	Filling available excavated earth (except)	1 11			and the same of th	0.000	
		layer by ramming and watering last	posited				D	
		= 188.98 CUM					fo	s. Sixty six and paise orty only.
								only.
) FILLIN	G		188.980	cu.m	60	5.40	
7	2.28	Supplying and Filling in plinth with	10-1	A STATE OF THE STA		Market Service 1		
		and under moors including wa	tering					
		ramming consolidating and dr complete.	essing					
		= 118.79 CUM					Re	One lead
		SEPTIC TANK = 1 02 CUM					two	One hundred ninety and paise fifty only.
FLAT DD		TOTAL QUANTITY = 119 81 CLIM						pulse they only.
FLAT BR	1.72 I	ING	1	19.810	cu.m	192.	50	
	1.	Providing designation 100 A one brick	flat	No. of the last of		different		
		oling joints filled with local sand inclusions of watering, taxes, royalty all company of the pullding specific				Berner		
	1	For Sunding Specification and dis-	ction					
			, tion				Rs.	Two hundred twenty
	S	0 + 2 , BUILDING = 291.84 CUM EPTIC TANK = 13.57 CUM					only.	n and paise sixty
	T	OTAL QUANTITY = 305.41 CUM	20	- 41-				
P.C	C.C.	0.01	305	5.410	sq.m	227.600)	
4.1	.5 Pr	Oviding and Issues	The state of the s					
		oviding and laying in position cem acrete of specified grade excluding						
		of celluling and shuttering in	the					
							Rs Ts	WO thousand
	11.4	o (recinent: 3 coarco con 1					h 1	vo thousand seven
	sto	:6 (1cement: 3 coarse sand : 6 grad	ed				nunare	ed seventy five and
		ne aggregate 20mm nominal size) 3 CUM	ed		,		paise s	ed seventy five and seventy only.

MIT/8/01/17

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehowling

1801

10	4.1.4	Providing and laying in position cen	13			
		concrete of specified grade excluding cost of centring and shuttering- all wupto plinth level	.1			
		1:2:4 (1 Cement: 2 coarse sand : 4 grad stone aggregate 40	1			Rs. Three thousand
		mm nominal size)10 + 2 , BUILDING 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	; =			hundred nineteen ar paise seventy only.
	FLOODING		11.720	cu.m	221	2.70
11	FLOORING 11.38				3219	9.70
		Providing and laying Ceramic glazed flotiles 300x300 mm (thickness to be specified by the manufacturer) of ist qualiconforming to IS: 15622 of approved makin colours such shades except white, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement motal: 4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	ed ty ce ,			Rs. Eight hundred one and paise eighty only.
W	ALL TILES		46.040	sq.m	801.80	00
12	11.36 P	Providing and fixing 1st quality ceramic	SERVE CO. Land Co. Land			
	gg Ei strice an kg cei sha	Thickness to be specified by the transfacture) of approved make in all plours, shades except burgundy, bottle treen, black of any size as approved by angineer-in-charge in skirting, risers of the sand dados over 12 mm thick bed of ment Motar 1:3(1 cement: 3 coarse sand) dijointing with grey cement slurry @ 3.3 per sqm including pointing in white ment mixed with pigment of matching and complete. DILET PORTION = 188.874 SOM				Rs. Seven hundred fifty four and paise twenty only.
	G & SKIRTI	NG	188.874	sq.m	754.200	
, 1	ove mix mat rubl com	ta stone slab flooring over 20 mm erage) thick base laid r and jointed with grey cement slurry ed with pigment to ch the shade of the slab including ping and polishing plete. Base with 1:1:1 (1 lime: 1 lime)				Rs. Nine hundred sixty eight only.
	THI	hi: 1 coarse sand) / 1:4 (20 TO 25MM CK) 81.852 SQM			-	agin only.
			281.852	sq.m		

MIT

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Kehowshy

14	11.2	Vote of	14			
	11.2	Stolle Slabs 20 mm thick in risons	of			
		steps skirting. Dado &				
		pillars laid on 12 mm (average (thic	ck			
		cement mortar 1:3 (1 cement:	1			
		3 coarse sand) and jointed with gre	ey			
		recincil sturry mixed with				Rs. Nine hundred tw
		pigment to match the shade of the sla including rubbing and	Ь			seven and paise fifty
		polishing complete Days				only.
		polishing complete. Details of cost for 10	0			
		T				
15	8.3.2	Extra for providing edge moulding to 18	74.37	sq.m	927	7.50
		Initial thick marble stone counters. Vanities			1	.50
		letc. over Item no. 8.2 including machine			Samuel Control of the	
		polishing to edge to give high gloss finish				
		otc. complete as per design approved by				Two Hundred Thirty
		Engineer -in -charge.				Nine and paise ten on
		Granite work				parse tell off
			0.00			
VOR	K REL OV	V DI VAIGNA	0.00	M	239.10	
··OR	K BELUV	PLINTH LVL.			parties and the same of the sa	
6	5.1.1	Providing and laying in position specified				
		Islade of reinforced coment				
		excluding the cost of centring shows:				
		finishing & reinforcement - all work upto				
/		printil level.				Rs. Five thousand one
		1:1:2 (1cement: 1 coarse sand : graded				hundred ten and paise
		stone aggregate 20mm nominal size)				seventy only.
		= 59.183 CUM				
C W	OPK ARC	WE are	59.183	cu.m	5110.70	
C. ***	OKK ABC	VE PLINTH LVL.	No. of Concession, Name of Street, or other Persons, Name of Street, or ot			
	5.2.1	Reinforced cement concrete work in wall			Market Control of the	
		(any thickness), including attached plasters,				
- 1		buttresses, plinth and struts etc upto floor				
		live level excluding the cost of acut.				
		al die cost of centring.				
		Stattering, Illishing & reinforcement				Rs. Five thousand six
		1:1:2 (1cement: 1 coarse sand: 2 coards)				The thousand six
		1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size)				hundred sixty six and
		1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size)				hundred sixty six and paise twenty only.
		1:1:2 (1cement: 1 coarse sand: 2 coards)				hundred sixty six and
	5.1.3	1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM	20.510	CU.m	5600.00	hundred sixty six and
	5.1.3	1:1:2 (Icement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM Providing and laying in position specified	20.510	cu.m	5666.20	hundred sixty six and
	5.1.3	1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM	20.510	cu.m	5666.20	hundred sixty six and

and

0.930

cum

centring, shuttering, finishing

reinforcement-All work puto

aggregate 20 mm nominal size)

SEPTIC TANK = 0.93 CUM

graded stone

plinth level. 1:2:4 (1 cement:2 coarse sand:4

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

3438.90

Rs. Three thousand four hundred thirty eight and

paise ninety only.

	1	.3 Reinforced cement conrete	work in	15.			
	5.33	BB.4 upto 15, landings,balconiec, chajias, lintels, bands, allicities	aving slope shelves, adow sills, upto floor centring, t:2 coarse 20 mm or leaner s. ad of M-				Rs. Four thousand five hundred eighty one and paise twenty only.
	BRICK W	ORK		100.440	211		
20	6.1.14			100.140	cu.m	458	1.20
21	6.1.14A +	mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM Brick work with bricks of class to	cement	39.878	cu.m	3992	Rs. Three thousand nine hundred ninety two and paise ninety only.
	6.3A	100A in foundations and plinth in: C mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstr above plinth level upto floor V cum = 160.082 CUM	Cement				Rs. Four thousand four hundred twenty seven and paise fifty only.
22	6.18.4A	Half brick masonry with bricks of		0.082	cu.m	4427.5	50
	+ 6.19A	in: Cement mortar 1:4 (1 cement: 4 c sand) Extra for half Brick masonry superstructure above pinth level upto V level. = 134.043 SQM	olinth oarse in floor				Rs. Five hundred thirty eight and paise thirty only.
23	6.21A	Extra for providing and placing in posi		.043	Sq.m.	538.30	
24	6.1A +	course of half brick masonry (with F. Pbricks) = 134.043 SOM	hird '. S.	043		530,30	Rs. Seventy five and paise ninety only.
	6.1.12/1	Brick work with bricks of class designat 100A in foundations and plinth in: Cement mortar 1::4(1 cement coarse sand) = 8.75 CUM	ion	, 13	Sq.m.	75.90	Rs. Four thousand one hundred eighty four only.
PLAS	STER WOR		8.75	0	cum	1	only.
25	13.13.4	20 mm cement plaster of mix; 1:6 ement: 6 coarse sand) = 836.658 SQM				4184.00	Rs One has to
			836.65	8	sq.m	123.50 t	Rs. One hundred twenty hree and paise fifty only.

M.D.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

- 4	
- 1	/

26	13.13.1	20	16			
	+ 13.26	Will a Hoating cost of	. 2			
		cement & neat cement punning SEPTIC TANK = 16.65 SQM				Rs. One hundred eig
27	12.11		16.650			five and paise sixty of
27	13.11.4	12mm thick Cement plaster of mix 1:6 cement : 6 coarse sand)	(1	sq.m	185.60	
		= 1041.58 SQM				Rs. Eighty nine and p
28	17.1 +13.36.	1 12	1041.580) sq.m	00.00	thirty only.
	13.30.	coarse sand) with a floating coat of re-	3	5q.m	89.30	
		cement & Extra for providing and mixin water proofing material in	ng s			
		proportion recommended by	ie			
		manufacturers: 12 mm cement plaster 1:3(cement :3 sand)	1			Rs. One hundred forty five and paise fifty on
		SEPTIC TANK = 52.82 SQM				and pulse lifty off
29	13.24.2		52.820	0.0. ***		
	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand)	× × × × × × × × × × × × × × × × × × ×	sq.m	145.50	
		= 388.53 SQM				Rs. Seventy seven and
30 1	1.3.1+ 11.8	Cement concrete flooring 1:2:4(1 cement:2	388.530	sq.m	77.40	paise forty only.
		coarse:sand:4 graded stone				
		finished with a floating coat of neat cement including cement slurry, etc. but excluding	l			
	1	the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone				
		aggregate.			R	s. Two hundred thirty wo and paise ninety
		Extra for making chequers of approved pattern on cement concrete floors, steps,				nly.
	1,	landing, pavemerts etc. = 136.41 SQM				
FINIS	SHING WOR		136.410	0.00		
31	13.46.1 F	Finishing walls with Acrylic Smooth		sq.m	232.90	
	-	Action paint of	No.			
	10	equired shade :New work (Two or more oat applied @ 1.67 ltr/ 10				
	ei ei	qm over and including priming coat of			Rs	. Sixty eight and paise
	þi	rimer applied @ 2.20 kg/ 10 sqm)			eig	hty only.
22		EXTERNAL WALL = 836.658 SQM	926.650			
32 1	13.80A.2 Pr	oviding and applying white cement based	836.658	sq.m	68.80	
	ap	proved brand and manufacturer, over the			Market Control	
	eve	en and			Rs.	One hundred
	sm	nooth complete.			seve	enty only.
	1					
33 1	13.77.2 Dis	Stempering with -!! !	2266.768	sq.m	118 70	
33 1	dis	temper of approved brand and	2266.768	sq.m	118.70	
33 1	disi	temper of approved brand and nufacture to give an even shade	2266.768	sq.m	118.70	
33 1	disi mai Nev incl	temper of approved brand and nufacture to give an even shade. W work (two or more coats) over and luding	2266.768	sq.m		
33 1	disi mai Nev incl prin	tempering with oil bound washa ble temper of approved brand and nufacture to give an even shade. w work (two or more coats) over and luding ming coat with cement primer	2266.768	sq.m		ixty four only.
3 1	disi mai Nev incl prin	temper of approved brand and nufacture to give an even shade. W work (two or more coats) over and luding	2266.768	sq.m		fixty four only.

Chief Engineer

B.S.E.I.D.

18101 Kenousky

34	13.81.1 Apr	lying prim:		7			
	pink	olying priming coat with rea	idy mixed	7			
		ufacture on wood work (hard and				
			did				D T
	- 1	5.68 SQM		1			Rs. Twenty five and
35	12.01						paise twenty only.
	13.81.3 Appl	ying priming coat with read	11	5.680	sq.m		
				/	54.111	25.20	
			approved				
			llvanized				Re Twent
36	= 105	5.728 SOM					Rs. Twenty one and path thirty only.
30	Painti	ng with synthetic	105	5.728	sa m	- 1	unity only.
					sq.m	21.30	
	even s	hade two or more coats on nev	give an				
		.408 SQM	v work				
		100 SQW				F	Rs. Fifty and paise nir
2=						C	only.
37	0.14.1 Providi	no and full	221.	408	/		
	doors	ng and fixing T-iron fram	es for	SC	q.m	50.90	
			ed with		1		
	blooks	g embedded in cement con	cerete				
			ite 20				
						Rs	. Seventy five and
	or with	wooden plugs and screws or	rawl			pai	ise ten only.
		and fills as required:	0				
	= 339.67	5 KG	5				
8 93	11.1						
9.2	Providing	and fixing flush door shu	339.67	5 Kg.	7.	- 10	
				8.	/:	5.10	
	bands and	face veneers on both faces	oss				
						Rs. C	one thousand eight
		ck including - "				hund	red twenty three and
	butt hinges	ck including anodized aluming	um			paise	eighty only.
	with necess						Sity only.
	= 48.195 S	OM					att the same of th
	1.175 50	K1A1					
9.119.	1 Duo in		19.105				
1119.	1 TO VIUITING AT	nd fixing oxidised M.S.tower	48.195	sq.m	1823.8	0	
						-	
	(type) with ne	cessary screws etc.complete	-				
	10+2, BUII	LDING = 44 EACH				Rs. Six	ty six and paise
		- 271011				fifty on	ly.
9.104.1	Draw' II		44.000				
7.104.1	1 To viding and	fixing M.S.handles with	44.000	each	66.50	/	
	Joseph Science	ews etc.complete	Complete Comment		00.30		
	123 mm				The same of the sa		
			I	1	1	-	
	10 + 2, BUIL	DING = 44 EACH				Rs. Twe	nty seven and
	10 + 2 , BUIL	DING = 44 EACH	44.000			Rs. Twe paise fift	nty seven and

M'

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

| Stehouth

41 9.22	23.2 Providing and fiving all	18			
	Providing and fixing alluminium hangifloor door stopper anodised (anodic conot less than grade AC 10 as per IS:18 transparent or dyed to required colour a shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	ating			Rs. Eighty two and paseventy only.
42 9.100) 1 Providing 1 C	22.000	each		4
	Providing and fixing M.S. sliding door bright finished or/and black enamelled, vnuts and screws etc.compelled: 300x16 mm = 22 EACH		cacii	82.70	Rs. One hundred seve seven and paise forty
STEEL W	ORK	22.000	each	177.40	only.
	Providing and fixing glazed steel dowindows or ventilators of standard rol steel sections, joints mitered and weld with 15x3 mm M.S. lugs10cm long with 15x3 long with 25x3	lled ded vith ete t: ate gs ith as of all see at st ot d.		hi	s. Three thousand two indred seventy and ise sixty only.

95.715

sq.m

MIZ

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoudh

18 01

3270.60

44	4 .12.1+1	0.13C Providing	1	9		
	12.1	and lixing diaged steel	1			
		windows or ventilators of standard	m=11 1			
		sections, joints mitered and w	1 - 1 - 1 - 1			
		Will 13x3 mm M.S. lugs 10cm long				
		steel legs embedded in cement				
		13X10X10cm of (1.3.6) (1.3.6)		1		
		Seodise Saild : bgraded stone according		4,		
		2011111 Holliffal Size) or with wooden	1			
		and screws of rawl plugs and screws or	:41			
		Tiking clips of with holts and not				
		including providing and five				
		151433 pariets with glazing cline and on	00:-1			
		metal-sash putty of approved	1			D. Til
		complete including applying a priming				Rs. Three thousand
		approved Steel nrimer evoluding the				hundred seventy sev
		of metal beading and other fitting ex	cost			and paise sixty only
		ninges or pivots				and the same of th
		required.Doors	as			
		Extra for providing and fixing steel base	ling			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		To approved snape and section with				
		mistication glaxing clins and met Soch				
		m steel doors, windows ventilators	and			
		composite units. Steel ventilators	and			
		= 3.24 SQM				
1.5			2 2 4 5			
45	9.82.1	Providing and fixing M.S. grills	3.240	sq.m	3277	.60
		requirement pattern in frames of wind				
		otc. With M.S. Hats square or round have	WS			
		an complete	310			D 211
		fixed to steel windows by welding				Rs. Ninety one and pa
		= 1722.87 KG				fifty only.
16	5.22		1722.870	17		
10	3.22	Reinforcement for RCC work includir		Kgs.	91.	50
		straightening, cutting bending placing	in			
		position and bonding all complete.				
		TMTC-500				
-		1				
-	5 22 74				-	
	5.22.7A	Thermo-Mechanically Treated bars TMTC	-			
		300 8mm dia				
		= 8300 KG	-			D. G
		SEPTIC TANK = 93 CUM				Rs. Seventy four and
_	5.00 ==	TOTAL QUANTITY = 8393 KG	9202 000			paise forty only.
	5.22.7B	I nermo-Mechanically Treated bars TMTC	8393.000	KG	74.40	0
		300 rollim dia	Salar Sa		and the second	D. C
-		= 1300 KG	1200 5		part of the same o	Rs. Seventy three and
	5.22.7C	Thermo-Mechanically Treated bars TMTC-	1300.000	KG	73.10	
		Joo 12mm dia	No. of Contract of			
_		= 7000 KG	70			Rs. Seventy one and
	5.22.7D	Thermo-Mechanically Treated bars TMT-	7000.000	KG	71.80	paise eighty only.
		500 16mm dia			71.50	
		= 700 KG			Contract of the Contract of th	Rs. Seventy two and
	5.22.7E		700.000	KG	70.00	paise eighty only.
	3.44.15	Thermo-Mechanically Treated bars TMT-500 20mm dia		120	72.80	Carly Only.
	J.22./E	LAVU ZUMM dio				P.c. Course
	3.22.7E					Rs. Seventy two and
1		= 750 KG	750 00			
	5.22.7F	= 750 KG Thermo-Mechanically Treated bars TMT	750.000	KG	72.20	paise twenty only.
	5.22.7F	= 750 KG Thermo-Mechanically Treated bars TMT	750.000	KG	1	paise twenty only.
1	5.22.7F	= 750 KG	750.000	KG	72.20	Paise twenty only. Rs. Seventy two and

M.T

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skahowky

18/0/

	10.	19 Providing & first	2	.0		
		Providing & fixing M.S. Fan hook mm. dia. M.S. bar 1 Mtr. Long be required size and shape, placed in p and fixed in Truss Frame / RCC Slab at the time of casting all complete building specification and direction of (Where materials is not supplied by de = 42 EACH	osition beam as per			Rs. One hundred twe one and paise eighty only.
48	10.33	.1 Providing & fixing hand rail by weldin	42.00	0 Eac	h 121	90
		to steel ladder railling & staircases raincluding applying a priming coa approved steel primer. MS tube (medium) 40mm nominal bore = 550 KG	illing at of		121	Rs. Ninety one and paten only.
49	10.5	Providing and fixingin position collapsi	550.00	0 kg.	91.	10
		steel shutters with vertical cha 20x10x2mm and braced with flat diagonals 20x5mm size with top and bor rail of T-iron 40x40x6mm with 40mm steel pulleys complete with bolts locking arrangemant stoppers han including applying a priming coat approved steel primer.	iron itom dia nuts			Rs. Four thousand one hundred fifteen and paisixty only.
MISCEL	LANEOU	JS WORK	4.52	sq.m	4115.60	
50	4.17	Making plinth protection 50mm thick cement concrete 1:3:6 (1 cement :3 coa sand : 6 graded stone aggregate 20n nominal size) over 75mm bad by dry briballast 40mm nominal size well ramme and consolidated and grouted with fine saincluding finishing the top smooth. = 75.414 SQM	rse nm ck			Rs. Three hundred nineteen and paise thirty only.
SHU	TTERIN	VG	75.414	sq.m	319.30	
51	5.9.1	Centring and shuttering including strutting propping etc. and removal of form for foundation, footings, basees of columns etc for mass concrete. = 55.781 SQM				Rs. One hundred sixty six and paise seventy
52	5.9.5	Centring and shuttering including strutting propping etc. and removal of form for lintel beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM	Part of the same o	Sqm.	166.70	ds. Two hundred fifty ne and paise thirty only.
3	- 1	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts	- Carlotte	Sqm.	251.30	s. Three hundred forty

M.Z

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

| Skehowle

54	5.9.3	Centring and shuttering including		2			
		propping etc. and removal of suspended floors, roofs, landings, and access platform. = 451.54 SQM	£- c		Co		Rs. Two hundred sev five and paise sixty or
				+31.340	Sqm	27	75.60
		Plumbin				Tota	otal 5,716,700
		Plumbing and sanita	ry Wo	<u>rk</u>		Tota	5,716,707
55	B.S.R 12.78	Providing and fixing on was unplastidsed PVC (working pressure sqm) rain water pipes cinford IS:4985 including jointing with seconforming to IS:5382 leaving 10 for thermal expansion.	rming to				
	12.78.2	110 mm diameter. = 40 MTS					Rs. Two hundred
56	SOR 12.3	70 Providing		40.000	MTS	214 200	fourteen and paise twen
		Providing and fixing on wal unplasticised -PVC moulded accessories for unplasticised rainwater pipes conforming to I including jointing with seal ring conf to IS:5382 leaving 10mm gap for t expansion.	Fittings/ PVC S:4985		MIS	214.200	omy.
	SOR 12.79.1	Coupler					
	SOR 12.79.1.2	110mm = 10 MTS					Rs. One hundred forty
	SOR	Bend 87.50°		10.000	Each	144.700	four and paise seventy only.
	12.79.5	7.30				111.700	Offiy.
	SOR	110mm bend					
	12.79.5.2	= 12 MTS					Rs. One hundred seventy
	SOR 12.79.6	Shoe (Plain)		12.000	Each	173.700	three and paise seventy only.
	SOR	110mm Shoe					
1	2.79.6.2	= 12 MTS					Rs. Three hundred
	B.S.R 17.1.1	Providing and fixining water cl	loset	12.000	Each	314.730	fourteen and paise seventy three only.
	I r c F f f	squatting pan (Indian type W.C. pan) 100 mm sand cast iron P or S tap, 10 ow white P.V.C. Flushing cistern on the property of	litre with evel) 231 and				

M.J.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skihowlky

	0
4	-

1			11111		2	\sim			
			White Vitreous China Orissa p	attern W C	1	-			
			Pari of Size 380 x 440 mm with i	ntegral type					
			root iest.	-Siai type					Rs Three 1
			= 6 EACH						Rs. Three thousand
5	8	B.S.I	Providing and fire		6.000	F	ach	3025 40	five and paise forty
		17.2.	I white with	eous china			dell'	3035.40	U
			pedesial type water closet (Fur	0100000					
			1 pail) Willi seat and lid 1	O 1'4 1					
			Wille P.V.C. flushing	Y sist-					
			merading flush pipe, with	manually					
			device (handle	1 .					
			conforming to IS: 7231, with	011 64:					
			and fixtures complete including	11144: 1					
			making good the walls and floors	wherever					
			required :						
			~						
			WC nan with to						
			W.C. pan with ISI marked bl. plastic seat and lid	ack solid					
			= 3 EACH						Do To
			JEACH						Rs. Two thousand nin
									hundred twenty eight
59	E	3.S.R	Providing and fixing white vitred		3.000	Eac	h 29	28.300	paise thirty only.
	1	7.4.2	flat back or wall corner type lipp	ous china	and the second			30.500	/
			urinal basin of 430x260x350 ii	ped front	Valence		\$CECCO		
			340x410x265 mm sizes	nm and					
			340x410x265 mm sizes respective automatic flushing distance in	ely with					11 1
			automatic flushing cistern with flush pipe and C.P. brass spread	standard					
			brass unions and G.I. clamps coincluding point	ers with					
			including painting of fittings and t	omplete,					
			cutting and making good the wa	rackets,					
			floors wherever required:	alls and					
			required;						
			Range of two winds						
			Range of two urinal basins with white P.V.C.	5 litre					
			automatic flux	-					Rs. Four thousand six
			automatic flushing cistern = 3 EACH						hundred eighty eight and
60	SOR	17.34	Provding and fiving a vi		3.000	Each	1600	2 000	paise ninety only.
		0	Provding and fixing toilet paper hold	er	and the second second	Laci	4088	3.900	only,
	SC)R	Vitreous china		Maria Comment			The state of the s	
	17.3		- Meous china	3		Each	304.2		
61	B.S		Providing and C.			Jul 11	304.2	F	Rs. Three hundred four
	17.7		Providing and fixing wash basin with	th C.I.	of the same of the		ALCO IN COLUMN TO A COLUMN TO	a	and paise twenty only.
	- / - /		orackets, 15 mm C.P brace nillow to	22			000		
			of ctandard						
			meluding painting of fittings and b	1					
			ditting and making good the walls wh	erever				1	
			cutting and making good the walls where require:	erever					
			require:	erever					
			require: White Vitreous China Wash bosin	erever					
		- 1	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm	erever					
			White Vitreous China Wash basin 630x450 mm with a pair of 15 mm prass pillar taps.	erever				Rs	5. Two thousand one
			White Vitreous China Wash basin 630x450 mm with a pair of 15 mm	erever				Rs hu	s. Two thousand one
52	19.63		white Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps.	size C.P.	2,000			hu thi	indred twenty and paise
52	18.63	3 1	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stee.	size C.P.	2.000	Each	2120.3	hu thi	s. Two thousand one indred twenty and paise irty only.
52	18.63	3 F	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stop 5 mm nominal	size C.P.	2.000	Each	2120.3	hu thi	indred twenty and paise
52	18.63	3 F	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stop 5 mm nominal	size C.P.	2.000	Each	2120.3	thi	indred twenty and paise irty only.
		3 F	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stop 5 mm nominal ore, weighing not less than 85 gms	size C.P.	And the second		2120.3	hu thi	indred twenty and paise irty only. One hundred eighty
3	B.S.R	3 F	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stop 5 mm nominal ore, weighing not less than 85 gms	size C.P.	2.000	Each Each	2120.3	00 Rs	indred twenty and paise irty only.
		B F B B B B B B B B B B B B B B B B B B	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stop 5 mm nominal ore, weighing not less than 85 gms roviding and fixing P.V.C. waste pipe nk or wash basin including P.V.C.	size C.P.	And the second			00 Rs	indred twenty and paise irty only. One hundred eighty
	B.S.R	B F B B B B B B B B B B B B B B B B B B	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stop 5 mm nominal ore, weighing not less than 85 gms	size C.P.	And the second			00 Rs	indred twenty and paise irty only. One hundred eighty
	B.S.R	B F B B B B B B B B B B B B B B B B B B	White Vitreous China Wash basin 630x450 mm with a pair of 15 mm brass pillar taps. = 12 EACH Providing and fixing PTMT angle stop 5 mm nominal ore, weighing not less than 85 gms roviding and fixing P.V.C. waste pipe nk or wash basin including P.V.C.	size C.P.	And the second			00 Rs	indred twenty and paise irty only. One hundred eighty

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Kehoudher 18/01

		17.28	.2.1 Flexible pipe 32 mm dia = 12 EACH	2	3		
	(54 B.S.	in the state of super of super	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
		17.32	glass (of approved quality) and of requishape and size with plastic moulded fra of approved make and shade with 6 nthick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	red			Rs. Six hundred forty three and paise forty only.
	6.	3.5.1	1 To riding and fixing 600 v 120 v 5 m	12.000	Each	643.400	,
		17.33	glass shelf with edges round off, support on anodised aluminium angle frame wi C.P. brass brackets and guard rail comple fixed with 40 mm long screws, rawl plugetc., complete. = 12 EACH	ed th te gs	,		Rs. Four hundred seventy eight and paise thirty only.
	66	D.5.10	The field Hally Unformated Dolories	12.000	Each	478.300	
		18.8.1	Chloride (CPVC) pipes, having therms stability for hot & cold water supplincluding all CPVC plain & brass threade fittings including fixing the pipe wit clamps at 1.00 m spacing. This include joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	all y d d h s s o f f e c c c c c c c c c c c c c c c c c			Rs. Two hundred forty one only.
	67	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER	50.000	metre		Rs. One hundred ninety three and paise eighty only.
		18.9.4	32 mm nominal outer dia Pipes	60.000	metre	193.800	
	i.	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	251.100	Rs. Two hundred fifty one only.
68	8	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	40.000	metre	146.400 s	Rs. One hundred forty ix and paise forty only. ss. Six and paise eighty only.

= 4000 PER LITER

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

ya Skehoudny

6.800

per

litre

4000.000

69	B.S.R	Dravidi	2	4		
	18.49	race his and fixing (P brace his again	of			
	10.49	approved quality conforming to IS:8931				
		15 mm nominal bore.				
		= 12 EACH				
70			12 000			Rs. Four hundred nines
70	B.S.R	Providing and fixing C.P. brass stop cock	12.000	Each	497.000	seven only.
	18.52	(concealed of standard design and				
		approved make conforming to IS: 8931				
		ste 15 . 6751	1			
	18.52.1	15				
	16.52.1	15 mm nominal bore.				
		= 10 EACH				Rs. Six hundred sevent
71	SOR 18.5	Providing and fixing P.T.M.T. grating of	10.000	Each	670.700	
		approved quality & colour			1.0.700	Para seventy only.
		11 3 od quanty & colour	4		NA COLUMN TO THE PARTY OF THE P	
	SOR	circular type				
	18.58.1	type				
	SOR	100 mm nominal dia,				
	18.58.1.1	roo min nominai dia,	11	Each		
						Ps Fort
			Name of the last o		47.90	Rs. Forty seven and pair
72	B.S.R	Providing and laying cement concrete			The second second	ninety only.
	19.2.1	1:5:10 (1 cement : 5 coarse sand : 10 graded				
		stone aggregate 40 mm nominal size) all-				
		round S.W. pipes including bed concrete as				
		per standard design:				Rs. Three hundred twelve
		100 mm diameter S.W. pipe				and paise fifty only.
		= 50 METER				integration only.
3	B.S.R		50.000	matus	242	
		Providing and laying non-pressure NP2	20.000	metre	312.500	
	19.6.1	leids (light duty) R.C.C. nines with action	Reconstruction of the last of		William Control of the Control of th	
		Jointed with stiff mixture of cement montage				
		In the proportion of 1.2 (1 cement . 2 cm				
		saild) including testing of joints etc.				Rs. Throa had
		complete:				Rs. Three hundred twelve
		100 mm dia R.C.C. pipe				and paise ninety only.
		= 15 METER				
-	D. 0. =		15.000			
1	B.S.R	Constructing brick masonry road gully	13.000	metre	312.900	
	->/.1	chamber 50x45x60 cm with bricks in	Market Control		-	
		cellent mortar 1:4 (Icement · 4 coarse cond)			SESSION	
	12	including 500x450 mm pre-cast P.C.C.				
	1	horizontal grating with frame complete as				D. Til
	1	per standard design :				Rs. Three thousand one
	,	With common burnt clay F.P.S. (non				hundred seventeen and
	r	modular) bricks of class designation 7.5				paise thirty only.
		= 2 EACH				
		2 LACII				

2.000

MIT

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

3117.300

18/01

Each

75	5 B.S.	R Contructing 1		25		
	19.30.	Underground C.I. Inspection Chamber	0" 0" 1			
		bend with 75 class designation brid cement mortar 1:4 (1 cement : 4 (also in			
		sand) C.I. Cover with frame (light	coarse			
		internal dimentions	4-4-1			
		weight of cover with frame to be no	t loss			
		weight of cover 23 kg				
		weight of frame 15 kg.) RCC top slab	with			
		1:1.5:3 mix (1 cement: 1.5 coarse sa	nd :3			
		graded stone aggregate 20 mm nor size) foundation concrete 1:5:10 mi	minal			
		cement:5 coarse sand : 10 graded	at a se			
		aggregate 40 mm nominal size) in	neida			Rs. Three thousand r
		plastering 12 mm th, with cement m	O set o se			hundred forty nine ar paise ten only.
		1.5 (Icement:3 coarse sand) fin:	ala a -1			parse tell only.
		smooth with a floating coat of neat cer	ment			
		on walls and bed concrete etc. complete per standard design.	te as			
		Inside dimensions 466x610 mm and 4	50m			
		deep for single pipe line.		7-4		
		With common burnt clay F.P.S. (non			
		modular) bricks of class designation 7.5				
		O LACH				
76	B.S.R	Mili	6.000	Each	20.40.4	
	19.32.1	Making soak pit 2.5 m diameter 3.0 mg	o.4	Lacii	3949.100	
		deep with 45 x 45 cm dry brick honey co shaft with brick and S.W. drain pipe 1	mb		The state of the s	
		min diameter, 1.8 m long complete as	ner l			
		standard design.	1			Rs. Twenty five thousa
	V.	With common burnt clay F.P.S. (n	on			nine hundred and paise ten only.
		modular) bricks of class designation 7.5				ten only.
77	B.S.R		1.000	Each	25000	
,	19.34	Providing and fixing S.W. intercepting tr		Each	25900.100	
	17.54	in manholes with stiff mixture of ceme	ent		September 1	
		mortar 1:1 (1 cement : 1 fine san including testing of joints etc. complete :	d)			
		g stating of joints etc. complete:				
-	10.24					
	19.34.1	100 mm dia				
		= 2 EACH				Rs. Two hundred eighty
78		Detailed Estimate for construction of 12	2.000	Each	283.800	three and paise eighty only.
		mm x 40 mm x 90 mm Tube well Manua	5			
		Doring				Rs. Sixty thousand four
9	ANALYSIS	= 1 EACH	1.000	Each	60.10-	hundred thirty two and paise sixty five only
'	11VAL 1313	NON SCHEDULED ITEMS(MARKET RATE)		Lacii	60432.650	parse sixty five only
		= EACH	and the same of th		The state of the s	
		P.V.C. PIPE = EACH				
		EACH				
		Provding and fixing soil, waste and vent				
	[1	pipes				
		= EACH				

M.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jen

18101

	1
')	6

		110 mm dia	26	Ô		
·		= 40 EACH P.V.C. FITTINGS	40.000	metre	347.000	Rs. Three hundred fo seven and only.
		= EACH DOOR TEE 110 mm dia			377.000	
		= 4 EACH	4.000	each	365.000	Rs. Three hundred six five only.
		DOOR BEND 110 mm dia = 8 EACH	8.000			Rs. Two hundred eighthree only.
		BEND 45 ⁰ 110 mm dia = 10 EACH VENT COWEL 110 mm dia	10.000	each	283.000	Rs. One hundred eight five only.
		= 3 EACH PIPE CLIP 110 mm dia	3.000	each	65.000	Rs. Sixty five only.
,	d	= 100 EACH FLOOR TRAP 110X110 mm dia	100.000	each	53.000	Rs. Fifty three only.
80	Code no. of	= 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
	1352	SEPTIC TANK = 1 EACH				Rs. Three hundred seventy four and paise
81	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each	374.060	six only.
82	Code no. of	(iii) S.C.I. Tee 150 mm dia	1.000	Each		Rs. Four hundred thirty six and paise forty only.
	7087	SEPTIC TANK = 1 EACH	1.000	Each		Rs. Seven hundred forty eight and paise eleven only.
				-	Total	348,404.98
		Electrical Works (1% labour cess has been added on current DSR-2014)			Total (B)	348,405.00
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
	c c c v s th ir si	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, uitable GI box and earthing ne point with 1.5 sq.mm. FRLS PVC insulated copper conductor ingle core cable etc as required.				
	1.10.3 G	roup C	119.000	Nos.	two	. Seven hundred enty five and paise hteen only.

Chief Engineer S.S.E.I.D.C. Ltd. Patna 18/01

84	1.11	Twin Control Point Wiring in P Conduit, with Modular type Switch:-	VC	2-3		
		Wiring for twin control light point with sq.mm FRLS PVC insulated copper conductor single cable in surface / recessed medium class PVC conduit, 2 way modu switch, modular plate, suitable GI box and earthing the point w. 1.5 sq.mm. FRLS PVC insulated copper conductor single co-cable etc as required	ore lar ith			Rs. Seven hundred seventy seven and p seventy only.
85	1.31	Supply and Fixing Light Plug Point win Modular Type Accessories:-	3.000 th	No	is. 777.700	0
0.5		Supplying and fixing suitable size GI bo with modular plate and cover in front on surface or in recess including providing and fixing 3 pin 5/6 amps modular socket outle and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).	s,			Rs. Three hundred six and paise three only.
86	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories: Supply and Fixing GI box with modular plate and		Nos.	306.030	
87	2.18	recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.		Nos.	590.000	Rs. Five hundred ninet only.
		Supply & fixing 20A SPN MCB Industrial Socket Outlet:- Supplying and fixing 20 amps, 240 volts,		1103.	390.000	
8	1.12	socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required	12.000	Nos.	963.540	Rs. Nine hundred sixty three and paise fifty four only.
	n c s a ii	Wiring for light/ power plug with 2X4 sq. nm FRLS PVC insulated copper conductor single core cable in urface/ recessed mediumclass PVC conduit longwith 1 No 4 sq. mm FRLS PVC insulated			t	Rs. One hundred sixty hree and paise sixty two only.
	ea	opper conductor single core cable for loop arthing as required	420.000	Mtrs.	163.620	Sty 800

MIT

S.S.E.I.D.C. Ltd, Patnay

89	1.24	Supplying and fiving C.		28		
		The string and lixing tollowing made	ular			
		type switch/ socket on the existing modu	ular			
		plate switch box / cover includ	ing			
		connections etc.as required				
	1.24.	5/6 amps switch.				
	1.24	4	25.000	Faal		Rs. Eighty one and p
	1.24.4	5 pin, 5/6 amps socket outlet.	23.000	Each	81.81	eighty one only.
90	1.14	G:	25.000	Each	70.70	Rs. Seventy nine and
70	1.14	Circuit / Sub-main wiring in PVC Condui	t:-	Each	79.79	paise seventy nine on
		Wiring for circuit / sub-main wiring alon				
		with earth wire with the following sizes	ng - C			
		PVC insulated, copper conductor, sing	01			
		core cable in surface/recessed PVC condu	;ie			
		as required.	111			
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				100
		squini earn wire				D. C. I
			10.000			Rs. One hundred seven
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Mtrs.	107.060	and paise six only.
		- 4 min cutti wite	-		-	Rs. One hundred thirty
-			250,000			two and paise thirty on
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to	350.000	Mtrs.	132.310	only.
		be used as sub main)			-	Rs. Three hundred nine
						two and paise eighty ni
	1.14.10	4 X 10 sq. mm + 2 X 10	54.000	Mtrs.	392.890	only.
		$4 \times 10 \text{ sq. mm} + 2 \times 10 \text{ sq. mm}$ earth wire			0,2.000	
			10.000	1	-	Rs. Six hundred two an
		S/F 'C' series SP MCB:-	10.000	Mtrs.	602.970	paise ninety seven only
91		Supplying			The state of the s	
		Supplying and fixing 240 volts, 'C' series,				
		miniature circuit breaker suitable for				
		inductive loads of following poles in the existing MCB DB complete with				
		connections, testing and commissioning etc, as required.				
		ds required.				
-	2.10.1					
	2.10.1	6/32A, Single Pole				
						Rs. One hundred seventy
	2.10.3	(/22)	36.000	Fach	170 ::-	and paise sixty nine only
	2.10.3	6/32A ,DP	23300	Each	170.690	
					AND DESCRIPTION OF THE PARTY OF	Rs. Four hundred sixty
2	2.13	S/E TDM MCD	3.000	Each	162 500	three and paise fifty nine
-	~. 1 <i>J</i>	S/F TPN MCB:-		Lucii	463.590	only.
1		Summer to the second se	Control of the Contro		SECTION AND ADDRESS OF THE PARTY OF THE PART	
-		Supplying and fixing following rating, four				
		more 7/10				
		MCD RB Volts, Isolator in the existing				
		pole, 240 volts, isolator in the existing MCB DB complete with connections,	4			
		INICH DB complete with connections				
		MCB DB complete with connections, testing and commissioning etc. as required				
	2132	testing and commissioning etc. as required				
	2.13.2	INICH DB complete with connections				
	2.13.2	testing and commissioning etc. as required				Rs. Six hundred seventy
	2.13.2	testing and commissioning etc. as required	3.000	Each		Rs. Six hundred seventy six and paise seventy only.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna 18/01

93	2.15	S/F TPN RCCB:-Supplying and fixing	-	29		
		following rating three phase and neutr	of			
		415 volts, residual current circuit break	al,			
		(RCCB) having a sensitivity current up	er			
		300 miliamperes in the said it	to			
		300 miliamperes in the existing MCB D	В			
		complete with connections, testing an commissioning etc. as required.	nd			
		commissioning etc. as required.				
	2.15.2	40 A				
	2.13.2	40 Amp.				
						Rs. Two thousand on
94	2.8	C/E TD MCD T	3.000	Each	2144.23	hundred forty four an
	2.0	S/F TP MCB DB:-		Saon	2144.23	paise twenty three on
		Supplying and fixing of following	7			
		way, horizontal type three pole and neutral	1			
		Sheet steel, MCB distribution board 414				
		voits, on surface/recess, complete with	.]			
		unified copper bus bar, neutral bus bar, contl	.1			
		oar, din bar, detachable gland plate				
		interconnections, phosphatized and pourder				
		painted including earthing etc. as required				
		WILLIOUT MCB/RCCB/ISOLATOR) Make .				
		Legrand/Anchor/Havells/HPL.				
		D.				
-						
	2.8.5	4 Ways (4+12 ways) double door				
						Rs. Seven thousand for
						hundred thirty and pais
95	1.33	S/F Ceiling Rose:-	3.000	Set	7430.570	fifty seven only.
-						
		Supplying and fixing 2 pin ceiling rose on				
		the existing function boy/ wooden blank				
		including connection etc as required.				Rs. Forty three and pais
						forty three only.
96	1.34	S/F Batten / Angle Holder:-	80.000	Each	43.430	omy.
		Sit Butter / Aligie Holder:-			131130	Re Savanta 6
		Supplying and fiving I	27.000	Each	74.740	Rs. Seventy four and
		Supplying and fixing batten / angle holder			7 1.7 10	paise seventy four only.
		including connection etc as required.	-		THE STATE OF THE S	
7	1.25	S/F Modular type electronic fan regulator:-				
		specientiality in regulator:-				Po True I
						Rs. Two hundred eighty
		Supplying	24.000	Each	286.840	six and paise eighty four
		Supplying and fixing stepped type fan	and the same of th	- Juli	200.840	only.
		regulator on the existing modular plata	-			
		Switch box including connections but				
,	1.5:	excluding modular plate etc as required.	-			
3	1.21	S/F PVC Conduit:-				
		Correct				
		Supplying and fixing of following sizes of				
		medium class PVC				
	-	conduit along with accessories in				
		surface/recess including cutting				
	1	the wall and making good the same in case				
		or recessed conduit				
		as required.				
	1.21.1	20 mm				1100
1	1				-	Rs. Fifty three and paise
		ı	j.	- 1	113	C Hipthy the

N.J.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

18101

1.18	Telephone Wiring in Existing Conduit: Supplying and drawing following pair mm dia ERLS BVG					
1	insulated	1				
	insulated annealed copper condu unarmored telephone cable in the existing surface/ recessed steel/ I conduit as required	1				
1.18.2	2 pair					
1.24	S/F Modular type Switch / Socket:-	50.0	00	Mtrs.	18.18(Rs. Eighteen and pa eighteen only.
	Supplying and fixing following modu	ular			parent .	
	type switch / socket on the existing modu plate and switch box including connection but excluding modular plate etc required.	ılar				
1.24.6	Telephone socket outlet					
E	EARTHING	2.000	Е	ach	95.950	Rs. Ninety five and p ninety five only.
5.6	COPPER EARTH PLATE ELECTRODE:-	-			and the same of th	/
ar cc w ch	Carthing with copper earth plate 600mm 00mmx 3mm thick including acessorie and providing masonary enclosure with over plate having locking arrangement and attering pipe of 2.7 meter long etc with harcoal/cock and salt as required.	es h	Eac	Sh o	284.020	Rs. Nine thousand thre hundred eighty four arpaise ninety two only.
Pro	F 25 x 5mm copper earth strip in pipe:-			9	384.920	
pip con nut,	pper strip in 40 mm dia G.I. the from earth electrode including nection with brass the bolt, spring, washer excavation and resing etc. as required.					Rs. One thousand ninety two and paise eighty two only.
5.14 P/F rece	25 x 5 mm copper earth strip in surface/	12.000	Mtrs	. 10	92.820	
reces	viding and fixing 25 mm X 5 mm per strip on surface or in ss for connections etc. as required.					Rs. Eight hundred sixty four and paise fifty six
Cabl	e Laying of 1.1 KV & 11 KV :-	24.000	Mtrs.	864	1.560	only.
KV g include protect	ing of one number PVC insulated and Sheathed / XLPE power cable of 1.1 grade of following size direct in ground ding excavation, sand cushioning, ctive covering and refilling the trench required.					
7.1.2 Above	e 35sq.mm and Upto 95 Sq.mm.					
G.I. Pi	pe for Cable protection:-	80.000	Mtrs.	204.	020 Rs	s. Two hundred four paise two only.
	etc as	protective covering and refilling the trench etc as required. Above 35sq.mm and Upto 95 Sq.mm. G.I. Pipe for Cable protection:-	etc as required. Above 35sq.mm and Upto 95 Sq.mm.	etc as required. Above 35sq.mm and Upto 95 Sq.mm.	etc as required. Above 35sq.mm and Upto 95 Sq.mm.	Above 35sq.mm and Upto 95 Sq.mm.

M:TZ

Chief Engineer

S.S.E.I.D.C. Ltd. Patna

Skehoudhy

18 01

	14.14	D	3	1		
	17.14	Providing, laying and fixing following RCC pipe NP2 class(light duty) in grouplete with RCC collars, joints cement mortar 1:2 (1 cement: 2 fine saincluding trenching (75 cm) and refietc.as required. (Road crossing as per condition)	g dia ound with and)			
	14.14.2	2 150 mm dia				Rs. Three hundred eig
106	9.1	1.1 KV Cable End Terminati	10.000	Mtr.	387.84	seven and paise eight
		1.1 KV Cable End Termination Supplying and making indoor cable termination with brass double compressing gland and aluminium lugs for following sof PVC insulated XLPE Al. Ar. Cable 1.1 KV grade as required.	end sion		307.01	o lour only.
	9.1.22	3.5 Core 50 Sq.mm.				
						Rs. Two hundred seve
107	1908 JSR	3.5 core 50 sq mm xlpe/pvc insulat	2.000	Each	272.700	two and paise seventy only.
	2014	sheathed (Heavy duty)armoured electric callaluminium conducter.			Parameter	
		3.5C x 50 Sq.mm 1.1kV				
108		S/F HRC fuse type TP&N switch	100.000	Mtrs.	391.000	Rs. Three hundred nine one only.
	2.1	disconnector:- Providing and fixir following capacity TP&N disconnector fus switch unit inside the existing panel boar with ISI marked HRC fuses including drilling holes in cubicl panel, making connections, etc. as required.	ng e cd			
-	2.1.2	63 amps,TP&N, HRC				
09		S/F Busbar Chamber:-	3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paise thirty eight only.
	2.5	on Busbar Chamber:-			2200.300	
-	2.5.3	Providing and finite of the			and the same of th	
	B.S.R 2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required. 200 amp.TPN				Rs. Six thousand two hundred twenty two and paise sixty one only.
110	2.7.4 D.S.D.	Providing and fixing following capacity	1.000	Each	6222.610	
	2009	four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling noles in metal panel, making connections etc. as required.				Rs. Seven thousand nine hundred seven only.
		25 Amps, Four pole				distribution of the second of

MIT

Chief Engineer

S.S.E.I.D.C 11. Patna

12 01

2	9
0	1

	1 6.5	Providing and fixing copper tape 20 mm	- 2	32		
		3 mm thick on parapet or surface of wall for lightning conduct complete as required. (For horizontal run)	tor			Rs. Three hundred seventy nine and pai seventy six only.
112	2 6.6	Providing and fixing copper tape 20 mm	80.000	meter	r 379.76	0
		3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)				Rs. Four hundred ten paise six only.
113	2.2	Providing and C.	30.000	meter	410.060	
		Providing and fixing follwing rteing an breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc a required	g		110.000	
	2.2.3	160 amp. 16KA				D- D
-			1.000	ЕАСН	4565.200	Rs. Four thousand five hundred sixty five and paise twenty only.
		FIRE FIGHTING			Total (C) 503,812
114	DGS&D	Brand new ISI marked Life Guard ABC				303,012
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.000	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only
			-		Total	75,497.
	(CARRIAGE OF MATERIALS			Total (D)	75,498.
15		- ST MATERIALS		-	D. C. T.	75,176.0
		Type of materials			Rate Incl. 1% Lab. Cess	
		Cement	139.566	MT	1% Lab. Cess	nine and paise eighty
		Cement	139.566	MT	1% Lab. Cess 289.87	nine and paise eighty seven only. One Thousand Fou Hundred Thirty Two an
		Cement	Selection of the select		1% Lab. Cess 289.87 1432.16	Seven only. One Thousand Four Hundred Thirty Two and paise Sixteen Only Two Hundred Five and
		Cement Sand Local Sand Stone Chips	188.457	cum	1% Lab. Cess 289.87 1432.16	nine and paise eighty seven only. One Thousand Fou Hundred Thirty Two and paise Sixteen Only Two Hundred Five and paise Twenty Nine Only One Thousand Sever Hundred Sixty Six And
		Cement Sand Local Sand	188.457	cum	1% Lab. Cess 289.87 1432.16 205.29	nine and paise eighty seven only. One Thousand Fou Hundred Thirty Two and paise Sixteen Only Two Hundred Five and paise Twenty Nine Only One Thousand Sever Hundred Sixty Six And paise Sixty seven only Rs. Six hundred one and
	I S	Cement Sand Local Sand Stone Chips	188.457 125.918 176.279	cum cum	1% Lab. Cess 289.87 1432.16 205.29 1766.67	nine and paise eighty seven only. One Thousand Fou Hundred Thirty Two an paise Sixteen Only Two Hundred Five and paise Twenty Nine Only One Thousand Sever Hundred Sixty Six And paise Sixty seven only

33 Bricks Three Hundred Thirty 120.253 Thous. 333.36 Three and paise Thirty Six only. Cement One Thousand Seventy 139.566 MT 1075.73 Five and Paise seventy three only. Total 915,441.03 Total (E) 915,441.00 Grand Total (A+B+C+D+E) 7,559,863.73 SL. No. DISTRICT NAME OF INSTITUTE Amount (Rs.) DARBHA 1 BLOCK RESOURCE CENTRE NGA 7,559,863.73 0.000.00 Total Cost in 'Rs' 7,559,864.00

(Rupees Seventy Five lacs Fifty Nine Thousand Eight Hundred Sixty Four Only)

"Details of Sl. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below

Part	'A'	-	Cost	of	Materials
------	-----	---	------	----	-----------

1		125mm dia UPVC casing pipe confirming		T		
		to ISS	27	Meter	315.0	Rs. Three hundred fiftee only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.3	Rs. Ninety nine and pais
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.0	thirty eight only. Rs. One hundred eighty
4		Reducing socket 125mm x 40mm	1	Each	270.00	two only. Rs. Two hundred sevent
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1/	Each	and the same of th	Rs. One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1_	Each	511.21	Rs. Five hundred eleven and paise twenty one
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
ID!	-	Sub - Total "A"				
'B' -	Cost of I	Labour				46138.37

0	1
~	
_	7

nd on on-	oved in favour of Ramesh Chandra Yaday @		Total	C="A+B"	60,432.6
			S	ub - Total	14,294.2
15	T/Well to have sand free discharge all complete as per direction of E/I	1	Each		Rs. Two hundred eight
	Supplying labour and developing the	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc.	2.1			nine only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy
	(iv) 75.00 m to above				nine only.
12	a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty
	(iii) 61.00 m to 75.00 m	A STATE OF THE STA			only.
11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thir six and paise eighty eighty
	(ii) 30.5 m to 61.0 m				only.
	(i) 0 to 30.5 m	3.5	mtr	119.0	Rs. One hundred nineteen and paise the
10	(b) for 40 mm dia UPVC pipe				only.
9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.7	Rs. Two hundred eig 7 and paise seventy sev
	(i) 0 to 30.5 m				
	tools and plants required for the job as per specification and direction of the engineer in charge.				
	etc. all complete including providing all				
	reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer	1			
	Boring by jet dheki by suitable cutter of				

Tender approved in favour of Ramesh Chandra Yadav @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 68,03,878=00 (Rupees Sixty Eight Lacs Three Thousand Eight Hundred Seventy Eight Only)

Performance Security

Name of Agency – "Ramesh Chandra Yadav"

Performance Security of "Ramesh Chandra Yadav" of "BRC-Baheri, Darbhanga(SL. No.-

NSC No. 50EF 635305 50EF 635226-40 Passbook No. 3407715379 3407711012 3407713696 3407719858	DOI 18.12.15 18.12.15 DOI 24.10.16 24.10.16 24.10.16 24.10.16	Reg No. 009949457 009949338 CIF No. 131161841 131161841 131161841	10000*15	Amount 10000.00 150000.00 31000.00 50000.00 50000.00
				Total 341000.00

(Rupees Three Lacs Forty One Thousands Only)

A अभिक ड क्य में ।। द

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि॰, पट्टना

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) 36

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद परिसर शिवपूजन सहाय पथ, सैदपुर पटना--800004 दूरमाव-0612-2910314 कॉर्पोरेट पहचान संख्या. U80301BR2011SGC015859. e-mail: bseidc@gmail.com, website; www.bseidc.in. Fax No.: 0612 2660256.

पत्रांक:- BSEIDC/FIN/2543/2016-17/- **8618** पटना, दिनांक 16.09.16

प्रेषक.

ब्रजेश प्रसाद मुख्य परामशीं (तकनीकी)

सेवा में

Ramesh Chandra Yaday, Bithauli, Baheri, Darbhanga.

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Baheri, Darbhanga (SL. No.-13)" के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि उपर्युक्त निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 68,03,878 / - (अड़सठ लाख तीन हजार आठ सौ अठहत्तर रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,41,000/- (तीन लाख एकतालीस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रवंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें। AB 9. 201 6

मुख्य परागशी (तकनीकी)

ज्ञापांक : BSEIDC / FIN / 2543 / 2016-17 / - % 61& पटना, दिनांक 16:09 . 16

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSFIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

म्ख्य परामर्शी (तकनीकी)

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पेरेट पहचान संख्याः U80301BR2011SGC015859, e-mail. bseide@gmail.com, website: www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् पेरिसर, शिवपूजन सहाय पथ्।, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: (30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

100	Existing provision	
		Amended provision
***************************************	from dated 16.04.2016 to 10.05.2016,	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
-	Date and Time of Pre bid Meeting – 25.04.2016, Date and Time of Pre bid Meeting – 25.05.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016,
	Last date and time for receipt (Upload) of Bids on dated 11.05.2016 .15:00 Hrs	Last date and time for receipt (Upload) of Bids on
	Time and date for opening of Technical Bids on dated 13, 05,2016, 16:30 Hrs	Time and date for opening of Technical Bids on
	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on
	The Cost of BOQ and EMD will he	The Cost of BOQ and EMD will be accented un to be of 2000.

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical) (Brajesh Prasad)

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

रिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314 (बिहार सरकार का एक उपक्रम)

कॉपोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 03-2016

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

		And a service of the	ш			The state of the s	(one)		The second secon	MANAGE STREET,	And a second sec
		Amended provision	dated 16.04.2016 to 10.05.00.	15:00 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.	Last date and time for recoins or i	dated 11.05.2016,15:00 Hrs.	dated 13. 05.2016. 16:30 H.:	Time and date for opening of Financial Brit	dated 27.05.2016, 15:30 Hrs.	and EMD will be accepted up to 13.05.2016, 15:00 Hrs.
	Existing provision	Period of Sale of Bid document (Document	from dated 03.03.2016 to 28.03.2016,	Date and Time of Pre bid Meeting - 15 03 2015	Last date and time for some for some forms of Pre bid Meeting – 25.04.2016,	on dated 29.03.2016 .15:00 Hrs	Time and date for opening of Technical Bids on	Time and date for one process.		Ond I is the	S S S S S S S S S S S S S S S S S S S
JA.	110,	-	MANAGE.	7			ne n	1	, a	9	
					1			1			

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical)

(Brajesh Prasad)

Chief Lugineer
B.S.E.I.D.C. Ltd, Patna
2119
18 01

बिहार राज्य शक्षाणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना–800004, दूरभाष–0612–2910314

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

		Amended provision	load) Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016			***************************************	The Cost of BOQ and EMD will be accented in to 04 of 2016.
	Existing provision	Period of Sale of Bid dogger	from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15.00 tm.	Time and date for opening of Technical Bids on dated 31. 03.2016. 16:30 Hrs	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs	The Cost of BOQ and EM
S	10.		Williams	CI		-	5

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid. f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the 7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

41

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

-----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Engineer B.S.E.I.D.C. Ltd, Patna

1870

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 42 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम	कार्य का नाम	प्राक्का राशि	T	अग्रधन की राशि	रा विपत्र	की Beltron	Bid	क
1	BRC Ekma, Saran	(लाख	में)	(रू० में) राशि	Processi	ng	सम
2	BRC Baniyapur, Saran	85.2	2	1,70,40	(板のす		(s.)	की 3
3	BRC Masrak,Saran	85.2		1,70,40		0,00		15
4	BRC Marhowrah, Saran	85.2		1,70,400	-0,01	0,50		15
5	BRC Amnour, Saran	85.2		1,70,400	, - ,	2,20		15
6	BRC,Dariyapur,Saran	85.2		1,70,400	- 0,00			15
7	BRC,Garkha,Saran	85.2		1,70,400	- 0,00	0,00		15
8	BRC Manigagetti Dati	85.2		1,70,400	- 0,00	2,20		15
9	BRC, Manigachhi, Darbhanga	85.2			- 0,00	0,00		15
10	BRC, Keoti, Darbhanga	85.2		1,70,400	, , , ,	5,50		15 7
11	BRC,kusheshwarsthan,Darbhanga	85.2		1,70,400	- 0,00	2,20		15 F
12	BRC,Ghanshyampur,Darbhanga	85.2		1,70,400		2,00		15 म
13	BRC,Kiratpur,Darbhanga	85.2		1,70,400	10,00			15 म
	BRC,Baheri,Darbhanga			1,70,400	10,000	2,20		15 म
14	BRC, Hanumannagar, Darbhanga	85.2		1,70,400	10,000	5750		15 म
15	BRC, Lakhnaur, Madhubani	85.2		1,70,400	10,000	5750		15 म
16	BRC,Jhanjharpur,Madhubani	85.2		1,70,400	10,000	5750		15 मा
17	BRC,Phulparas,Madhubani	85.2		1,70,400	10,000	5750		15 _円
18	BRC,Khutauna,Madhuhani	85.2		1,70,400	10,000			15 · 刊
19	BRC, Khajouli, Madhubani	85.2		1,70,400	10,000			15 · 刊
20	BRC,Bisfi,Madhubani	85.2	1	,70,400	10,000			5 · 刊
21	BRC,Rahika,Madhubani	85.2		,70,400	10,000			5 मार
22	BRC, Harlakhi, Madhubani	85.2		,70,400	10,000	5750	_	5 打
3	BRC,Babubarhi,Madhubani	85.2	1	,70,400	10,000	5750		5 5 माह
4	BRC Rosada, Samastinur	85.2		,70,400	10,000	5750	1:	
5	BRC Samastipur	85.2	1.	,70,400	10,000	5750	1:	
6	BRC, Khanpur, Samastipur	85.2	1.	,70,400	10,000	5750	1:	
/	BRC, Hasanpur, Samastipur	85.2	1,	70,400	10,000	5750	15	
8	BRC, Mohanpur, Samastipur	85.2	1,	70,400	10,000	5750	15	
)	BRC, Patori, Samastipur	85.2	1,	70,400	10,000	5750		5 माह 5 माह
)]	BRC, Shivajinagar, Samastipur	85.2	1,	70,400	10,000	5750		
- 1	BRC, Sangrampur, E. Champaran	85.2		70,400	10,000	5750		माह
1	BRC, Kalyanpur, E. Champaran	85.2	1,	70,400	10,000	5750	15	
E	BRC Chakia, E. Champaran	85.2	1,	70,400	10,000	5750		माह
E	BRC Sugauli,E.Champaran	85.2	1,7	70,400	10,000	5750		माह
Е	BRC Madhuban,E.Champaran	85.2	1,7	70,400	10,000	5750		माह
В	BRC Patahi, E. Champaran	85.2		0,400	10,000	5750		माह
В	BRC Raxaul,E.Champaran	85.2	1,7	0,400	10,000	5750		माह
В	BRC Adapur,E.Champaran	85.2		0,400	10,000		4 -	माह
В	RC Bankatwa, E. Champaran	85.2		0,400	10,000	5750		
В	RC Dhaka,E.Champaran	85.2		0,400	10,000	5750	15	माह
В	RC Bairia, W. Champaran	85.2		0,400	10,000	5750		माह
B	RC Narkatiagoni W. Cl	85.2		0,400	10,000	5750		माह
R	RC Narkatiaganj, W.Champaran	85.2		0,400		5750	-	माह
RI	RC Sikta, W.Champaran	85.2			10,000	5750 V	15	माह
D	RC Bhithan, W.Champaran	85.2	19/	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10,000	5750	15	माह

B.S.E.I.D.C. Ltd, Patna

45	Baarrya, w.Challiparan		85.2	1,70,40	0 10.00	0	
46	- 10,1 ipidsi, w.Challinaran	1 0	85.2	-,. 0, .0			
48	- Champaran	43	85.2	-,, 0, 10			15
49	Barauli, Siwali		85.2	1,70,40	,	0,50	15
50			85.2	1,70,40	-,	2780	15
51			85.2	1,70,400	,	2,20	15
52	BRC Basantpur,Siwan		85.2	1,70,400	,000		15
53	BRC Maharajganj,Siwan		85.2	1,70,400	,	0,00	15
54	BRC,Bhagwanpur,Siwan		85.2	1,70,400	-,000	0.00	15
55	BRC,Hasanpur,Siwan		85.2	1,70,400	-,000		15
56	BRC Uchkagaon, Gopalganj		85.2	1,70,400	10,000	0.00	15
	BRC Sidhwalia, Gopalganj		85.2	1,70,400	- 0,000	0.00	15
57	BRC Bhorey, Gopalganj		85.2		,000	5750	15
58	BRC,Bijaipur,Gopalganj		85.2	$\frac{1,70,400}{1,70,400}$	-,	5750	15
59	BRC Pachdeuri, Gopalganj		85.2		-0,000	5750	15
60	BRC Kuchaikot, Gopalganj		85.2	1,70,400	,,,,,	5750	15
61	BRC,Ramgarh,Kaimur		85.2	1,70,400	10,000	5750	15
62	BRC Chainpur, Kaimur		85.2	1,70,400	10,000	5750	15
63	BRC Bhagwanpur,Kaimur		85.2	1,70,400	10,000	5750	15
64	BRC Chakki,Buxar		85.2	1,70,400	10,000	5750	15
65	BRC Buxar			1,70,400	10,000	5750	15 7
66	BRC,Chausa,Buxar		85.2	1,70,400	10,000	5750	15 7
67	BRC Dinara, Rohtas		85.2	1,70,400	10,000	5750	15 1
68	BRC Karahgar, Rohtas		85.2	1,70,400	10,000	5750	15 F
69	BRC Kochas, Rohtas		85.2	1,70,400	10,000	5750	15 F
70	BRC Tilauthu, Rohtas		85.2	1,70,400	10,000	5750	15 म
71	BRC Karakat, Rohtas		85.2	1,70,400	10,000	5750	15 म
72	BRC Dawat, Rohtas		85.2	1,70,400	10,000	5750	15 म
73	BRC,Mansahi,Katihar		85.2	1,70,400	10,000	5750	15 म
74	BRC,Manihar,Katihar	\	85.2	1,70,400	10,000	5750	15 म
75	BRC,Pranpur,Katihar		85.2	1,70,400	10,000	5750	15 म
76	BRC, Kadwa, Katihar		85.2	1,70,400	10,000	5750	15 中
77	BRC,Barsoi,Katihar		85.2	1,70,400	10,000	5750	15 मा
78	BRC,Azamnagar,Katihar		85.2	1,70,400	10,000	5750	15 मा
79	BRC,Narpatganj,Araria		85.2	1,70,400	10,000	5750	
30	BRC, Araria		85.2	1,70,400	10,000	5750	
	BRC, Jokihat, Araria		85.2	1,70,400	10,000	5750	
	BRC,Bhargama,Araria		85.2	1,70,400	10,000	5750	15 His
	BRC,Kursakata,Araria		85.2	1,70,400	10,000	5750	15 中i
4	BRC,Purnea East,		85.2	1,70,400	10,000	5750	15 माह
5	BRC, Baisi, Purnea		85.2	1,70,400	10,000		15 माह
	BRC, Baisi, Purnea BRC, Amour, Purnea		85.2	1,70,400	10,000	5750	15 माह
	BRC Dhamdaka D		85.2	1,70,400	10,000	5750	15 माह
8 1	BRC, Dhamdaha, Purnea		85.2	1,70,400	10,000	5750	15 माह
9 1	BRC, Banmankhi, Purnea		85.2	1,70,400	10,000	5750	15 माह
	BRC, Tarhagach, Kishanganj		85.2	1,70,400	10,000	5750	15 माह
1 H	BRC, Thakurganj, Kishanganj		85.2	1,70,400	10,000	5750	15 माह
	BRC,Pothia,Kishanganj		85.2	1,70,400		5750	15 माह
2 E	BRC Katoria,Banka		85.2		10,000	5750	15 माह
3 E	BRC Rajaun,Banka			1,70,400	10,000	5750	15 माह
I E	BRC,Barhat,Banka		85.2	1,70,400	10,000	5750	15 माह
E	BRC Belhar,Banka		85.2	1,70,400	10,000	5750	15 माह
5 B	BRC Jamui		85.2	1,70,400	10,000	5750	15 माह
В	BRC Barhat, Jamui		85.2	1,70,400	10,000	5750	15 माह
В	BRC Chakai, Jamui		35.2	1,70,400	10,000	5750	15 माह
В	BRC Gidhour,Jamui		35.2	1,70,400	10,000	5750	15 माह
_	DC C1 1 Y		35.2	1,70,400	10,000	5750 n	15 माह
B	RC Sikandra, Jamui			1,70,400	10,000	3/2U h	13 मार

M:Z

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

18/01

10:	BRC Asharganj, Munger	T						
102	BRC Naugachhia,Bhagalpur	85.2	1,70,400	,	5750	15 माह		
103	BRC Pirpainti,Bhagalpur	85.2	1,70,400	, , , ,	5750	15 माह		
104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह		
105	BRC Puraini, Madhepura	85.2	1,70,400	10,000	5750	15 माह		
106	BRC Gwalpada,Madhepura	85.2	1,70,400	10,000	5750	15 माह		
107	BRC Kumarkhand, Madhepura	85.2	1,70,400	10,000	5750	15 माह		
108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 माह		
109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 माह		
110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह		
111	BRC Mahensi, Saharsa	85.2	1,70,400	10,000	5750	15 माह		
112		85.2	1,70,400	10,000	5750	15 माह		
113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह		
114	BRC Supaul	85.2	1,70,400	10,000	5750	15 माह		
115	BRC Pipra,Supaul	85.2 85.2	1,70,400	10,000	5750	15 माह		
116	BRC Pratapganj, Supaul	85.2	1,70,400	10,000	5750	15 माह		
117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15 माह		
118	BRC Raghopur, Supaul		1,70,400	10,000	5750	15 माह		
119	BRC, Atari, Gaya	85.2 85.2	1,70,400	10,000	5750	15 माह		
120	BRC, Neemchak, Gaya		1,70,400	10,000	5750	15 माह		
121	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	15 माह		
122	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह		
123	BRC, Imamganj, Gaya	85.2 85.2	1,70,400	10,000	5750	15 माह		
124	BRC Amas,Gaya	85.2	1,70,400	10,000	5750	15 माह		
125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह		
126	BRC,Jehanabad		1,70,400	10,000	5750	15 माह		
127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह		
128	BRC,Ghosi,Jehanabad	85.2 85.2	1,70,400	10,000	5750	15 माह		
129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह		
130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह		
131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह		
132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह		
133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह		
134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह		
135	BRC, Rega,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह		
136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह		
137	BRC, Pupri, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह		
138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह		
139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह		
140	BRC,Suppi,Sitamarhi	85.2	1,70,400 1,70,400	10,000	5750	15 माह		
141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह		
142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह		
143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह		
144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह		
145	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह		
146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह		
147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह		
148	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह		
149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह		
150	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह		
151	BRC, Karaiparsurai, Nalanda	85.2		10,000	5750	15 माह		
152	BRC,Motipur,Muzaffarpur	85.2	1,70,400 1,70,400	10,000	5750	15 माह		
153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह		
154	BRC, Aurai, Muzaffarpur	85.2		10,000	5750	15 माह		
155	BRC,Bandra,Muzaffarpur	85.2	1,70,400 1,70,400	10,000	5750	15 माह		
156	BRC,Minapur,Muzaffarpur	85.2	1,70,400	10,000	\$750	15 माह		
	·	00.2	1,70,400	10,000 Chief Eng	5750 inger	15 माह		
			RS	FIDCI	.td, Patna			
	V /		2110		ion, i milit			
	B.S.E.I.D.C. Ltd, Patna							
			18/0	1				
			,	•				

157	BRC,Bhagwanpur,Muzaffarpur						
158	BRC,Jagdishpur,Bhojpur	85.2	1,70,400	10,000	5750	1	5 मार
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750		5 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750		5 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750		5 5 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750		3 नाह 5 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750		5 गाह 5 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15	
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15	
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15	
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15	
168	BRC, Matihani, Begusarai	85.2	1,70,400	10,000	5750	15	
169	BRC, Bhagwanpur,Begusarai	85.2	1,70,400	10,000	5750	15	
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15	
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15	
172	BRC, Cheria Bariyarpur,Begusarai	85.2	1,70,400	10,000	5750	15	
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15	माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15	माह
175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15	माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15	माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15	माह
178	BRC ,Desari, Vaishali	85.2	1,70,400	10,000	5750	15	माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15	माह
180	BRC,Jandaha,Vaishali	85.2	1,70,400	10,000	5750	15	माह
181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	-	माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750		माह
183	BRC,Chewada.Shekhnura	85.2	1,70,400	10,000	5750		माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750		गाह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750		गाह
	, saryagama, Lakiiisarai	85.2	1,70,400	10,000	5750	15	
नो	टः (i). निविदाकार एक या अधिक कार्य के लिए अनुसार क्रिक			,	2730	13	नाह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii).वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 31.03.2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 31.03.2016, समय- 16:30 घंटा

(8) वित्तीय बिड खोलने की तिथि एवं समय

(वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक- 11.04.2016, समय- 15:30 घंटा

(9) निविदा खोलने का स्थान (10) निविदा की वैधता की अविध

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

(11) ई—टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्त्तों एवं सरकारी निर्णयानुसीर आविरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

(14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक 46 ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(ঘ্র) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, **प्रबंध निदेशक**, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

, (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डिरंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी / सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M / 22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता