Schedule XLV-Form No. 61)
Supand. (3L No. - 115) on Ltd. IPAUL ency - [Form No. F-2] Bambam Kuman Singh n memorandum at nd in accodance in ITEM RATE TENDER AND CONTRACT FOR WORKS Subjects to the accordance with, greement No. General Rule and Direction for the guidance of Contractors. Late of Common coment - 14-11-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive 2. In the event of the tender being submitted by a firm, it must be signed separately by each Engineer during office hours. member there of or in the event of the absence of any partner, it must be signed on his behalf by a person 3. Receipt for payments made on account of work when executed by a firm must also be signed holding a power-authorising him to do so. Commencement of by the several partners, except where the contractors are described in their tender as a firm in which case the Preceipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by The Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he N MONTHS complete and delivers his tender. Rs. 5. The amount of earnest money to be deposited will be: -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 · If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate additional earnest money he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration

inical) astructure id., Patna houd

in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shan include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the posts of earnests money here in before mentioned shall be made in Government Treasures and the change in enclosed with the tender. AHAH ZUIL PEE

14-11-17

- 7. The Engineer or his duly authorised assistant will open the tender in the presence intending contractors who may be present at the time and will enter the amounts of the several tencomparative statements in a suitable form. In the event of a tender being rejected the challan for the example of the example of the example of the example.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tender, inform the tenderer or the selected tender who shall there sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identificand for his acceptance with the tender. The tender of the selected tender shall also deposit the recamount of the security money within the prescribed time. If the tenderer fails to deposit the required among the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth-with confidence of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents so by the tenderer will then be forwarded for acceptance and the security money deposited shall be refundate the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government of the endorsed to the Executive Engineer lieu of a cash deposit of the required amount of security money. No tender shall be finally accepted until the required amount of the security money has a deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected acceptance shall be 10% of the estimated value of the work & towards this amount the earnest malready deposited by him shall be credit. At least half of this security inclusive of the earnest money shadeposited by the tenderer within such time as may be notified to him in writing by the officer opening tenfailing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tensmay be made up by deductions of 5% of the amount of each payment to be made to him under clause the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the second money has been deposited the Engineer shall scrutinise all pages of the form of term, rate, tender & confor works to see that the form has been properly filled up and signed by the contractor & the signa witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, sign the acceptance of the conformation is not so competent shall send the form for signature of the acceptance of the officer competent to accept the acc

9494 3mm 166

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

) If several sub-work	are
included they should	be
etained in a separate li	st.

- [a] Name of work
- [b] Estimated cost
- This deposit will be 5% of the estimated cost of the order.
- [c] Earnest money
- deduction from bills will be redited to the contractors security deposit.
- [d] Initial security deposits (including earnest money) to be deposited befor the commencement of the work
- [e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)
- [g] Date of written other to commence
- [h] Total number of item of work tendered for

		RATE TENDERED		
Item No.	Item of work	In figures	In words	Per
)	Colombia Colombia			
•				
)				
)				
,				
				/1
)			01	30.
· ·			-	-11-2017
			hief Consultan	
)	वयवय दुगार् छिट	Biha	State Education	al Infrastructure
)		248	lopment Corpor	ation Ltd., Paina
		- HA		

on Ltd.

JPAUL

n memorandum at and in accodance in Subjects to the accordance with,

e Commencement of

EEN MONTHS

2017

echnical)
Infrastructure
in Ltd., Patna
Kehoud

			RATE TE	NDERED	
Item No.	Item of work		In figures	In words	Per
	editoria karul 16. jaan				
ends are elec-	drawing over other d	arciael, insta	rivege entre in	ocajem lie m	
thing of the test the		PARTY PER STATE	douglos one or	Per Public	
		la Generale			
Action has annual					
		Various !		271	
		1			
Maria de la come	includes minutes a			art are	
		Thinkin \			
		Dienamora:	Application		
		6275) Allow to n			
	038.00%				
	attrion of	escalal (
	•				
				1	
1,					
1.3	Section 1				
1 2			•		
(Technical)	Clusef Consultani Was State Edication				_
ampuriteathi la	diese State Eddington				
agent, bli note	Decalopment Corpor				

Schedule XL	V - Form No. 61	(5)	40 000	A TANK MIDNING	on Ltd.
9		RATE TENDERED Per			
Item No.	Item of work	In figures	In words	rei man	UPAUL
000					en memorandum at and in accodance in Subjects to the naccordance with,
					ASIDER
					e Commencement of
9 9 9 9					CEN MONTHS
9999					echnical)
					n Ltd., Patna Kehvus

N-	Itom of work	RATE TE	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN	Per	
tem No.	Item of work	In figures	In words	1 61	
			1000		
		1 the second			
			A Company of the Company		

hedule XLV - For	rm No. 61	(7)	12 ost	Stredule XIVE Stre	ion I td	
and the resident state of the		RATE TI	RATE TENDERF.D		ion Ltd.	
Item No.	Item of work	In figures	In words	Per	UPAUL	
				The transfer of the same of th	en memorandum at and in accodance in Subjects to the n accordance with,	
cato est cucia el nel act cucia galegas est mascres catal					Annoel (Rs)	
					e Commencement o	
					ZEN MONTHS	
					-2017	
Castode Constant of the same state of the same s	A North Copylid Salan Salan Salan Basis Salan Salan Copyling Copyling				chnical) nfrastructure n Ltd., Patna kehoue	

should this tender be accepted I/we hereby agree to abide by and fulfill all terms and provisions of the said conditions of contract annexed hereto so. for applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

20

*Signature, of contractor before comission of tender

witness

O------

Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bital Dated the day of 20

signature of the office accepting the tence

Acceptances communicated on.....

signature of the partaking the tendent



Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor become does not not contracted that the contract of the con

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive Engineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date of which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percer on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to 1/2 percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when **persnle security** deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where said in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind neither switting (Cleckwich) ctor under the hand of the Executive Enginee Bishall State Orbits work (Cetatrical) constitution which case the sectitiry deposit of the contraction shall Cetatrical and the absolutely at the disposal of Government.

9484 3mc/98

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

to pay compensation if action not take under

Power to take posession of or require removal of or sall contractor plant.

contractor remains liable

he Commencement of

tion Ltd.

SUPAUL

ten memorandum at

e and in accodance in d Subjects to the

in accordance with,

EEN MONTHS

'echnical) Infrastructure on Ltd., Patna Kehoud

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall be apply in writing to the Executive Engineer within 40 days from the date of stalling that the binders are a second of the executive Engineer within 40 days from the date of stalling that the binders are a second of the executive Engineer within 40 days from the date of stalling that the executive Engineer within 40 days from the date of stalling that the executive Engineer within 40 days from the date of stalling that the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of stalling the executive Engineer within 40 days from the date of the executive Engineer within 40 days from the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable Chief Cobershown (Technical)

thereof authorised such extension of time if any, as may in his opinion beredoessamonal Infrastructure proper. The Executive Engineer shall at the same time inform the properties to entire the properties Ltd., Patna

claims compensation for the delay.

ayay gni (GE

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed, such schedule required from time to time to be used by him for the purposes of the sentract, only and the value of the full quantity of materials and stores so supplied the rates specified in the said schedule may be set off or deducted from any supposition due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the sain cluster of the covernment security the same or sufficient portion thereof in this Eise Salate at the purpose. All materials supplied to the contractor shall remain the absolute property cof Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

वमवम् युगार दिं

nspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may. consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoeyes account of any profit or advantage, which he might be account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work of the work of the work of the work in the carried out

not having been carried out neither shall he have any claim for compensation by reason introduction of any alternation having been made in the original specification drawing designs after Ltd., Patra instruction which shall involve any installment of the work of the wor instruction which shall involve any installment of the work as originally contemplated

clause 12 (a) As contained in GO 1929 dated 11.9.56.

वमवम उपादिस

tion Ltd.

SUPAUL

ten memorandum at e and in accodance in Work to be executed d Subjects to the accordance with specification drawing other etc. in accordance with,

Alteration in specifications and designation

Do not in validate contract

he Commencement of

EEN MONTHS

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district

Technical) Infrastructure on Ltd., Patna Skehoud

11-2017

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply materials as stores which the Government may have undertaken to supply where suc failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall or demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:- All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working of any building, road, road curves, fence enclosure water pipes, cables, drain delectric or telephone posts or wires, trees, grass or grassland or cultivated greend contiguous on which the work or any part of it is being executed o Chief Constant (Technolog) to the work, while in progress from any cause whatsoever eraction become apparent in if within three months (six months to propose the compose that the compose the certificate final or other of its completion shall have been given by the Engineer-in-charge

Q4 Q4 QUIC 168

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward Ir advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person In the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and the absolutelynt (Technical)

at the disposal of Government and the same consequence shall engue a sifthe contractnal infrastructure had been recinded under clause 3 here of, in addition the contractorshall not be entitled ration Ltd., Patna o recover or be paid to any work therefore actually performed the under the contract.

व्यवम उपार्षिह

Contractor liable for damage done and for imperfection a months and after certificate

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

Technical) Infrastructure ion Ltd., Patna Skehoud

tion Ltd.

SUPAUL

tten memorandum at e and in accodance in nd Subjects to the ; in accordance with,

the Commencement of

TEEN MONTHS

-2017

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of the conditions shall be considered as reasonable compensation to be applied to the user the Government without reference to the actual loss or damages sustained and there not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitute of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or the information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days to Engineer-in-charge may be notice in writing rescind the contract and the security depos of the contractor shall thereupon stand forfeited and be absolutely at the disposal Government and the same consequences shall ensure as if the contract has be rescinded under clause 3 hereof, and in addition the contractor shall not be entitled recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineers the circle for the time being who shall be entitled to direct at what point or points and what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties either of there upon any question relating to the meaning of the specifications, design drawings and instructions here before mentioned or as to the quality of workmanship materials used on the work or as to the construction of any of the conditions or a clause or thing there in contained or as to any question, claim, rights of the parties any matter, or things whatsoever in any way arising out of or relating to the contradesigns, drawings specifications, estimates, instruction order of these conditions otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof as the breach of those contract then either party shall forthwith give to the order not of such dispute or difference and such dispute or difference shall be referred to Superintending Engineer of the circle and his decision there on shall be final, conclusionand binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lumsum in respect of the contract shall be entitled to payment in respect of the items work involved of the work in question the same rates as are payable under this contrasuch terms, for if the part of the work in question is not in the opinion of the Engineer-charge, capable of measurement the Engineer-in-charge, may at his direction pay lump sum amounts entered in the estimate, and the certificate in writing of the Engineerin-charge shall be final and conclusive against the contractor with regard to any supayable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circ specification and in the event of there being no circle specification, then in such cast the work shall be carried out in all respects in accordance with the instructions are requirements of the Engineer-in-charge.

Definition of works

Clause 26:- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contracted to be executed whether temporary or permanent, and whether original, alter substituted or additional.

angy guicking

ayay zuicle

Witness

Contract

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	Rates at w	hich the material charged to the ontractor		Plac	e of delivery
	Unit	Rs.	P.		
		A COLUMN TO A			
			17.50		
			1.5		
	1				
	All Allert				
		1	1		
			1		
				*	
				214	
	•			•	
					phove schedules are

ation Ltd.

, SUPAUL

vritten memorandum at nce and in accodance in and Subjects to the ets in accordance with,

at

e the Commencement of

FTEEN MONTHS

Note:-The person or firm submitting the tender should see that the rates in the above schedules are ied up by the Engineer-in-charge on the issue of the form prior to the submission of the lender.

AHAY ZINCTÉE

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corexecutive Engineers

-11-2017

(Technical)
al Infrastructure
ition Ltd., Patna
Skehous

Signature of Contrator)

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at PIPRA, SUPAUL

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work :- Construction of Block Resource Centre at PIPRA, SUPAUL (Sl. No-115)
- (B) Estimated Cost :- Rs. 78,12,291=00 Agreement value :- Rs. 70,31,062=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (e)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 4,10,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 116

anan guiclas

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.O. FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. **BLOCK** NAME OF INSTITUTE DISTRICT No. **PIPRA** BLOCK RESOURCE CENTRE SUPAUL 1 **CIVIL WORKS** Amount Rate SI. SOR Unit Item of Work Qty. (Rs.) (Rs.) No. Item No. 7 4 5 6 3 2 1 PILE WORKS Boring, providing and installing bored cast-20.2 in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap). Rs. One thousand three 300 mm dia Piles hundred nine and paise 20.2.1 1309.30 thirty only. 0.000 meter Rs. One thousand five 400 mm dia Piles hundred twenty three and 20.2.2 1523.20 paise twenty only. 0.000 meter Rs. One thousand nine 450 mm dia Piles hundred seventy eight 20.2.3 1978.80 and paise eighty only. 0.000 meter Rs. Two thousand three 500 mm dia Piles

0.000

0.000

meter

meter

AHAH guiclas

600 mm dia Piles

20.2.4

20.2.5

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

2306.60 sixty only.

2996.10 paise ten only.

hundred six and paise

Rs. Two thousand nine

hundred ninety six and

			1			
	20.2.6	750 mm dia Piles	0.000	meter	4219.70	Rs. Four thousand two hundred nineteen and paise seventy only.
		(Asign intention) in second direction in the				
2	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):		\$21612	705.2	Ra Two numbed files and passes and passes two numbered files and passes and p
	20.3.1	300 mm dia Piles	0.000	meter	1024 20	Rs. One thousand nine hundred thirty four and
	20.3.2	400 mm dia Piles	0.000	meter		Rs. Two thousand two hundred twenty five and paise thirty only.
	20.3.3	450 mm dia Piles	0.000	meter		Rs. Two thousand three hundred ninety seven and paise fifty only.
	20.3.4	550 mm dia Piles	0.000	meter	1	Rs. Two thousand six hundred five and paise ten only.
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				Ru. One handed niney two supposed by to dy.
	20.4.1	300 mm dia Piles	0.000	Each	1240 10	Rs. One thousand two hundred forty and paise ten only.
	20.4.2	400 mm dia Piles			-	Rs. One thousand three hundred seventy three
	20.4.3	450 mm dia Piles	0.000	Each		and paise eighty only. Rs. One thousand four hundred fifty four and
	20.4.4	500 mm dia Piles	The second secon	Each		paise eighty only. Rs. One thousand five hundred ninety seven and
			0.000	Each	1597.20	paise twenty only.

वमवम उपार विष्ट

		12	-			
EART	HWORK	IN EXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil				Rs. Two hundred five and paise twenty only.
		= 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	318.530	cum	205.20	Land the state of
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	13 0(8)	60.77	210,000	Rs. Seven hundred eighteen and paise eighty only.
		1 to the second control of the second contro	136.410	100 sqm	718.800	
EA	RTH FILI					-
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM	11 778	<u>Co.n.</u>	1219-70	Rs. Sixty six and paise forty only.
		This section and tooler Country places there	188.980	cu.m	66.40	
S	AND FILL	ING				
	1	la tri trilli i li de cide lacal				

Supplying and Filling in plinth with local 2.28 sand and under floors including, watering, consolidating and ramming Rs. One hundred ninety complete. two and paise fifty only. = 118.79 CUM

119.810

305.410

cu.m

sq.m

FLAT BRICK SOLING

Providing designation 100 A one brick flat 8 11.72 soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM

SEPTIC TANK = 13.57 CUM

TOTAL QUANTITY = 305.41 CUM

SEPTIC TANK = 1.02 CUM

TOTAL QUANTITY = 119.81 CUM

Rs. Two hundred twenty seven and paise sixty only.

192.50

AHAY BUILTER

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd. Path

227.600

		1	3			
	P.C.C.	I list to the second control of the second c	1			Fig. Servers hundred limb
9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM	13.000	cu.m	2775.70	Rs. Two thousand seven- hundred seventy five and paise seventy only.
10	4.1.4	Providing and laying in position cement			Contracting the Section of the Secti	
7		concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	11.720	cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
1	FLOORIN	G	181,332	30, 30		
11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM		38 51	687.58	Rs. Eight hundred one and paise eighty only.
		Mark Sur providing association (Res 8	46.040	sq.m	801.800	
1	WALL TIL	ES		- 1		
Annual Control						

a4 a4 3416 / GE

Chief Consultant (Technical)
Bihar State Educational Infrastruct

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna.

	12	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to 1S: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM	188.874	sq.m		Rs. Seven hundred fifty four and paise twenty only.
I	OOF	RING & SK	IRTING				
-	13	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including				
			rubbing and polishing complete . Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM	0.310	YOU TI	404.3B	Rs. Nine hundred sixty eight only.
			Character and Community	281.852	sq.m	968.00	the Section Association and
	14	11.27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	0.910	COD	3498 90	Rs. Nine hundred twenty seven and paise fifty only.
				74.37	sq.m	927.50	
	15	8.3.2	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work	0.00	M	239.10	Two Hundred Thirty Nine and paise ten only

OHAY ZUICTUE

VUKI	K BELOW	PLINTH LVL.			-	
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK A	ABOVE PLINTH LVL.	-			
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size)	100 140	oai, m	1.53.34	Rs. Five thousand six hundred sixty six and paise twenty only.
		10 + 2 , BUILDING = 20.51 SQM	20.510	cu.m	5666.20	
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone	30.578	100 m		Rs. Three thousand four hundred thirty eight and paise ninety only.
		aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	•			

व्यवप दुषाटिक्ट

19	5.3 + 5.33B.4 + 5.33B.1	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and	134.043		74.90	Ka Sevent hychrological and solve the special solves of the sevent solve
		reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size). Add or deduct for providing richer or leaner mixes respectively at all floor levels. Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.				Rs. Four thousand five hundred eighty one and paise twenty only.
		= 100.44 CUM	834,658	(BQ).011	123.50	three and pane, MV (18)
		M aids posteril Master its di comen	100.440	cu.m	4581.20	
В	RICK WOF	RK 1974 A Skalada School	16 698	. sq 19	185.66	Eve and passe sings and
20	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM	39.878	cu.m	3992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
21	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM		241	145 80	Rs. Four thousand four hundred twenty seven and paise fifty only.
		linguesica Cenera plaster of Central Bux	160.082	cu.m	4427.50	
22	6.18.4A + 6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level. = 134.043 SQM	3 - 30	Sq.m.	538.30	Rs. Five hundred thirty eight and paise thirty only.

वयवय उपार्विस

7 201 |

			17			
23	6,21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM			1	Rs. Seventy five and paise ninety only.
			134.043	Sq.m.	75.90	
24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1::4 (1 cement: 4 coarse sand) = 8.75 CUM		eq.iii.	73.70	Rs. Four thousand one hundred eighty four only.
DI	A COTTON AND		8.750	cum	4184.00	
	ASTER WO					
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM			/23130	Rs. One hundred eighty five and paise sixty only.
27	12.11.4	If the state of the state of the state of the state of	16.650	sq.m	185.60	
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580	sq.m	89.30	Rs. Eighty nine and paise thirty only.
28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement: 3 sand) SEPTIC TANK = 52.82 SQM	52.820	All The Control of th		Rs. One hundred forty five and paise fifty only.
29	13.24.2	6mm thick Cement plaster of Ceiling mix	32.820	sq.m	145.50	
		1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m		Rs. Seventy seven and paise forty only.

वसवय दुषादिष्ट

		0				
30	11.3.1	Cement concrete flooring 1:2:4(1 cement:2				
	+	coarse:sand:4 graded stone agregate)				
	11:8	finished with a floating coat of neat cement				
		including cement slurry, etc. but excluding				
		the cost of nosing of steps etc. complete. 40	145 550			
		mm thick with 20 mm nominal size stone	2000			Rs. Two hundred thirty
		aggregate.				two and paise ninety
		Extra for making chequers of approved				only.
		pattern on cement concrete floors, steps,				
		landing, pavemerts etc.				
		= 136.41 SQM	371,408			
		-130.41 SQW				
		to be acquired and wealthcome of mile and	136.410	sq.m	232.90	
		Phaseerrops, unline as force and weighed with				
FINIS	HING WO	RK				
21	12.46.1	Finishing walls with Acrylic Smooth	1			
31	13.46.1	1 moning				Later, Secretary Branches (1987)
	1	exterior paint of				parte the other seasons
		required shade :New work (Two or more				
		coat applied @ 1.67 ltr/ 10				Rs. Sixty eight and paise
		sqm over and including priming coat of				eighty only.
		exterior				
		primer applied @ 2.20 kg/ 10 sqm)			10 25 14 0	
		EXTERNAL WALL = 836.658 SQM				
		Providing and feeling this hoose southers	836.658	sq.m	68.80	
32	13.80A.2	Providing and applying white cement based				
1 32	13.0071.2	putty of average thickness 2 mm, of				
		approved brand and manufacturer, over the				Rs. One hundred
		plastered wall surface to prepare the surface				eighteen and paise
		even and				seventy only.
		smooth complete.				humbred twenty that and
		smooth complete.	2266.768	sq.m	118.70)
33	13.77.2	Distempering with oil bound washa ble				
		distemper of approved brand and				
		manufacture to give an even shade.				
		New work (two or more coats) over and		1		
		including				Rs. Sixty four only.
		priming coat with cement primer	18 195	59.71	18.34	
		INTERNAL WALL & CEILING =			200	/10
		1430.11 SQM				
		1430.11 30141	1430.110	sq.m	64.0	O A CONTRACT OF THE CONTRACT O
		I I I I I I I I I I I I I I I I I I I		34.111	04.0	
34	13.81.1	Applying priming coat with ready mixed				
		pink or grey primer of approved brand and		E place	651	Rs. Twenty five and
		manufacture on wood work (hard and			Service of the servic	paise twenty only.
		softwood)				
		= 115.68 SQM	115.680	sq.m	25.2	0

04 94 341 (TOE

_
~

			9			
35	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM	105.728	sq.m	21.30	Rs. Twenty one and paise thirty only.
36	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM	103.726	3q.iii	/	Rs. Fifty and paise ninety only.
37	10.14.1	Providing and fixing T-iron frames for doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 . cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG	339.675	sq.m	75.10	Rs. Seventy five and paise ten only.
- 38	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM				Rs. One thousand eight hundred twenty three and paise eighty only.
39	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	48.195	sq.m	1823.80	Rs. Sixty six and paise fifty only.

8484 3416 FGE

714-11-2017

			20			
40	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
41	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	acah	82.70	Rs. Eighty two and paise seventy only.
42	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred seventy seven and paise forty only.
S	TEEL WO	RK /				ì,
43	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows. = 95.715 SQM	37/1870		327 60	Rs. Three thousand two hundred seventy and paise sixty only.
		She liferin dia veri	95.715	sq.m	3270.60	28 Sevent Institute

व्यवप दुपार दिह

			-1			
44	10.12.1	Providing and fixing glazed steel doors,				
	10.13C	windows or ventilators of standard rolled steel sections, joints mitered and welded				CALLS CHARLY OTHER
	10.130	with 15x3 mm M.S. lugs10cm long with	THE PARTY OF THE P	Ku		
		steel legs embedded in cement concrete				St. Company in Assess
		blocks 15x10x10cm.of (1:3:6) (1cement :		1.		nation exchinations of the
		3coarse sand : 6graded stone aggregate	700.003	186	70.86	
		20mm nominal size) or with wooden plugs				De Valente tuo and
		and screws or rawl plugs and screws or with				rease regime chile des 200
	, 1	fixing clips or with bolts and nuts as	13000		72.25	
		required, including providing and fixing of				
		glass panels with glazing clips and special				Rs. Three thousand two
		metal-sash putty of approved make complete including applying a priming coat	0.000	1.0	72.3	hundred seventy seven
		of approved steel primer excluding the cost				and paise sixty only.
	54 (A)	of metal beading and other fitting except				
*		necessary hinges or pivots as required. Doors				
		Extra for providing and fixing steel beading				Dr. One and tree agency
		of approved shape and section with screws				tons and mass allowers
		instread of glaxing clips and met. Sash putty				
		in steel doors, windows, ventilators and	1			
		composite units. Steel ventilators				
		= 3.24 SQM	12 000	Fan	11.13	
		The Colonia of the Santa and the Control of		A v		
		The state of the s				
4.5	0.00.1	Date of March 1985	3.240	sq.m	3277.60	rex atheres diprotes
45	9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows				pen poly
		etc. with M.S. flats square or round bars etc				
		all complete	530.66	113384	213	Rs. Ninety one and paise
	100	fixed to steel windows by welding.				fifty only.
		= 1722.87 KG				
		I had not been been such such that it				
46		TOTAL STREET STREET STREET	1722.870	Kgs.	91.50	
	5.22	Reinforcement for RCC work including		Kgs.	91.50	MS TOO UNDERSON ON
	5.22	straightening, cutting, bending, placing in		Kgs.	91.50	we row unusual tra-
	5.22			Kgs.	91.50	
	5.22	straightening, cutting, bending, placing in position and bonding all complete.		Kgs.	91.50	1802 TELH TERRORSON OPE
	5.22	straightening, cutting, bending, placing in		Kgs.	91.50	1802 TELH TERRORSON OPE
	5.22 5.22.7A	straightening, cutting, bending, placing in position and bonding all complete.		Kgs.	91.50	SECTION CHECKSON NAME.
		straightening, cutting, bending, placing in position and bonding all complete. TMTC-500		Kgs.	91.50	SECTION CHECKSON NAME.
		straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 Thermo-Mechanically Treated bars TMTC-		Kgs.	91.50	Rs. Seventy four and
		straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM		Kgs.	91.50	No. 1 Day and Seas Child Hundred Critical States and Child Seas Ch
		straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG				Rs. Seventy four and paise forty only.
	5.22.7A	straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG		Kgs.	74.40	Rs. Seventy four and paise forty only.
		straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG Thermo-Mechanically Treated bars TMTC-				Rs. Seventy four and paise forty only.
	5.22.7A	straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG				Rs. Seventy four and paise forty only.

ahay zuiclese

		22			
5.22.70	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG	71.80	Rs. Seventy one and paise eighty only.
5.22.71	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
5,22.7	Thermo-Mechanically Treated bars TMT 500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
5.22.7	TATE	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
47 10.19	Providing & fixing M.S. Fan hook of 1 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / bear at the time of casting all complete as perbuilding specification and direction of E/(Where materials is not supplied by deptt.) = 42 EACH	o n m er I.	50A	10.70	Rs. One hundred twenty one and paise eighty only.
	A CONTRACTOR OF THE PROPERTY O	42.000	Each	121.80	
48 10.33	 Providing & fixing hand rail by welding et to steel ladder railling & staircases railling including applying a priming coat approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG 	ng	kg.	91.1	Rs. Ninety one and paise ten only.
49 10.	Providing and fixingin position collapsible steel shutters with vertical channer 20x10x2mm and braced with flat in diagonals 20x5mm size with top and bottom and of T-iron 40x40x6mm with 40mm of steel pulleys complete with bolts in locking arrangement stoppers hand including applying a priming coat approved steel primer.	es on om dia cuts les of	sa m	4115.0	Rs. Four thousand one hundred fifteen and pais sixty only.
	E D HE SUBSTITUTE AND IN CO.	4.52	sq.m	4113.0	30

an an guic Me

About Toolwing

	2	23			
4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM	20.000	30 5		Rs. Three hundred nineteen and paise thirty only.
		75.414	sq.m	319.30	
HUTTERIN	NG	1			
5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM	55 781	Sam.	166.70	Rs. One hundred sixty six and paise seventy only.
5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM	500		20192	Rs. Two hundred fifty one and paise thirty only.
5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for	349.241	Sqiii.	251.50	
\$ 20	columns, pillars, piers, abutments, posts and struts				Rs. Three hundred forty four and paise forty only.
	The state of the s	367.575	Sqm.	344.40	
5.9.3	propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	20.000		1000	Rs. Two hundred seventy five and paise sixty only.
	The sale was sale was the sale of	451.540	Sqm.	275.60	0
				Total	5,716,706.8
		38.		Total (A	
mhing	and sanitary Work				
Inving	and Sameary Work				
B.S.R 12.78	unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap	f			R. Times Houseal Williams
	5.9.5 5.9.5 5.9.6 B.S.R	4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM HUTTERING 5.9.1 Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM mbing and sanitary Work B.S.R Providing and fixing on wall face unplastidsed PVC (working pressure 4 kg per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring including with seal ring including youth seal ring including with seal ring including youth seal ring you with seal ring you wall face you wall face you wall face you wall you w	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size yover 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 HUTTERING 5.9.1 Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 mbing and sanitary Work B.S.R Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.	4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30 HUTTERING 5.9.1 Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. 275.60 Total Total (A mbing and sanitary Work

व्यवम् युपार् दिष्ट

			24			
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundred fourteen and paise twenty only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				
	SOR 12.79.1	Coupler				The distributed this control was been been as a second of the control of the cont
	SOR 12.79.1.2	110mm = 10 MTS	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
	SOR 12.79.5	Bend 87.50°				
	SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
	SOR 12.79.6	Shoe (Plain)				
	SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.
57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with	No.			
		100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.		Each	104.2	En Truce Institute Four
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH		Each	3035.400	Rs. Three thousand thirty five and paise forty only.

ayay guicle

			25			
58	B.S.R	Providing and fixing white vitreous china pedestal type water closet (European type				
	17,2.2	W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern,			100	na pakea seisens
		including flush pipe, with manually controlled device (handle lever),				
		conforming to IS: 7231, with all fittings and fixtures complete, including cutting and				
		making good the walls and floors wherever required:				les Section et Mande de la
		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each		Rs. Two thousand nine hundred twenty eight and paise thirty only.
	2.62	D : I L. L. Saire white vitreous chine	3.000	Lacii	2)20.500	
59	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and				
	469	340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with	12.000	Tart	643.400	
		brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	12,000	T de la	278 100	Rs. Four thousand six hundred eighty eight and paise ninety only.
		The state of the s	3.000	Each	4688.900	
61	SOR	Provding and fixing toilet paper holder				
	17.34	RESIDENCE SEEDS THE ACCURATE PARTY.		P 1	204.2	Rs. Three hundred four
	SOR 17.34.2	Vitreous china	3	Each	304.2	and paise twenty only.
6	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				Ks. Two booked has
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P brass pillar taps. = 12 EACH		Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.

वमवम दुपार किं

		NEW YORK THE PARTY OF THE PARTY	26			
62	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	1		1	through the country to the country t
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	417.000	snetro tostro	146 900	Rs. Six hundred forty three and paise forty only.
		house he refer noted and exerting stock to	12.000	Each	643.400	
65	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	12.000	Each	478.300	Rs. Four hundred seventy eight and paise thirty only.
66	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	-10/000	Each	672.7(8)	Rs. Two hundred forty one only.
			50.000	metre	241.000	finnery and a

ayay zone lar

	1		27			
67	B.S.R	Providing and fixing Chlorinated Polyvinyl				
	18.9.3	Chloride (CPVC) pipes, having thermal				
		stability for hot & cold water supply				
		including all CPVC plain & brass threaded				De This State of the State of t
		fittings This includes jointing of pipes &				
		fittings with one step CPVC solvent cement,				Rs. One hundred ninety
	A Comment	trenching, refilling & testing of joints				three and paise eighty
		complete as per direction of Engineer in				only.
			5(2,15(9)	330'77	312.500	
	10 H. 3 R.	Charge.			1 1	
		25 mm nominal inner dia Pipes			1.20	
		= 60 METER	(0.000		102.000	1
1	18.9.4	22 ' I' P'	60.000	metre	193.800	
	18.9.4	32 mm nominal outer dia Pipes	10.000			Rs. Two hundred fifty
	10.0.2		40.000	metre	251.100	one only.
	18.9.2	20 mm nominal outer dia Pipes	400			Rs. One hundred forty six
			40.000	metre	146.400	and paise forty only.
68	B.S.R	Providing and placing on terrace (at all floor	A Comment of the Comm	Unitelité		
	18.48	levels) polyethylene water storage tank ISI				
	E BOTT	:12701 marked with cover and suitable				
		locking arrangement and making necessary				Do Siverdania sinks
		holes for inlet, outlet and overflow pipes but				Rs. Six and paise eighty
		without fittings and the base support for				only.
		tank.				
		= 4000 PER LITER		per		Section for the section of the secti
		Institutor Streets of state decisions on 3.5	4000.000	litre	6.800	
69	B.S.R	Providing and fixing C.P. brass bib cock of				
	18.49	approved quality conforming to IS:8931	3.50	Each	21 7 .800	
		15 mm nominal bore.				Rs. Four hundred ninety
		= 12 EACH	12.000	Each	497.000	seven only.
70	B.S.R	Providing and fixing C.P. brass stop cock		Lacii	477.000	seven only.
	18.52	(concealed of standard design and of				
	10.32	approved make conforming to IS: 8931				
		approved make comorning to 15.8931				
	18.52.1	15 mm nominal bore.				
	10.32.1	= 10 EACH				Rs. Six hundred seventy
		10 EACH	6			and paise seventy only.
			10.000	Each	670.700	and paise sevency only.
71	SOR	Providing and fixing P.T.M.T. grating of				
	18.58	approved quality & colour				
	SOR	circular type				
	18.58.1					
	SOR	100 mm nominal dia,	11	Each		
•	18.58.1.1	Too min nominal dia,	11	Lacii		Do Forty govern and nate
	10.50.1.1		-	79-1	47.90	Rs. Forty seven and paise
				¥ 1	SERVICE SERVIC	ninety only.

anay guille

			28			
72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER				Rs. Three hundred twelve and paise fifty only.
		THE STATE OF THE S	50.000	metre	312.500	
73	B.Ş.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER				Rs. Three hundred twelve and paise ninety only.
		1915. The time contains concern or well-	15.000	metre	312.900	11111111111111111111111111111111111111
74	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 2 EACH	/son	Teach	1049 180	Rs. Three thousand one hundred seventeen and paise thirty only.
	831	- 4 EACH	2.000	Each	3117.300	

2494 3mc Pag

			-			
75	B.S.R	Contructing brick masonry chamber for				- Sent Black the fitter
	19.30.1.1	Underground C.I. Inspection Chamber and				hundred that Salami
	1	bend with 75 class designation bricks in				naise sikili iki ganti
		cement mortar 1:4 (1 cement : 4 coarse	1,000	Bach	600 2010	
		sand) C.I. Cover with frame (light duty)				
		455x610 mm internal dimentions, total				
		weight of cover with frame to be not less				
		than 38 kg. (weight of cover 23 kg. and				
		weight of frame 15 kg.) RCC top slab with				。中,公司
		1:1.5:3 mix (1 cement: 1.5 coarse sand :3				
		graded stone aggregate 20 mm nominal				
		size) foundation concrete 1:5:10 mix (1				Rs. Three thousand nine
		cement:5 coarse sand : 10 graded stone				hundred forty nine and
				Salahara		
		aggregate 40 mm nominal size), inside				paise ten only.
		plastering 12 mm th. with cement mortar 1:3	40.000	metre:	347.000	
		(Icement:3 coarse sand) finished smooth				
		with a floating coat of neat cement on walls				
		and bed concrete etc. complete as per			Andrews Control	
		standard design.				
			1,000	i exerc	365,0290	A company of the comp
		Inside dimensions 466x610 mm and 45cm				
		deep for single pipe line :				
		With common burnt clay F.P.S. (non		la each	283.000	
		modular) bricks of class designation 7.5				
		= 6 EACH			1-06 (9-00)	
			6.000	Posts	3949.100	
			6.000	Each	3949.100	
76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre		8/1 ota	-	
	19.32.1	deep with 45 x 45 cm dry brick honey comb	and the second			the properties where
		shaft with brick and S.W. drain pipe 100		E Comple		
		mm diameter, 1.8 m long complete as per				The Book Familians Chief.
		standard design.		The section	436,839	Rs. Twenty five thousand
		With common burnt clay F.P.S. (non				nine hundred and paise
		modular) bricks of class designation 7.5				ten only.
		= 1 EACH				No. of the second
		TENNIC TENNIC WITE ACM.		the Warris	374,060	
					1	and the little state of the sta
		A SILLY YAX LE MALE THAN I KNOW THE SILL		1	A STATE OF	10000000000000000000000000000000000000
		Particular ANE Control of the Contro	1.000	F 1	25000 100	
		I I I CONTRACT ASSESSMENT AND A STATE OF THE	1.000	Each	25900.100	
		Providing and fixing S.W. intercepting trap	-	1	Strategy	
77	B.S.R	I Toviding and Tixing 5. W. Intercepting trap		THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAME		
77		in manholes with stiff mixture of cement		The Park		And the state of t
77	B.S.R 19.34	in manholes with stiff mixture of cement	1000		or or	PT SAKURA
77		in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	1000		Faral S	6 348 JUL 1948 JUL
77		in manholes with stiff mixture of cement	100		Total ii	10 345,131 1 365,165
77		in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	Coo		Fotal	P 248 D2
77		in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)			Fatali	# 345,034 1 345,034
77	19.34	in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :			Tatal ()	Rs. Two hundred eighty
77		in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :	Con		Fotal (
77	19.34	in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :	2.000	Each	283.800	Rs. Two hundred eighty three and paise eighty only.

वस वम उपार दिस

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patra

240

			30			
78		Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring = 1 EACH	1.000	Each	60432.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only
79	ANALYSIS	NON SCHEDULED ITEMS(MARKET RATE) = EACH				
		P.V.C. PIPE = EACH Provding and fixing soil, waste and vent				
		pipes = EACH				
		110 mm dia = 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven and only.
		P.V.C. FITTINGS = EACH				
		DOOR TEE 110 mm dia = 4 EACH	4.000	each	365.000	Rs. Three hundred sixty five only.
		DOOR BEND 110 mm dia = 8 EACH	8.000	each	283.000	Rs. Two hundred eighty three only.
		BEND 45 ^o 110 mm dia = 10 EACH	10.000	each	185.000	Rs. One hundred eighty five only.
		VENT COWEL 110 mm dia = 3 EACH	3.000	each	65.000	Rs. Sixty five only.
	,	PIPE CLIP 110 mm dia = 100 EACH	100.000	each	53.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia = 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
80	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside	1			Rs. Three hundred seventy four and paise s
81	Code no. of	SEPTIC TANK = 1 EACH (ii) S.C.I. plain bend 100 mm dia	1.000	Each	374.060	only. Rs. Four hundred thirty
	1621	SEPTIC TANK = 1 EACH	1.000	Each	436.400	six and paise forty only
.82	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH	Washing .			Rs. Seven hundred forty eight and paise eleven
			1.000	Each	748.110	only.
					Total (P)	348,404.9 348,405.
					Total (B)	348,40

anay zone/44

	1 2 2 3		1			
		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.	12.000		590.000	
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	12.000	Nes	953.540	Rs. Seven hundred seventy seven and paise seventy only.
	100	cable etc as required	3.000	Nos.	777.700	
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-				
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For	#20 (40a)	Min	161 829	Rs. Three hundred six and paise three only.
		light plugs to be used in non residential buildings).		. 1		

anay guic fee

86	1.32	Supply and Fixing Power Plug Point with	-	Т	T	
		Modular Type Accessories:-	25,900	1900	5 10	Six Come one and gain
-		Supply and Fixing GI box with modular			1	No. of the last of
		plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.				Rs. Five hundred ninety only.
27	2.10		12.000	Nos.	590.000	
37	2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-	-		· ·	Ke incheshed A Mil
		Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	584669		177.16	
		alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections,	54 (fo) 70 000	Asian Sefans	192.59a	Rs. Nine hundred sixty three and paise fifty fou only.
		testing and commissioning etc. as required				
0		STREET, STREET	12.000	Nos.	963.540	
8	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-				
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in	95.720	i kada	70 m/g	the care to come as unit

420.000

Mtrs.

84 84 341C (44

89

1.24

surface/ recessed mediumclass PVC conduit

alongwith 1 No 4 sq. mm FRLS PVC

copper conductor single core cable for loop

Supplying and fixing following modular

type switch/ socket on the existing modular plate switch box / cover including

earthing as required

connections etc.as required

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patra

Rs. One hundred sixty

only.

163.620

three and paise sixty two

			53			
	1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	Rs. Seventy nine and paise seventy nine only.
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-	~			paise severity mile only.
	15	Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.		Each	21/123	R. The Designation of the party
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.	107.060	Rs. One hundred seven and paise six only.
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire			/	Rs. One hundred thirty two and paise thirty one
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	350.000	Mtrs.	132.310	only. Rs. Three hundred ninety two and paise eighty nine
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	54.000	Mtrs.	392.890	only. Rs. Six hundred two and
		S/F 'C' series SP MCB:-	10.000	IVIUS.	002.970	paise ninety seven only.
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.10.1	6/32A, Single Pole	36.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
	2.10.3	6/32A ,DP	3.000	Each	463.590	Rs. Four hundred sixty three and paise fifty nine
92	2.13	S/F TPN MCB:-	3.000	Lacii	403.390	only.
		Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required	ED (850 27,350	elision Berli	3.411	Rs. Devends four and paliet severty four on the

anay zuicles

-		2.13.2	63 A,TPN				Rs. Six hundred seventy six and paise seventy
-	93	2.15	S/F TPN RCCB:-Supplying and fixing of	3.000	Each	676.700	only.
			following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB				
			complete with connections, testing and commissioning etc. as required.				
		2.15.2	40 Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three only.
T	94	2.8	S/F TP MCB DB:-				
			Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required	10,608		31.331	
		2.8.5	(Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL. 4 Ways (4+12 ways) double door				
			September 1998 Synch / Society Shipely and Thong Athering Stockers	3.000	Set	7430.570	Rs. Seven thousand four hundred thirty and paise fifty seven only.
	95	1.33	S/F Ceiling Rose:-	-			
			Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and paise forty three only.
	96	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
	*		Supplying and fixing batten / angle holder including connection etc as required.				

AHAH ZUIL GE

			35			
97	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	286.840	Rs. Two hundred eighty six and paise eighty four only.
		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.	3 (8)	Tan.	\$190 tent	
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	13.8946	5415	1092.830	Part part entre in itself
	1.21.1	20 mm	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.
99		Telephone Wiring in Existing Conduit:-				
4	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required	(A D)00	Sin	#64 N.W	four and pass (flav it)
	1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.	. 003800	A NOTE:	204 (876	Recitive thinks of the said trainer than the said trainer than the said that said the said trainer than the sa
	1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
		EARTHING				
101	5.6	COPPER EARTH PLATE ELECTRODE:-				

वमवम दुगार विर

			36			
€ }		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	2.000	Each	9384.920	Rs. Nine thousand three hundred eighty four and paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-	2.000	Lacii	9384.920	
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.	2 (108)	Facts	272.760	Rs. One thousand ninety two and paise eighty two only.
		N 14 9 COMP THE SEC WHEN ALTREADS DAYLOW	12.000	Mtrs.	1092.820	
103	5.14	P/F 25 x 5 mm copper earth strip in surface/recess:-				
		12.50 a.00 by rest file. 1.50 and by rest file. 1.50 and by rest file.	100.000		191 (00)	in a construction of the c
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104		Cable Laying of 1.1 KV & 11 KV :-			1	
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.	1.000	, CRCH	2260.330	Rs. Two Processidates building elists and perpendicular
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise two only.
105	1.4.1.4	G.I. Pipe for Cable protection:				
	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)	1,000		0222.610	The six I want away as a transfer and six is a second six is a

ay ay zuic lue

			37			
	14.14.2	150 mm dia	10.000	Mto	207.040	Rs. Three hundred eighty seven and paise eighty four only.
106	9.1	1.1 KV Cable End Termination:- Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of		Mtr.	387.840	four only.
		1.1 KV grade as required.		-		
	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred seventy two and paise seventy only.
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.	80,000	100000	179.700	
100		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.	1488	EACH		Ris in the Pilate and the State of the State
	2.1.2	63 amps,TP&N, HRC	3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paise thirty eight only.
109	2.5	S/F Busbar Chamber:-				and tight only.
	2.5.3 B.S.R 2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required. 200 amp.TPN	1.000	Each	6222.610	Rs. Six thousand two hundred twenty two and paise sixty one only.

анан зпеlue

			38			
110	2.7.4	Providing and fixing following capacity four				
	B.S.R	pole OFF-load changeover switch with side				Its two Thomself tunes
	2009	handle operation, in sheet enclosure in		'cum	2852.96	Standard title webser
		existing metal board, including drilling				griss_content_ta_ensis
		holes in metal panel, making connections				Rs. Seven thousand nine
		etc. as required.				hundred seven only.
		125 Amps, Four pole	123,715	STEELING	2000.00	Control of the contro
		125 Amps, rour pole				
			1.000	Each	7907.000	
111	6.5	Providing and fixing copper tape 20 mm X		1-	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		3 mm thick on parapet			and the same of th	
		or surface of wall for lightning conductor				Rs. Three hundred
		complete as required.	1,33,237		001.00	seventy nine and paise
		(For horizontal run)			the second	seventy six only.
		(1 of norizontal full)				seventy six only.
		Park	80.000	meter	379.760	and pass calls
112	6.6	Providing and fixing copper tape 20 mm X		meter	377.700	
		3 mm thick on parapet				
		or surface of wall for lightning conductor				Rs. Four hundred ten and
		complete as required.			1.00	paise six only.
		(F) 1)	30.000	meter	410.060	
113	2.2	Providing and fixing follwing rteing and	120	175.5	-	
		breaking capacity MCCB in existing				
		cubicale panel bord including drilling hole			F	No. One Trement
		cubicale panel making connection etc as			4.73.2746	Single and the state of the sta
		required etc as				4.0
				AND A CONTRACTOR		(1999 1938 1939) (1997 1938 1939)
	2.2.3	160 amp. 16KA			1201	4 467 867 57
	2.2.3	Too amp. TokA				Rs. Four thousand five
					total (fi)	hundred sixty five and
			1.000	EACH	4565.200	paise twenty only.
			-		Total (C)	503,812.73
		FIRE FIGHTING				Administration of the second
114	DGS&D	Brand new ISI marked Life Guard ABC				
		type multipurpose Fire Extinguishers 4 Kgs.				
						Rs. Seven thousand five
					Mary Maria Company	hundred forty nine and
		complete in all respects, ready to use,		in Re		paise seventy five only.
		complete installation kit.				paise seventy five offy.
		on Seventy Eight Lacs I nelve than	10.000	Nos.	7549.750	100 C 100 C
					Total	75,497.50
					Total (D)	75,498.00
		CARRIAGE OF MATERIALS				
115					Rate Incl.	
		Type of materials			1% Lab.	
					Cess	
					Cess	Do Two lava de de de de
		Cement	120 566	MT	200.07	Rs. Two hundred eighty
		Content	139.566	MT	289.87	nine and paise eighty
1 L						seven only.

QUAY ZUICTHE

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

			39			
	P'Details A' - £ost s	Sand	188.457	cum	2352.96	Rs. Two Thousand three Hundred fifty two and paise ninety six only.
		Local Sand	125.918	cum	205.29	Two Hundred Five and paise Twenty Nine only
		Stone Chips	176.279	cum	2056.24	Rs. two Thousand fifty six and paise twenty four only.
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
		Steel	18.050	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
116		A COST OF MATERIAL FOR COMM. W.R.T GAYA AS PER SOR		DE	134.49	Programme and the second
	Bricks	Dimmari (18% CP & 198 LCc.)	120.253	Thous.	500.70	Rs. Five hundred and paise seventy only
	Cement	I min norman bore Hoss but wave 15% £ 7 & Mark Case)	139.566	MT	1131.10	Rs. One Thousand one Hundred thirty one and paise ten only.
		TOTAL COLUMN THE STATE OF THE S			Total	1,167,867.97
		Thinesele moute pomb set of a Sacrat			Total (E)	1,167,868.00
		LD2 g 45 Str Section of processor part	Grand	Total (A+	B+C+D+E)	7,812,290.73
SL. No.	DISTRICT	NAME OF INSTITUTE				Amount (Rs.)
1	SUPAUL	BLOCK RESOURCE CE	NTRE			7,812,290.73
		T	otal Cos	t in 'Rs'		7,812,291.00
	Rup	ees Seventy Eight Lacs Twelve Thou	sand Two	o Hundr	ed Ninety	One Only

24 24 341C/GE

			40			Fig. 140 St. St. St. St. St.
Park .		s of Sl. No. 78 (Construction of 125mm	n x 40mm	x 90m	Tube well)	is given below
'art'	A' - Cost	t of Materials				
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fiftee only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and pai thirty eight only.
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rs. One hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seven only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twent four and paise forty for only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleve and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I		Each	26,446.00	Rs. Twenty six thousan four hundred forty six only.
		Sub - Total "A"	7 - 5 - 2 - 2 - 2 - 2 - 2 - 2	1917		4(120
		Sub - Iotal A	7	N 1979	4.5.77	46138.

anay guicole

(a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe (iii) 61.00 m to 75.00 m (iv) 75.00 m to above a) For 40mm dia UPVC ribbed strainer of approved quality Approved quality Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I Each 208.77 and paise seventy sevently. 219.03 Rs. One hundred fine is and paise eighty evently. 219.04 Rs. One hundred for eight and paise seven nine only. 210.04 Rs. One hundred for eight and paise seven nine only. 210.04 Rs. Twenty one and paise thirty four only.					51	in - Iniai	14,294.2
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eig and paise seventy sevently. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and paise the only. (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 mtr 136.88 Six and paise eighty e only. (iii) 61.00 m to 75.00 m 12 a) For 40mm dia UPVC pipe 14 mtr 148.79 (iv) 75.00 m to above 13 a) For 40mm dia UPVC ribbed strainer of approved quality Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. 24 mtr 21.34 Rs. Two hundred eight evently.	15		to have sand free discharge all complete as	1			Rs. Two hundred eight and paise fifty only.
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 and paise seventy sev	14		32 mm dia G.I pipe as per specificatin etc.	. 24	mtr	21.34	Rs. Twenty one and paise thirty four only.
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 and paise seventy sev only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and paise the only. (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 mtr 136.88 Rs. One hundred this six and paise eighty e only. Rs. One hundred this six and paise eighty e only. Rs. One hundred for only.	13			8	mtr		
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 and paise seventy sevently. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and paise the only. (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 mtr 136.88 six and paise eighty e only. (iii) 61.00 m to 75.00 m Rs. One hundred for eight and paise sevently sevently.			(iv) 75.00 m to above				- /
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eig and paise seventy sev only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and paise the only. (ii) 30.5 m to 61.0 m Rs. One hundred this six and paise eighty e only.	12		a) For 40mm dia UPVC pipe	14	mtr	148.79	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 and paise seventy sev only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 nineteen and paise th only. (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 mtr 136.88 six and paise eighty e			(iii) 61.00 m to 75.00 m				omy.
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m Rs. Two hundred eig and paise seventy sev only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and paise the only.	11		(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m Rs. Two hundred eig and paise seventy seven only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and paise the			(ii) 30.5 m to 61.0 m				
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m Rs. Two hundred eig and paise seventy sev only.	L-	Rupasa Fo	(i) 0 to 30.5 m	3.5	mtr	119.03	nineteen and paise thre
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m Rs. Two hundred eig and paise seventy sev	10		(b) for 40 mm dia UPVC pipe	Tota			4.10.000.00
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.	9	91304091	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer		323296231 	(i) 0 to 30.5 m	13			80,000,06
		REFE NO	reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer	e Secu ubam K BRC PI	rity smar Si ora Si . ?	iigh (o-115	AATONINTSONS

Tender approved in favour of Bambam Kumar Singh@ 10.00% (Ten Decimal Zero Zero Percent)
below BOQ Rate i.e. total amount comes to Rs. 70,31,062=00 (Rupees Seventy Lacs Thirty One
Thousand Sixty Two Only)

aray guic lee

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna,

Performance Security

Name of Agency:- Bambam Kumar Singh

"Performance Security of BRC Pipra SL.No-115

FDR NO 915040047128713 915040044245859 915040041383688	DOI 23.09.15 to 23.09.18 04.09.15 to 04.09.17 24.08.15 to 24.08.17	AMOUNTS(Rs.) 50,000.00 1,35,000.00 2,25,000.00
This is t	Total	4,10,000.00

(Rupees Four laces Ten Thousand only)

लेखा पदाधिकारी
बिहार राज्य शैक्षणिक आधारभूत संरचना
विकास निगम लि०, पटना

10 117

वमवम युपार सिष्ट

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. (A Govt. Of Bihar Undertaking) Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314) Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256 Letter of Acceptance Letter no :- BSEIDC/FIN/2570/2016-17/- 9918 18.10.16 To. Bambam Kumar Singh, Pama, Dhaboull, Sour Bazar, Saharsa. Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Pipra, Supaul (SL. No.-115 of NIT No.-40/2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 70,31,062=00 (Rs. Seventy Lacs Thirty One Thousand Sixty Two Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (F) dt. 17.08.2010, for an amount equivalent to Rs. 4,05,000=00 (Rs. Four Lacs, Five Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

Chief Consultant (Technical)

Date: 18 10 16

Memo no: BSEIDC/FIN/2570/2016-17/-9912

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Chief Consultant (Technical)

Date: 18:10:16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

7-10-2016 Chief Consultant (Technical)

Memo no: BSEIDC/FIN/2570/2016-17/- 9918

Memo no: BSEIDC/FIN/2570/2016-17/-

Date: 18:10:11 Copy forwarded to : Managing Director, BSEIDC, Patna for information Please.

auau guic las

The correspond

Bihar State Educational Infrastructure

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

111111111111111111111111111111111111

(बिहार सरकार का एक उपक्रम)

कॉपोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail bseidc@gmail.com, website, www.bseidc.in, Fax No.: 0612-2660256 शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-४००००४, दूरमाष-०६12-2910314

Letter no.: BSEIDC/NIT/2015-16/- 3 9 5

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15-16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

SL.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 16.04,2016 to 10.05,2016,	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06:2016, 15:00 Hrs.
CI	Date and Time of Pre bid Meeting - 25.04.2016. 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
m	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016,15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08, 06.2016, 16:30 Hrs.
8	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOO and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

(Brajesh Prasad) Chief Consultant (Technical)

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

व्यवप दुषाट विष्ट

बिहार राज्य श्रीक्षाणिक आधारभत सरवना

111111111111111111111111

1111666666666

(बिहार सरकार का एक उपक्रम)

कॉपीरेट पहचान संख्याः u80301BR2011SGC015859, e-mail bseide@gmail.com, website, www.bseidc.in, Fax No. 0612-2660256 शिक्षा भवम, विहार राष्ट्रमाघा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना-800004, दूरमाष-0612-2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.- 2.

website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "음-국사리구" on dated 10.02,2016 vide P.R.-12943 (타이큐o)15-16 through e-tendering the State of Bihar" the following amendments have been made as mentioned below :-

+ ,	Existing provision	Amended provision
:	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016;	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.
	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.
	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.
+	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.
10	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
. 9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

nged.
(Braiesh Prasad)

Chief Consultant (Technical)

The other terms and conditions shall remain unchanged.

anay guille

राज्य श्रीक्षाणिक आधारमत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपीरेट पहचान संख्या: U80301BR2011SGC015859, e-mail bseidc@gmail.com, website, www bseidc.in, Fax No.: 0612-2660256 क्षिवपूजन सहाय पथा, सैदपुर, पटना-800004 दूरभाष-0612-2910314 शिक्षा भवन, विद्वार राष्ट्रभाषा परिषद् परिसर,

Letter no.: BSEIDC/NIT/2015-16/- 2 6 38

Patma, Date: 170316

Corrigendum No.-

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

from dated 03.03.2016 to 28.03.2016, 15:00 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	SE	Existing provision	Amended provision
	i —	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016, 15:00 Hrs.
(2	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01.05.2016, 15:00 Hrs.
9	(1)	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04, 05,2016, 16:30 Hrs.
The accounted in to 04 05 2016. 15	4	Time and date for opening of Financial Bids on dated 11.04,2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05,2016, 15:30 Hrs.
The Cost of BOQ and EMP will be accepted up to original and	S	. The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Brajesh Prasad)

(Brajesh Prasad) Chief Consultant (Technical)

anay guiclie

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

aray guicles

Page 2 of 2

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

2ul

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderex)

ayay guille

बिहार राज्य शक्षाणक आधारमूत सरचना विकास निगम लिमटड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना–800004 (दूरभाष:–0612–2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख में)	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि (रू० में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Ekma, Saran	85.2	1,70,400	10,000	5750	15 माह
2	BRC Baniyapur, Saran	85.2	1,70,400	10,000	5750	15 माह
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 माह
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 माह
5	BRC Amnour, Saran	85.2	1,70,400	10,000	5750	15 माह
6	BRC, Dariyapur, Saran	85.2	1,70,400	10,000	5750	15 माह
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 माह
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
16	BRC, Jhanjharpur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
17	BRC, Phulparas, Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 माह
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC, Babubarhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 माह
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
26	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 माह
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15 माह
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
35	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
*36	BRC Patahi, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
38	BRC Adapur, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
39	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5/750	15 माह
40	BRC Dhaka, E. Champaran	85.2	1,70,400	10,000	5730	15 माह
41	BRC Bairia, W.Champaran	85.2	1,70,400	10,000	25750	15 माह
42	BRC Narkatiaganj, W.Champaran	85.2	1,70,400	10.000		15 माह
43	BRC Sikta, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
	BRC Bhithan, W. Champaran				ent (Tzzkonica)	
44	DIC Dinman, w.Champaran	85.2	1,/0,4001	ej edubutt	ional Infrastru	13 418

anay guicles

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

•	45	BRC Lauriya, W. Champaran	85.2	1,70,400	10,000		13 116
1	46	BRC,Piprasi,W.Champaran	85.2	1,70,400	10,000		15 माह
•	47	BRC, Majhaulia, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
1	48	BRC Darauli, Siwan	85.2	1,70,400	10,000	5750	15 माह
•	49	BRC Hussainganj, Siwan	85.2	1,70,400	10,000	5750	15 माह
ŀ	50	BRC Mairwa, Siwan	85.2	1,70,400	10,000	5750	15 माह
•	51	BRC Basantpur, Siwan	85.2	1,70,400	10,000	5750	15 माह
	52	BRC Maharajganj,Siwan	85.2	1,70,400	10,000	5750	15 माह
1	53	BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
	54	BRC, Hasanpur, Siwan	85.2	1,70,400	10,000	5750	15 माह
7	55	BRC Uchkagaon, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
	56	BRC Sidhwalia, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
1	57	BRC Bhorey, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
•	58	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
1	59	BRC Pachdeuri, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
•	60	BRC Kuchaikot, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
	61	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 माह
)	62	BRC Chainpur, Kaimur	85.2	1,70,400	10,000	5750	15 माह
	63	BRC Bhagwanpur,Kaimur	85.2	1,70,400	10,000	5750	15 माह
-	64	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
,	65	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
	66	BRC, Chausa, Buxar	85.2	1,70,400	10,000	5750	15 माह
)	67	BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	68	BRC Karahgar, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	69	BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	70	BRC Tilauthu, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	71	BRC Karakat, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	72	BRC Dawat, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	73	BRC, Mansahi, Katihar	85.2	1,70,400	10,000	5750	15 माह
	74	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15 माह
	75	BRC, Pranpur, Katihar	85.2	1,70,400	10,000	5750	15 माह
	76	BRC, Kadwa, Katihar	85.2	1,70,400	10,000	5750	15 माह
	77	BRC, Barsoi, Katihar	85.2	1,70,400	10,000	5750	15 माह
•		BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	15 माह
	78	BRC, Narpatganj, Araria	85.2	1,70,400	10,000	5750	15 माह
	80	BRC, Araria	85.2	1,70,400	10,000	5750	15 माह
	-	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
	81	BRC, Jokinat, Araria BRC, Bhargama, Araria	85.2	1,70,400	10,000	5750	15 माह
	82	BRC, Kursakata, Araria	85.2	1,70,400	10,000	5750	15 माह
	83	BRC, Purnea East,	85.2	1,70,400	10,000	5750	15 माह
	84	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 माह
	85	BRC, Amour, Purnea	85.2	1,70,400	10,000	5750	15 माह
	86	BRC, Amour, Purnea BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 माह
	87	BRC, Dhanidana, Furnea BRC, Banmankhi, Purnea	85.2	1,70,400	10,000	5750	15 माह
	88	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
	89		85.2	1,70,400	10,000	5750	15 माह
	90	BRC, Thakurganj, Kishanganj BRC, Pothia, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
	91					5750	15 माह
	-92	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15 माह
	93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 माह
	94	BRC,Barhat,Banka	85.2	1,70,400	10,000		15 माह
	95	BRC Belhar,Banka	85.2	1,70,400	10,000	5750 5750	15 माह
	96	BRC Jamui	85.2	1,70,400	10,000		15 माह
	97	BRC Barhat, Jamui	85.2	1,70,400	10,000	57.50	
	98	BRC Chakai, Jamui	85.2	1,70,400	10,000	5750	15 माह
	99	BRC Gidhour, Jamui	85.2	1,70,400	10,000	5750	15 माह
	100	BRC Sikandra, Jamui	85.2			ant (T&TARical	
				Bihar Si	tate Educat	ional Infrastru	cture

anon gniclas

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

	BRC Asharganj, Munger	85.2	1,70,400	10,000		13 me
101	and the plant of t	85.2	1,70,400	10,000		15 माह
103	BRC Naugachhia,Bhagalpur BRC Pirpainti,Bhagalpur	85.2	1,70,400	10,000		15 माह
104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000		15 माह
105	BRC Puraini, Madhepura	85.2	1,70,400	10,000		15 माह
106	BRC Gwalpada, Madhepura	85.2	1,70,400	10,000		15 माह
107	BRC Kumarkhand, Madhepura	85.2	1,70,400	10,000		15 माह
108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000		15 माह
109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000		15 माह
110	BRC, Navhatta, Saharsa	85.2	1,70,400	10,000		15 माह
111	BRC Mahensi, Saharsa	85.2	1,70,400	10,000		15 माह
112	BRC Sonbarsa, Saharsa	85.2	1,70,400	10,000		15 माह
113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000		15 माह
114	BRC Supaul	85.2	1,70,400	10,000		15 माह
115	BRC Pipra, Supaul	85.2	1,70,400	10,000		15 माह
116	BRC Pratapganj, Supaul	85.2	1,70,400	10,000		15 माह
117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15 माह
118	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750	15 माह
119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
120	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15 माह
121	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
122	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
123	BRC, Imamganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
124	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह
126	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह
127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
131	BRC, Obra, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
132	BRC, Dev, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
135	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
136	BRC, Merajgang, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
137	BRC.Pupri,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
139	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
140	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
141	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
142	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
144	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
145	BRC, Austhawan , Nalanda	85.2	1,70,400	10,000	5750	15 माह
146		85.2	1,70,400	10,000	5750	15 माह
147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
.148	BRC, Ekangarsarai, Nalanda BRC, Silaw, Nalanda	85.2	1,70,400	10,000	5750	15 मार
149	BRC, Staw, Nalanda BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 मार
150		85.2	1,70,400	10,000	5750	15 HI
151	BRC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750	15 मा
152	BRC, Motipur, Muzaffarpur	85.2	1,70,400	10,000	5750°	15 H
153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	A 5750	15 HI
154 155	BRC, Aurai, Muzaffarpur		1,70,400	10,000	5750	15 нг
	BRC,Bandra,Muzaffarpur	85.2	1,70,400	f Consulta	3/30	10

AHAH ZINC FEE

Bibar State Educational Infrastructure
Development Corporation Ltd., Patna
216.

	Land C. D. L. C. C.	85.2	1,70,400	10,000	5750	15 माह
157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC, Jagdishpur, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
159	BRC.,Charpokhri,Bhojpur		1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	-	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164		85.2	1,70,400		5750	15 माह
165		85.2	1,70,400	10,000		15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC, Matihani, Begusarai	85.2	1,70,400	10,000	5750	15 माह
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	-	85.2	1,70,400	10,000	5750	15 माह
173		85.2	1,70,400	10,000	5750	15 माह
174		85.2	1,70,400	10,000	5750	15 माह
175		85.2	1,70,400	10,000	5750	15 माह
176		85.2	1,70,400	10,000	5750	15 माह
177		85.2	1,70,400	10,000	5750	15 माह
178		85.2	1,70,400	10,000	5750	15 माह
179		85.2	1,70,400	10,000	5750	15 माह
180		85.2	1,70,400	10,000	5750	15 माह
181		85.2	1,70,400	10,000	5750	15 माह
182		85.2	1,70,400	10,000	5750	15 माह
183		85.2	1,70,400	10,000	5750	15 माह
184		85.2	1,70,400	10,000	5750	15 माह
	DDG III G L L-L-L	85.2	1,70,400	10,000	5750	15 माह
18!	DIC, Alliagai, Suryagama, Dakmsarar	03.2	1,70,700	10,000		

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से

(2) विज्ञापन निर्गत करने की तिथि :- दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि :- दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

संरचना विकास निगम, पटना।

(7) टेक्निकल बिड खोलने की तिथि एवं समय :- दिनांक- 31.03.2016, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिंड खोलने की तिथि एवं समय :- दिनांक- 11.04.2016, समय- 15:30 घंटा

(9) निविदा खोलने का स्थान :- वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अविध :- 120 दिन

(11) ई-टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईर से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कृन कर है निवेदा के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शक्ति पर्व मिर्जु सर्जारी निर्णयानुसार आतेरिकत Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

anay guic 646

(ঘ্ৰ) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet

payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal

www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डिरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

> बजेश प्रसाद मुख्य अभियंता

anay guic les