Name of Wook-Construction of Block.

Schedule XLV-Form No. 6) Resource Centre at Lakhnaur,

Madhubani. (SL Na - 07) Agency [Form No. F-2] M/s Kuman Trading.

ITEM RATE TENDER AND CONTRACT FOR WORKS Agreement No. - 196 Fz of 2017-18. General Rule and Direction for the guidance of Contractors. Date of Commencement - 13-12-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the

receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

omi

M

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

	5. The amount of earnest money to be deposited will be: -	Rs.	
	If the amount of the estimate does not exceed Rs. 2,000		50
	If the amount of the estimate exceeds Rs. 2,000 but does		6/0,9005
	not exceed Rs. 5,000 ·		100
	If the amount of the estimate exceeds Rs. 5,000 but does		
	not exceed Rs. 10,000		200
	For each additional Rs. 5,000 or portion of Rs. 5.000		
*	additional earnest money		100
			100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shalling and more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the el money here in before mentioned shall be made in Government Tre enclosed with the tender.

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of an intending contractors who may be present at the time and will enter the amounts of the several tenders comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
  - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tender will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupo sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the require amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copie of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Governme securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tender may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the secure money has been deposited the Engineer shall scrutinise all pages of the form titem; rateclarized & contractor works to see that the form has been properly filled up and signature of the contractor better tender or, if he is competent, to accept the tender signature of the officer competent to accept the acceptance of the officer competent to accept

MN29/2 CENNES

(a) If several sub-work are

detained in a separate list.

cluded they should be

This deposit will be 5%

percentage

[h]

the estimated cost of the

deduction from bills will be

credited to the contractors

Work.

This

ecurity deposit.

#### TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

	MEMORANDUM
[a]	Name of work
[b]	Estimated cost
[c]	Earnest money
[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
[f]	Time required for the work from date of written order to commence
[g]	Date of written other to commence

EEN

Item No.	Item of work	RATE TE	NDERED		
	· · · · · · · · · · · · · · · · · · ·	In figures	In words	Per	
			- Stock	-2017	
			19		
va Kurnar Tr	adina Ca	¢.	hief Consultant (I State Educational	Technical)	
a to transfer and		Devel	State Educational opment Corporation	Infrastructure	
2	CENN12	21100		aru, i atiid	

Total number of item of work tendered for

		RATE TENDERED		Per	
Item No.	Item of work	In figures	In words	Per	
	Something to				
		et wigdnierte			
1					
10 10					
(indical)	Chief Consultan				
milion destination	redicted Chief Constitution				
anset bill moits	Development Corpor				

(5) Schedule XLV - Form No. 61 RATE TENDERED Per Item of work. Item No. In figures In words

n L

nd in Subje

mer

E

Cor

EN

cal)

struc d., Pa

		RATE TE	RATE TENDERED	
Item No.	Item of work	In figures	In words	Per
			*	
				•

Schedule XLV - Form No. 61 RATE TENDERED Item No. Item of work Per In figures In words Chief Consultant (Tech stout). Supposed the Edward Louis Land Land States Dendingment Corporation Lat. Penns

L

m id

E

: Co

EN

1

rastruct Ltd., Pa

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

20

\*Signature, of contractor before comission of tender

witness :-

Address:-

Occupation:

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. day of Dated the

20

signature of the officer accepting the tender.

Acceptances communicated on.....

signature of the party taking the tender

#### **CONDITIONS OF CONTRACT**

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to 1/2 percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government, (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which reschief Governt Geshnical) tractor under the hand of the Executive Engin Bellant Edute Colonial tisival dufcast cectained in which casenthe Sectitiry deposit of the December and Call potention Littled Palme be absolutely at the disposal of Governments

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Clause 5 - If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be attended (Technical) thereof authorised such extension of time if any, as may in his opinion be precessational Infrastructure proper The Executive Engineer shall at the same time inform the contractor whether that. Patna claims compensation for the delay:

Buness Parames

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion. but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does no submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

· Clause 8:- The final bill shall be prepared by the officer of the Public Work Department

in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums the doe or there after to become due to the contractor under the contract or otherwise, against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security

the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property digovernment and shall not on any accounts he removed from this site of the work and shall at all times be open to

Stores supplied Government

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent. and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may. consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work. not having been carried out neither shall he have any claim for compensation by reason ( Well the car) ied out. of any alternation having been made in the original specification, Ritawing a de Bigns and al Infrastructure

Work to be executed accordance with specification drawing other etc.

men

id in

ubje

accor

EC

Com

EN N

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Compensation for alteration in or restriction of

instruction which shall involve any installment of the work as originally contemplated tion Ltd., Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

5 cyn13

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to Inspection

Clause 14:- All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, dains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any cantagens half chappen to the smission work, while in progress from any cause whatso were Educations received become and a sent in if within three months (six months free ease to a food work) and a certificate final or other of its completion shalf have been given by the Engineer-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in lefault, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the ontractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shail not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such pecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of he Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form he work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding Sub

acu

CE

e Co

EEN

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absolutely 3-12-217 at the disposal of Government and the same consequence shall ensure as if the contract (Technical) had been recinded under clause 3 here of, in addition the contractorishal Enote Eintitlednal Infrastructure

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

engy Kumar Trading Co

to recover or be paid to any work therefore actually performed the Underthe conference Ltd., Patna

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Sibor Since I ducabeers inicastrochuca Development Committee Lid., Potes

Witness.

31h2017 agy

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be o	chich the materi charged to the ontractor	al	Place of delivery
	Unit	Rs.	P.	
			1	
		/		

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filied up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

was Kumar Trading Co

Signature of Contrator)

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Potna 200 (Signature of Executive Engineer)

### Bihar State Educational Infrastructure Development Corporation Ltd.

### AGREEMENT FOR CONSTRUCTION OF BLOCK RESOURCE CENTRE AT LAKHNAUR, MADHUBANI (SL. NO.-7)

#### **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM**

(a) It several sub-work are incuded they should be detained in the separate list

- (A) Name of Work: CONSTRUCTION OF BLOCK RESOURCE CENTRE AT LAKHNAUR, MADHUBANI (SL. NO.-7)
- (B) Estimated Cost :- Rs. 76,65,490=00 Agreement value :- Rs. 68,98,941=00
- (b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work

Earnest Money:- Rs. 3,48,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTH
- (G) Date of written order to commence:-

(H) Total number of item of work tendered for :- 113

Wis Kumar Trading Con

अम्यक्षेत्र व्यापार

Partner

Chief Consultant (Technical)

Development Corporation Ltd., Patna

# BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

# AGREEMENT FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR-2016, & S.O.R (Electrical)-2016

SL.	DISTRIC	NAME OF INSTITUTE			DY C C				
No. T				BLOCK					
1	MADHUB	BLOCK RESOURCE CENTRE			LAKHNA	AUR			
		CIVIL W	ORKS						
SI.	SOR					Market the said			
Vo.	Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)			
1	2	3	4	5	6	7			
	PILE WORKS								
		Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).							
	20.2.1		0.000	meter	884.70	Rs. Eight hundred eighty four and pais			
	20.2.2	400 mm dia Piles	0.000	meter	1129.40	Rs. One thousand of hundred twenty nine and paise forty only			

Musikumar Trading Co.

13.30 m

		'1				
	20.2.3	450 mm dia Piles	0.000	meter	1388.10	Rs. One thousand three hundred eighty eight and paise ten only.
	20.2.4	500 mm dia Piles	0.000	meter	1642.70	Rs. One thousand six hundred forty two and paise seventy only.
	20.2.5	600 mm dia Piles	0.000	meter	2186.00	Rs. Two thousand one hundred eighty six only.
	20.2.6	750 mm dia Piles	0.000	meter	3263 50	Rs. Three thousand two hundred sixty
						three and paise fifty only.
	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in				
2		M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete.  (Length of pile for payment shall be measured upto to the bottom of pile cap):				
	20.3.1	300 mm dia Piles	0.000	meter	1978.90	Rs. One thousand nine hundred seventy eight and paise ninety only.
	20.3.2	400 mm dia Piles	0.000	meter	2309.00	Rs. Two thousand three hundred nine only.
	20.3.3	450 mm dia Piles	0.000	meter	2505.00	Rs Two thousand five
	20.3.4	550 mm dia Piles	0.000	meter	2739.80	Rs. Two thousand seven hundred thirty nine and paise eighty only.

Mis Kumar Trading Co.

MN2W/2 MN12

Partner

Tochnical)

		12	2			
	20.4	Extra over item No. 20.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).	188.980			
	20.4.1	300 mm dia Piles	0.000	Each	1284.50	Rs. One thousand two hundred eighty four and paise fifty only.
3	20.4.2	400 mm dia Piles	0.000	Each	1434.50	Rs. One thousand four hundred thirty four and paise fifty only.
	20.4.3	450 mm dia Piles	0.000	Each	1525.20	Rs. One thousand five hundred twenty five and paise twenty only.
	20.4.4	500 mm dia Piles	0.000	Each		Rs. One thousand six hundred seventy nine and paise ten only.
	E A DELLA					
		ORK IN EXCAVATION				
4		Earth work in excavation in foundation trenches or drains(not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All Kinds of soil=286.64cum Septic Tank=31.89cum Total Quantity=318.53cum	318.530	cum	230.50	Rs. Two hundred thirty and paise fifty only.
5		Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 mAll kinds of soil.All Kinds of soil=136.410sqm	126 /110	100 sqm	806.000	Rs. Eight hundred six only.
	EARTH FILLING					
			The second secon			

Mys Kumar Trading Co.

Mys W Cayyn

Partner

Cha Communant (Tecimical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead.  =188.98cum	188.980	cu.m	74.50	Rs. Seventy four and paise fifty only.
	SAND FILLING					
7		Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM		cu.m	204.40	Rs. Two hundred four and paise forty only.
	FLAT BRICK SOLING					
8		Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM		sq.m	253.800	Rs. Two hundred fifty three and paise eighty only.
9		Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size)  = 13 CUM	13.000	cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.

2012 10 1 2 2 19 12

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Spo.

Bartner

	,	7	
1		١	
٠	1	T	
	Н	1	

			14		\	
10		Providing and laying in position cemen concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2, BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM  TOTAL QUANTITY = 11.72 CUM	1 11.720	cu.m	3219.7	Rs. Three thousand two hundred neneteen and paise seventy only.
	FLOOR! NG	I of stemaking the state of the				
11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	46.040	sq.m	812.200	Rs. Eight hundred twelve and paise twenty only.
	WALL	Provident and Laking . In the parties				
12		Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	188.874	sq.m	766.300	Rs. Seven hundred sixty six and paise thirty only.
	FLOORI NG & SKIRTIN G					

Munder Frading Co.

		15				
13		Kota stone slab flooring over 20 mm (average ) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) 20 to 25 mm thick	281.852	sq.m		Rs. Nine hundred ninety eight and paise thirty only.
14	11.27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	74.37	sq.m	973.00	Rs. Nine hundred seventy three only.
	R.C.C. WORK BELOW PLINTH LVL.					
15	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level.  1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size)  = 59.183 CUM	59 183	cu.m	6035.20	Rs. Six thousand thirty five and paise twenty only.
	R.C.C. WORK ABOVE PLINTH LVL.					

Ms Kumar Trading Ca Mn2 Wy Cymn2

		1E	>			
16	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments posts and struts, etc. upt floor five level excluding cost of centring, shuttering, finishin and reinforcement.1:1:2 (1 cement: 1 coarse sand: 2 graded stone aggregate 20 mm nominal size)	d g s, t 20.510	cu.m	6644.60	Rs. Six thousand six hundred forty four and paise sixty only.
17	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size)  SEPTIC TANK = 0.93 CUM	0.930	cum	3984.50	Rs. Three thousand nine hundred eighty four and paise fifty only.
	5.3	Reinforced cement conrete work in				
	5.33B.4 + 5.33B.1	beams, suspended floors, roofs				
18		bands, plain window sills, staircases and spiral stair cases upto	100.440	cu.m	5319.10	Rs. Five thousand three hundred nineteen and paise ten only.
		floor five level excluding the cost of centring, shuttering, finishing				and paise ten only.
		and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size).				
	BRICK	At the equipment fill seem to be a success to			γ 1	
	WORK	econs and with a maling codication				
19		Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM		cu.m	4490.60 h	Rs. Four thousand four hundred ninety and paise sixty only.

Wa Kumar Trading Co

superstructure above pinth level upto floor V level.  = 134.043 SQM  6.21A Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at				17			
designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM  6.21A Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks)  = 134.043 SQM  6.1.12/1 designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 s.750 cum designation 100A in foundations and plinth in : Cement is 6 coarse sand)  PLASTE  R WORK  24  13.13.1.4 20 mm cement plaster of mix ; 1:6 (1 cement: 3 coarse sand) with a floating coat of neat cement seasons and with a floating coat of neat cement seasons and with a floating coat of neat cement seasons and with a floating coat of neat cement seasons and with a floating coat of neat cement seasons and sixty only.  13.11.4 12mm thick Cement plaster of mix 1:6 (1 cement: 6 coarse sand)  101.20 Rs. One hundred one	20	6.3A	designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM	160.082	cu.m	1	three and paise ninety
position 2 Nos, 6 mm dia , MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM  6.1A + 6.1.12/1 Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand) = 8.75 CUM  PLASTE R WORK  13.13.4 20 mm cement plaster of mix ; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM  13.13.1 20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM  13.11.4 12mm thick Cement plaster of mix 1:6 (1 cement: 6 coarse sand)  10.120 Rs. Fifty five and pais forty only.  Rs. Four thousand seven hundred twenty four and paise forty only.  Rs. Four thousand seven hundred twenty four and paise forty only.  Rs. One hundred forty and paise forty only.	21	+ 6.19A	designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM	134.043	Sq.m.		Rs. Six hundred eight and paise forty only.
23   6.1.12/1   designation 100A in foundations and plinth in: Cement mortar 1 .:4 (1 8.750   cum   4724.40   Rs. Four thousand seven hundred twenty four and paise forty only.	22		position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM	134.043	Sq.m.	55.40	Rs. Fifty five and paise forty only.
R WORK  13.13.4 20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM  13.13.1 20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM  13.11.4 12mm thick Cement plaster of mix 1:6 (1 cement: 6 coarse sand)  140.40 Rs. One hundred forty and paise forty only.  Rs. Two hundred fourteen and paise sixty only.	23	6.1.12/1	designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand)		cum	4724.40	seven hundred twenty four and paise forty
cement: 6 coarse sand) = 836.658 SQM  13.13.1 20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM  13.11.4 12mm thick Cement plaster of mix 1:6 (1 cement: 6 coarse sand)  140.40 Rs. One hundred forty and paise forty only.  Rs. Two hundred fourteen and paise sixty only.  Rs. Two hundred fourteen and paise sixty only.  Rs. Two hundred fourteen and paise sixty only.  Rs. One hundred forty and paise forty only.							
25 + 13.26   coarse sand) with a floating coat of neat cement & neat cement punning   16.650   sq.m   214.60   Rs. Two hundred fourteen and paise sixty only.  13.11.4   12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand)   1041.580   sq.m   101.20   Rs. One hundred one	24		cement : 6 coarse sand) = 836.658 SQM	836.658	sq.m		2001 (B.C.) 한 100 (B.C.)
13.11.4   12mm thick Cement plaster of mix 1:6   (1 cement : 6 coarse sand)   1041.580   sq.m   101.20   Rs. One hundred one	25	+ 13.26	coarse sand) with a floating coat of neat cement & neat cement punning		sq.m	214.60 f	fourteen and paise
	26	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand)		sq.m	101.20 E	Rs. One hundred one and paise twenty only.

was Kumar Irading Co.

1			18			
27		12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement: 3 sand)  SEPTIC TANK = 52.82 SQM	52.820	sq.m	166.30	Rs. One hundred sixty six and paise thirty only.
28	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	87.40	Rs. Eighty seven and paise forty only.
29	11.3.1 + 11.8	Cement: 2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete.40 mm thick with 20 mm nominal size stone aggregateExtra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	136.410	sq.m	267.70	Rs. Two hundred sixty seven and paise seventy only.
	FINISHI NG WORK					
30		Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  EXTERNAL WALL = 836.658 SQM		sq.m	/ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Rs. Seventy one and paise ten only.
31		Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.		sq.m	118.40	Rs. One hundred eighteen and paise forty only.

28/1/2 White Committee Com

Chief Consultant (Technical

			19			
32	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM		sq.m	69.10	Rs. Sixty nine and paise ten only.
33	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM		sq.m	. / /	Rs. Twenty six and paise seventy only.
34	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.  = 105.728 SQM		sq.m	22.80	Rs. Twenty two and paise eighty only.
35	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM	221.408	sq.m	1 14 1111	Rs. Fifty four and paise ten only.
	10.14.1	Providing and fixing T-iron frames for doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks				
36		15x10x10cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including	339.673	Kg.	70.90	Rs. Seventy and paise ninety only.

Myzy Trading Co.

			20		
37	9.21.1	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	48.195	sq.m	Rs. One thousar hundred ninety and paise twenty
38	9.63.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.000	each	Rs. Sixty five an paise thirty only.
39	9.66.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH	44.000	each	Rs. Twenty seven paise seventy on
40	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each	Rs. Eighty three a paise eighty only.
41		Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled with nuts and screws etc.compelled:  300x16 mm  = 22 EACH	22.000	each	Rs. One hundred six and paise ten
	STEEL WORK				
	WOKK				

MN2W/Z CMN15

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Kehouell

Partney

			21			
		Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm				
		of 1:3:6(1 cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required,				
42	10.12.1 + 10.13B	including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; evaluding the cost of metal banding and	95.715	sq.m	3175.00	Rs. Three thousand one hundred seventy five only.
		excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite units. Steel windows				
		Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints				
		mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6				
43	10.12.1 + 10.13C	graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make	3.240	sq.m	3181.00	Rs. Three thousand one hundred eighty one only.
		complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptSteel ventilators				

dis Kumar Kading Co

			22			
44	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG		Kgs.	86.00	Rs. Eighty six only.
	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.	Construction of the Constr			
		TMTC-500				
45	5.22.7A	Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.000	KG	56.00	Rs. Fifty six only.
	5.22.7B	Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1300.000	KG	54.70	Rs. Fifty four and paise seventy only.
	5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG	53.40	Rs. Fifty three and paise forty only.
	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	54.40	Rs. Fifty four and paise forty only.
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	53.60	Rs.Fifty three and paise sixty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	53.60	Rs.Fifty three and paise sixty only.
46	10.17	Providing and fixing M.S.fan clamp type I or II of 16 mm dia.M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop, all as per standard design complete.	42 000	Each	97.00	Rs. Ninety seven only.

als Kumar, Irading Co

N2M/2 CMN12

			24			
52		Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM		Sqm.		Rs. Three humbers fifty seven and make sixty only.
53		Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM		Sqm.	1 701 1111	Rs. Two humdred ninety one only
					Total	5,727,046.30
		schirolied cerem Olardie reces			Total (A)	5,727,046.00
Plum bing and sanit						
54	12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	212.400	Rs. Two hundred twelve and paise forty only.
		Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm				
		gap for thermal expansion.				
55		Coupler 110mm = 10 MTS	10.000	Each	140.200	Rs. One hundred forty and paise twenty only.
		BEND 45 <sup>o</sup> 110 mm dia = 10 EACH				

Mis Kurpar Trading Co

3-12-2011

			25			
	12.79.5.2	110mm bend = 12 MTS	12.000	Each	168.300	Rs. One hundred sixty eight and paise thirty only.
	12.79.6	Shoe (Plain)				
	12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	305.020	Rs. Three hundred five and paise two only.
56	B.S.R 17.1.1	Providing and fixing water closet squatting pan (Indian type W.C.pan ) with 100 mm sand cast Iron P or S trap, 10 litre low fixtures complete, including cutting and making good the walls andlevel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and floors wherever required:				
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH	6.000	Each	3049.300	Rs. Three thousand forty nine and paise thirty only.
57	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each	2903.000	Rs. Two thousand nin hundred three only.

Mh2WA Sing Co

			0			
58	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:	2.960			
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4685.900	Rs. Four thousand six hundred eighty five and paise ninety only.
	17.34	Provding and fixing toilet paper holder				
59	SOR 17.34.2	Vitreous china	3	Each	296.7	Rs. Two hundred ninety six and paise seventy only.
60	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.  = 12 EACH	12.000	Each	2093.500	Rs. Two thousand ninety three and paise fifty only.
61	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	175.300	Rs. One hundred seventy five and paise thirty only.
62	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	1 /6.100	Rs. Seventy six and paise ten only.

Market Trading Co.

B.S.R   Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded trame of approved make and shade with 6 mm thick hard board backing:  Rectangular shape 453 x 357 mm = 12 EACH  B.S.R   Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH  B.S.R   Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plan & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.15 mm nominal outer dia Pipes  B.S.R   Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This incl. des jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. CPVC solvent cement, trenching refilling & testing of joints complete as per direction of Engineer in Charge. CPVC solvent cement, trenching refilling & testing of joints complete as per direction of Engineer in Charge. CPVC solvent cement, trenching refilling & testing of joints complete as per direction of Engineer in Charge. Rs. Two hundred fortyn nine and paise ten. only.				27			
shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH  B.S.R 17.33  B.S.R 17.33  B.S.R 17.34  B.S.R 17.35  B.S.R 17.35  B.S.R 18.8.1 Providing and fixing 600 x 120 x 5 mm long screws, rawl plugs etc., complete. = 12 EACH  B.S.R 18.8.1 Providing and fixing Chlorinated polywinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plam & brass threaded fittings, including cutting colorinate of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.15 mm nominal outer dia Polywinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings, including cutting chases and making good the walls etc.15 mm nominal outer dia Pipes  B.S.R Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement trenching, refilling & testing of joints complete as per direction of Engineer in Charge.  B.S.A  B.S.A  B.S.A  R.S. Two hundred ninety three and paise sixty only.			glass (of approved quality) and of required shape and size with plastic				Rs. Six hundred thirty
glass shelf with edges round off, supported on anodised aduminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH   12.000   Each   473.700   Rs. Four hundred seventy three and paise seventy only.    B.S.R   Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plan & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Concealed work, including cutting chases and making good the walls etc.15 mm nominal outer dia Pipes   B.S.R   18.9.3   Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.   40.000   metre   249.100   Rs. Two hundred forty nine and paise   Rs. Two hundred forty nine and paise   Rs. Two hundred forty nine and paise   Rs. Two hundred   Rs. T	63		shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm		Each	636.900	
18.8.1 Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Concealed work, including cutting chases and making good the walls etc.15 mm nominal outer dia Pipes  B.S.R Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement trenching refilling & testing of joints complete as per direction of Engineer in Charge.  18.9.4 32 mm nominal outer dia Pipes  40.000 metre 249.100  Rs. Two hundred forty nine and paise	64	17.33	glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.  = 12 EACH	12.000	Each	473.700	seventy three and paise
18.9.3 Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge.  18.9.4 32 mm nominal outer dia Pipes  40.000 metre 249.100 Rs. One hundred ninety three and paise sixty only.	65	18.8.1	Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Concealed work, including cutting chases and making good the walls etc.15 mm nominal outer dia Pipes	50.000	metre		twenty one and paise
40.000 metre 249.100 forty nine and paise	66	18.9.3	Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge.	60.000	metre	193.600	ninety three and paise sixty only.
		18.9.4	32 mm nominal outer dia Pipes	40.000	metre	249.100	forty nine and paise

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

WANTE WATER WITE

			28			
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	147.300	Rs. One hundred seven and pais
	B.S.R 18.48	Providing and placing on terrace (at al floor levels) polyethylene water storage tank ISI:12701 marked with cover and				only.
67		suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support = 4000 PER LITER	4000 000	per litre	6.600	Rs. Six and pai only.
68	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931				
		15 mm nominal bore. = 12 EACH	12.000	Each	481.600	
69	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				sixty only.
	18.52.1	15 mm nominal bore. = 10 EACH	10.000	Each	650.100	Rs. Six hundred
70	SOR	Providing and fixing P.T.M.T. grating of approved quality & colour circular type				and paise ten onl
	/	100 mm nominal dia,	11	Each	46.40	Rs. Forty six and
	19.0.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of				paise forty only.
71		cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete:	15.000	metre		Rs. Three hundre five and paise fift only.
		100 mm dia R.C.C. pipe = 15 METER			287.9 101	Only.

Ma Kumar trading-co 3 112

Г				29			
	72	B.S.R 19.27.1	with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.000	Each	3384.800	Rs. Three thousand three hundred eighty four and paise eighty only.
	73	19.30.1.1	Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. cover with frame (light duty) 455x610mm internal dimensions, total weight of cover with frame to be notless than 38 kg (weight of cover 23 kg and weight of frame 15 kg),R.C.C. top slab with 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design:	6.000	Each	4147.300	Rs. Four thousand me hundred forty and paise thirty
7.	4	19.32.1   n h d c	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.  = 1 EACH		Each	28775.500 th	Rs. Twenty eight thousand seven nundred seventy five and paise fifty only.

Ma Kumar Irading Co
MN2 M/ OMN12

Partner

		3	0			
	B.S.R	Providing and fixing S.W. intercepting				
	19.34	trap in manholes with stiff mixture of	,			
	/	cement mortar 1:1 (1 cement : 1 fine				
75		sand) including testing of joints etc.				
13		complete:				
	19.34.1	100 mm dia				Rs. Two hundred
		= 2 EACH	2.000	Each	281.300	eighty one and paise
		egitable (it box and continue)				thirty only.
76		Detailed Estimate for construction of				Rs. Sixty two thousan
		125 mm x 40 mm x 90 mm Tube well	1.000	Each	62 138 33	one hundred thirty
70		Manual Boring	1.000	Each	02,136.33	eight and paise thirty
		= 1 EACH				three only.
	ANALYSI	Providing and Fixing Following dia				
	S	uPVC Soil, Waste and vent Pipe and				
	/	accessories including sovent cement				
		and other jointing material, Labour etc				
		complete job				
		110 mm dia	10.000		247.000	Rs. Three hundred
		= 40 EACH	40.000	metre	347.000	forty seven and only.
		DOOR TEE 110 mm dia	4 000			Rs. Three hundred
		= 4 EACH	4.000	each	1 365 000	sixty five only.
77		DOOR BEND 110 mm dia	0.000		ach 283 000	Rs. Two hundred
		= 8 EACH	8.000	each		eighty three only.
		BEND 45 <sup>o</sup> 110 mm dia	10.000			Rs. One hundred
		= 10 EACH	10.000	each	185.000	eighty five only.
		VENT COWEL 110 mm dia	2 000			
		= 3 EACH	3.000	each	65.000	Rs. Sixty five only.
		PIPE CLIP 110 mm dia	10000			
		= 100 EACH	100.000	each	53.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia				Rs. Four hundred
		= 10 EACH	10.000	each	4 36 000	thirty six only.
	Code no.	(i) C.I. cover and frame 300 x 300 mm				Rs. Three hundred
78	of 1352	inside	1.000	Each	A STATE OF THE STA	sixty two and paise
70		SEPTIC TANK = 1 EACH		Lacii		fifty nine only.
					Total	
					Total	221,020.0
					Total (B)	334,639.0
		Electrical Works SOR-2016			Total (D)	334,037.0
- 1		Point Wiring in PVC Conduit, with				
	1.3	Modular type Switch:-				
	1.5	Introduction type Switch.				

Mus Kumar Trading Co

			31		,	
79	1.3.3	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the Group C				
			119.000	Point	675.000	Rs. Six hundred seventy five only
	1.4	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-				Seventy live only
80		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC i	3.000	Each	720.000	Rs. Seven hundre twenty only.
	1.31	Supply and Fixing Light Plug Point				
81		with Modular Type Accessories:-  Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and	25.000	Each	272.000	Rs. Three hundred
		fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be u	23.000	Lacii	372.000	seenty two only.
	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
82		Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6				
		pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.	12.000	Nos.	446.000	Rs. Four hundred six only.
	DSR-2014 2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-				

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

			32			
83		Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket ou	12.000	Nos.	963.540	Rs. Nine hundred sixty three and paise fifty four only.
	1.5	Power Plug Wiring in PVC conduit (2x4 sq. mm):-				
84		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS	120.000	Mtrs.	193.000	Rs. One hundred ninety three only.
		PVC insulated copper conductor single core cable for loop earthing as required				
85	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required				
	1.24.1	5/6 amps switch.	25.000	Each	98.000	Rs. Ninety eight only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	120.000	Rs. One hundred twenty only.
	1.7	Circuit / Sub-main wiring in PVC Conduit:-				
86		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
	1.7.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.	117.000	Rs. One hundred seventeen only.
	1.7.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	350.000	Mtrs.	150.000	Rs. One hundred fifty only.
	1.7.11	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	54.000	Mtrs.	451.000	Rs. Four hundred fifty one only.
	1.7.12	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	684.000	Rs. Six hundred eighty four only.
		S/F 'C' series SP MCB:-				

MN244 Trading Co

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation, Ltd., Patna

			3			
	2.12	Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable			48 100	
		for inductive loads of following poles in				
		the existing MCB DB complete with				
07		connections, testing and commissioning				
87		etc, as required.				
	2.12.1	6/32A, Single Pole	26.000	- ·	200.000	Rs. Two hundred
		Septimization for the second second	36.000	Each	208.000	eight only.
	2.13.1	6/32A ,DP	3.000	Each	632.000	Rs. Six hundred thirty
			3.000	Each	032.000	two only.
	2.16	S/F TPN MCB:-				
		Supplying and fixing following rating,				
		four pole, 240 volts, isolator in the				
88		existing MCB DB complete with				
		connections, testing and commissioning				
	2162	etc. as required				
	2.16.2	63 A,TPN	3.000	Each	915.000	Rs. Nine hundred
	2.17				1.000	fifteen only.
		S/F TPN RCCB:-Supplying and fixing				
		of following rating three phase and				
		neutral, 415 volts, residual current		1982		
		circuit breaker (RCCB) having a				
89		sensitivity current upto 300 miliamperes in the existing MCB DB complete with				
		connections, testing and commissionin				
		connections, testing and commissionin				
	2.17.2	40 Amp.				Rs. Two thousand five
			3.000	Each	2509.000	hundred nine only.
	2.9	S/F TP MCB DB:-				Trandica mile omy.
		Supplying and fixing of following				
		way, horizontal type three pole and				
		neutral, sheet steel, MCB distribution				
		board, 415 volts, on surface/recess,				
90		complete with tinned copper bus bar,				
		neutral bus bar, earth bar, din bar,				
		detachable gland plate, interconnect				
		4 Ways (4+12 ways) double door				Rs. Two thousand nine
			3.000	Set	2971.000	hundred seventy one
						only.
	1.33	S/F Ceiling Rose:-				
		Supplying and fixing 2 pin ceiling rose				
91		on the existing junction box/ wooden	80.000	Eagle	25,000	De This C
		block including connection etc as	80.000	Each	35.000	Rs. Thirty five only.
Marie Control		required.			/	

MN2 Williams Grading Co.

MN2 Will Chill

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

200.

			2>			
97		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	2.000	Each	11703.000	Rs. Eleven thousand seven hundred three only.
	3.10	P/F 25 x 5mm copper earth strip in pipe :-				
98		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and re-filling etc. as required.	12.000	Mtrs.	1131.000	Rs. One thousand one hundred thirty one only.
	3.14	P/F 25 x 5 mm copper earth strip in				
99		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	1 9/6 000	Rs. Nine hundred seventy six only.
100		Cable Laying of 1.1 KV & 11 KV:- Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	154.000	Rs. One hundred fifty four only.
	DSR-2014	G.I. Pipe for Cable protection:-				
101		Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 ( 1 cement : 2 fine sand ) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site c				
	14.14.2	150 mm dia	10.000	Mtr.	387.840	Rs. Three hundred eighty seven and paise eighty four only.

201 M 2 1 A 2 2 M NO Partner NIZ

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Skehoust

			26			
102	DSR-2014 9.1	1.1 KV Cable End Termination:-Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.				
	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred seventy two and paise seventy only.
103	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.				
		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
	2.30	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector				
104		fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections,				
	2.3.2	etc. as requi	3.000	Each	2631.000	Rs. Two thousand six hundred thirty one only.
	2.5	S/F Busbar Chamber:-				
105		Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required.  200 amp. TPN		Each	6360.000	Rs. Six thousand three hundred sixty only.

Wa Kumar Arading Lo

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

			37			
	2.7.4	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board,				Rs.Eight thousand six
106		including drilling holes in metal panel, making connections etc. as required.	1.000	Each		hundred seventy seven only.
		125 Amps, Four pole				
107	4.1	Providing Lighting Conductor Finial, made of 25mm dia 300mm long , copper tube having single prong on top	2.000	Each	1 864 000	Rs. Eight hundred sixty four only.
113		with 85mm dia 3mm thick copper base plate.				
	4.5	Providing and fixing copper tape 20			•	
108		mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required.  (For horizontal run)		meter	1 424 000	Rs. Four hundred twenty four only.
	4.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet		Thomas		D. D. Israedand
109		or surface of wall for lightning conductor complete as required.  (For vertical run)	30.000	meter	443.000	Rs. Four hundred forty three only.
110	2.4	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required				
	2.4.4	160 amp. 16KA	1.000	EACH	11275.000	Rs. Eleven thousand two hundred seventy five only.
					Total (C)	532,131.28
		FIRE FIGHTING			Tox of the	
	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4				Rs. Seven thousand
111		Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.		Nos.	The state of the s	five hundred forty nine and paise seventy five only.
					Total	75 407 50
					Total	75,497.50

Wa Kumar Trading to

2/1/2 All 2 All

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Land.

221					Total (D)	75,498.0		
		CARRIAGE OF MATERIALS	·		Total (D)	75,470.0		
		Type of materials			Rate Incl. 1% Lab. Cess	THE STATE OF THE S		
		Cement	139.566	MT	282.30	Rs. Two hundred eighty two and paise thirty only.		
		Coarse Sand	188.457	cum	2104.44	Rs,. Two thousand or hundred four and pair forty four only.		
112		Local Sand	125.918	cum	178.57	Rs. One hundred seventy eight and pair fifty seven only.		
		Stone Chips	176.279	cum	2153.60	Rs. Two thousand on hundred fifty three ar paise sixty only.		
		Brick	120.253	Thous.		Rs. Five hundred thir one and paise zero two only.		
		Steel	18.050	MT	282.30	Rs. Two hundred eighty two and paise thirty only.		
113	ADD EXT	RA COST OF MATERIAL FOR						
	Bricks		120.253	Thous.	370.75	Rs. Three hundreseventy and pairseventy five only		
	Cement		139.566	MT	319.03	Rs. Three hundren nineteen and painthree on		
					Total	996,175.		
					Total (E)	996,176.0		
			Grand	Total (A+	B+C+D+E)	7,665,490.2		
SL. No.	DISTRIC	NAME OF INST	ITUTE			Amount (Rs.)		
1	MADHUB ANI	BLOCK RESOURCE	BLOCK RESOURCE CENTRE			7,665,490.		
		Total Cost in 'Rs'				7,665,490.0		

Wa Kumar Wading Co

Con niz

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna Skehaud

	"Deta	ails of Sl. No. 76 (Construction of 125mr	n x 40mm	x 90m Tu	be well) is g	given below
Part 'A		f Materials				na nekona kadapalan
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter		Rs. Three hundred fifteen only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and paise thirty eight only
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	leighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
6	18.10.4	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	319.20	Rs. Three hundred neneteen and paise twenty only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S c	1	Each	26,446.00	Rs. Twenty six thousand four hundre forty six only.
		Sub - Total "A"				47844.0
Part 'B	B' - Cost of	f Labour				
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as				
		(i) 0 to 30.5 m				
9		(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seven seven only.
10		(b) for 40 mm dia UPVC pipe			No. of the last of	

dus Kumar Irading Co

21/12/1/2 M/2 M/2/2/2

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Petna

2/0.

	3.5	mtr		Rs. One hundred nineteen and paise three only.
.0 m				
ia UPVC pipe	30.5	mtr		Rs. One hundred thirty six and paise eighty eight only.
75.00 m	/		Name of Street, Street	
a UPVC pipe	14	mtr		Rs. One hundred forty eight and paise seventy nine only.
bove				
a UPVC ribbed ved quality	8	mtr	148.79	Rs. One hundred fort eight and paise sevent nine only.
our & tools and dia G.I pipe as per all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
r and developing the and free discharge all direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
			Sub - Total	14,294.2
	The state of the s			62,138.3.
1 7	ia UPVC pipe  25.00 m  a UPVC pipe  bove  a UPVC ribbed ved quality  our & tools and dia G.I pipe as per all Complete r and developing the and free discharge all	ia UPVC pipe 30.5  75.00 m  a UPVC pipe 14  bove a UPVC ribbed ved quality 8  our & tools and dia G.I pipe as per all Complete r and developing the and free discharge all 1	ia UPVC pipe 30.5 mtr  25.00 m  a UPVC pipe 14 mtr  bove 8 mtr  our & tools and dia G.I pipe as per all Complete r and developing the and free discharge all direction of E/I  Each	ia UPVC pipe 30.5 mtr 136.88  75.00 m  a UPVC pipe 14 mtr 148.79  bove 8 mtr 148.79  our & tools and dia G.I pipe as per all Complete r and developing the and free discharge all 1 Each 280.50

Tender approved in favour of M/S Kumar Trading Company @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 68,98,941=00 (Rupees Sixty Eight Lacs Ninety Eight Thousand Nine Hundred Forty One Only)

Ma Kumar Trading Co My 12

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Lu La

## Performance Security

Name of Agency:- M/S Kumar Trading Company

## "Performance Security of BRC Lakhnaur, SL.no- 07"

FDR 27390300008607 P.Book No	<u>DOI</u> 29.11.16		Amounts 1,53,000.00
3781845617	03.10.17	Total -	1,95,000.00 3,48,000.00

(Rupees Three Lacs Forty Eight Thousand Only)

लेळ्गा पदाधिकावी बिहार राज्य शैक्षणिक आधारभूत संरचः विकास निगम लि॰, पटना

3,48,000.00

Wis Kumar Trading Co

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि

(बिहार सरकार का एक उपक्रम) 42

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseldc@gmail.com, website; www.bseldc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2939/2017-18/- ५८५५ प्रेषक,

पटना, दिनांक 29.06 11

ब्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

सेवा में.

MS KUMAR TRADING COMPANY Dahiya Bhagwanpur Begusarai Bihar

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Lakhnaur Madhubani (S.LNo-7) Of Nit No-31/2016-17) के कार्य हेतु जमानत की राशि जमा कर

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 68,98,941 / -(अड्सठ लाख अनठानवे हजार नौ सौ एकतालीस रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,45,000 / -(तीन लाख पैतालिस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

ज्ञापांक : BSEIDC/FIN/2939/2017-18/- ५७ ५ ५

मुख्य परामर्शी (तकनीकी) पटना, दिनांक 29.06 17

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

ज्ञापांक : BSEIDC/FIN/2939/2017-18/- ५८५५

मुख्य परामर्शी (तकनीकी) पटना, दिनांक 29 06 17

प्रतिलिपि : संबंधित कार्यपालक अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु

ज्ञापांक : BSEIDC/FIN/2939/2017-18/- ५७५५

मुख्य परामर्शी (तकनीकी) पटना, दिनांक २9.0617

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

ज्ञापांक : BSEIDC/FIN/2939/2017-18/- ५८५५

पटना, दिनांक 29.06 17

प्रतिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

बिहार राज्य शैक्षणिक आधारभूत सरचना विकास निगम लि०

(विहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, पिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्या: 180301BR2011SGC015859, e-mail: bseidc@gmail.com, website: www.bseidc.in, Fax No.: 0612-2660256,

Letter no: BSEIDC/NIT/2016-17/- 12086

Patna, Date: 17/11/16

### Corrigendum No.- 1

With reference to N.I.T. No. 31/2016-17, Dated-26.10.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Construction of Block Resource Centre(B.R.C)" in the State of Bihar the following amendments have been made as mentioned below:-

SL.	Existing provision	Amended provision
	Period of Sale of Bid document (Download) from dated 14.11.2016 to 27.11.2016, 15:00Hrs	Period of downloading of Bid document from dated: 19.11.2016 to 02.12.2016, 15:00 Hrs.
2	Date and Time of Pre bid Meeting 17.11.2016, 16:00 Hrs.	Date and Time of Pre bid Meeting-
3	Last date and time for receipt (Upload) of Bids on dated 28.11.2016,15:00 Hrs.	Last date and time for receipt (Upload) of
4	Time and date for opening of Technical Bids on dated 30. 11.2016, 16:30 Hrs.	Time and date for opening of Technical Ride
5	Time and date for opening of Financial Bids on dated 07.12.2016, 15:30 Hrs.	Time and date for opening of Financial Ride
5		on dated: 12.12.2016, 15:30 Hrs.  accepted up to 05.12.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

#### SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of

contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.
- g) Litigation History as mentioned in Technical bid.
- h) Valid Registration with Central/State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

(Seal & Signature of Tenderer)

Do n

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

tron.

- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

(Seal & Signature of Tenderer)

Manager Wading Co Min 2 Mil Sin 12 Chief Consultant (Technical)

Page 2 of 2

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

248

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 46.

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

#### प्नर्निविदा आमंत्रण सूचना संख्या-31 वर्ष 2016-17 प्रतिशत दर निविदा

#### (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत विभिन्न भवनों का निर्माण कार्य हेतु प्रतिशत दर पुनर्निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय / राज्य सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपत्र का मूल्य(रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
2	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 माह
3	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
4	BRC, Ghanshyampur, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
5	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
6	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
7	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
8	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
9	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
10	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
11	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
12	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
13	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
14	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
17	BRC, Thakurganj, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
19	BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	15 माह
20	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
21	BRC, Merajgang, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
23	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
24	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह

नोटः (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रूप से मान्य होगा।

विज्ञापन निर्गत करने की तिथि

:- दिनांक:-26.10.2016

परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 14.11.2016 से 27.11.2016, 15:00 घंटा (वेबसाईट:www.eproc.bihar.gov.in पर)

> दिनांक:- 17.11.2016, 16:00 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

अग्रधन जमा करने की अंतिम तिथि एवं समय

टेक्निकल बिड खोलने की तिथि एवं समय

प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक- 30.11.2016, समय- 15:00 घटन दिनांक- 30.11.2016, समय- 16:30 घंटा

दिनांक- 28.11.2016, समय- 15:00 घंटा

(वेबसाईट-www.eproc.bibasigominTechnical)

दिनांक- 07 12 Binar State Educational Infrastructure Development Corporation Ltd., Patna

(८) वित्तीय बिह खोलने की तिथि एवं समय

lacing of the later of the

(9) निविदा खोलने का स्थान

:- वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अविध

120 दिन

(11) ई—टेन्डिएंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) प्रिक्षण्ठा अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउन करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात इपर्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य ह

(13) परिमाण विपत्र के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्त्तों एवं सरकारी निर्णयानुसार अतिरिक्त Perform

Guarantee एकरारनामा के पूर्व जमा करना होगा।

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPM CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैंक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 30.11.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit

card), Net Banking, NEFT/R 「GS"

Bids along with necessary online payments must be submitted through e-procurement portal <a href="www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holice

or any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय जमा किया हो, प्रबंध निदेशक BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अ BSEIDC Ltd. के नाम से किक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आध्य संरचना विकास निगम लिमिटेड, पटना में 30.11.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इर्ोमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य होगा। निविदाकारों को सलाह ा जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम स

होनेवाले किसी प्रकार के व्यवधान से बच सकें।

Control of the second s

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे

(17) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have recompore performance such as abandoning the works, not properly completing the contract, inordinate delays completion, litigation history, or financial failure in the work of this Corporation.

(18) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा

कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(19) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरंग की प्रकि संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डिरंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० सं० 0612—2523006/7542028164.

> ब्रजेश प्रसाद मुख्य परामर्शी(तकनीकी)

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna