Name of Work- Construction of Block. Schedule XLV-Form No. 61 Resource Centre at Gailarh, Madhepuna. (801-108). [Form No. F-2] Ajay Kuman RATE TENDER AND CONTRACT FOR WORKS 46 F2 of 2017-18. General Rule and Direction for the guidance of Contractors. Date of Commencement - 16-05-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person. holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Sub- divisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -Rs. If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration

in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposit place arnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

AJay Kamor

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form or the security for works to see that the form has been properly filled up and signed by the Douratto & Practice & Contract witnessed He shall then if he is competent, to accept the tender, significant of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

AJAY ICHNO

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are included they should be	[a]	Name of work
tained in a separate list.	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the Jork.	[c]	Earnest money
(c) This percentage deduction from bills will be credited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)

[f] Time required for the work from date of written order to commence monthly

[g] Date of written other to commence

[h] Total number of item of work tendered for

		RATE TI	RATE TENDERED	
Item No.	Item of work	In figures	. In words	Per
				A al
				140
			Chief I	ngineer Ltd, Patna
			B.S.E.I.D.C	Liu, I dille
AJC	1 y Icel Mer - 05 - 17		16/5	
16-	- o5 - 17			

It NI-	Itam of work	RATE	RATE TENDERED		
Item No.	Item of work	In figures	In words	Per	
and resolution	of seeding order accommence	efsp e new discussion		Marie Barre	
Carrie Street, Street		and dispose han	raportani la li and		
		this a famous bus	Telephone and telephone		
		a complete de la comp			
	M R WAR				
				and the second	
				ristigae of himor	
				in description	
nie 1999 steat	Contained and Reside	to the same of			
of the season action	esta nyona reservation pareto	er verogen variante			
TIED OG SY		appearance to be declared			
of the second					
	og en rable-nghavide 🕒 humant				
The Park Conf					
		a condition when the			
de en sin					
	ata kendered tap	ew to medito rademan			
The state of the s					
	Uni Bulgwini i I i saugu d				
		Citis agent and			
			-		
ted to the lender	a mole track of carney ca	The same of the			
	S helds				
	Olitef E 3.5.5.0.0				

(5)

0	The Registration Trans.	RATE TE	RATE TENDERED			
Item No.	Item of work	In figures	In words	Per		
0						
0						
0						
le/						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
2)						
0						
0						
9						

(6)

Item No.	Item of work	RATE TE	RATE TENDERED			
		In figures	In words	Per		

(7)

Oltonoble	thom of work	RATE TE	Per	
Item No.	Item of work	In figures	In words	Fel
		Page of the page of	THE STATE OF THE S	edition that he is note:
				nelinst ig neverince
) accepted a				
3 110 10 10	secon pulpo ladebratan wither scon.	The science of		esoure to each
er		or contracts to		
3	policy and the second second second			
	344 (343) (344)		SAME IN COMME	
)		The words and		
)				
O C			A sire all	
		or and produced and		noiserra
)	overhost uses, ad year (seviets or its	Test est report.	Grand Barrier	
	era artist eath, dongsaid year ac eath se	e andorwe attrea		
	CARLES BOTTONE ARTS IN (A 12) BOTTONES	10000x 115 (2)		
)	an maya0 to heas at boop arem tall	a prezi asab rea		SOURCE SERVICES
)	100 feld to the to the series			
)	and the China of the property of	as and out of		on muche score
Date altow	d Fuel tanifoo eg lot gevis et haman sa	ra pous alemana de destal		Comball actions
	, fleviste na pantagen opak sem töstör. Valand edike tarimre eni telenelike			Section of the
tre years	The solution of the solution of the	e Islan wasan Impa		
1 14 1900				e desertados dos no costo de locales
	The experience of the second	TERROR CHARGE		
	Laur exchaga il ancustra noma action	0)63	cus cus san co	
)	CT EVEN OF SEAS WHILE CARREST SON			
	Length Addition of South Association (1996)	2 (1 1 2) (2 (2)		
)	Particular districts of the contract of the co	9 20 00 00 00	a things a single	
) in the same	All states for the second like the second as a second			The state of the s
	July Francis and a second			
)	1.00	The real same		
	Physic Francisco			
ante	Chief Engined 3.3.E.1.D.C. Ltd. F		The State of the S	
	78 ³			

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for ac applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

*Signature, of contractor before comission of tender

witness:

Address :-Occupation:

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar-Dated the

day of

signature of the office. accepting the tender

Acceptances communicated on.....

signature of the part) taking the tender

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shape throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to $\frac{1}{2}$ percent authorised agents are fully On the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the sai estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to bo paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amountin to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer of belief on the Biha Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start to felled, and be absolutely at the disposal of Government. Jax Ixumer

16-05-17

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another
 contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had
 been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original
 contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be recessary in proper. The Executive Engineer shall at the same time inform the contracts whether her, Patna claims compensation for the delay.

AJ9Y Kanor

00 10

So

Final certificate

*5 fo

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due of there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in sovernment security the same or sufficient portion thereof in this case sold for the purpose with materials supplied to the contractor shall remain the absolute postly dicovernmentand shall not on any accounts he removed from this site of the war and shall at all times be open to

Stores supplied

Government

16-05-17

1

0

10

10

Engineer of the circle will be final.

(11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

determination of the rates as aforesaid according to such rate or rates as shall be fixed

by the Engineer-in-charge in the event of a disputes the decision of the superintending

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by the carried out. of any alternation having been made in the original specification, drawing designs and td, Patna

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

ation in or restriction of

instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

tion and compensation payable in case

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: - All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or serval ts shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains relection or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shanglappen to the sous 7, by work, while in progress from any cause whatsoever the source of the source apparent in if within three months (six months in Depose of a road-work) after a certificate final or other of its completion shall have been by the Engineer-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the plantladder scaffolding Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be enutted to recover or be paid to any work therefore actually performed the under contract.

to recover or be paid to any work therefore actually performed the unger

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

16-5-17

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumpayable to him under the provision of this clause.

Action where specification.

no

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

id. Paina

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness

AJ97 1cm

Ajay (com C

8

(15)

Schedule XLV - Form No. 61

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

0	Particulars	Rates at which will be characteristic.	ch the materia arged to the ractor	al .	Place of delivery
0		Unit	Rs.	P.	
0					
(C)					
0			Service and		
(t)				l.	
0					
led .					
1		A Liber St.		3.4	
ie)					
0			Carrie va		
0		M 344 E E			
D .					
0					
5)					Surgery Av.
)					
)		Jes Rafe Landaue			The state of the second at the
0					
0					
0)	The state of the		444		
0					
0					
0					0

Note:-The person or firm submitting the tender should see that the rates in the above so filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

AJ9X Luner

(6 - 5 - 17

(Signature of Contrator)

Chief Engineer
(Bosatule Of Executive Engineer)

16/15

A Manie of None : Construction of Black Resource Centre of Chief Engineer 8.S.E.I.D.C. Ltd. Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. DISTRICT NAME OF INSTITUTE **BLOCK** No. MADH 1 BLOCK RESOURCE CENTRE **GAILARH EPURA CIVIL WORKS** SI. SOR Rate Amount Item of Work Qty. Unit No. Item No. (Rs.) (Rs.) 3 4 5 6 7 PILE WORKS 1 20.2 Boring, providing and installing bored castin-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap). 300 mm dia Piles Rs. One thousand three 20.2.1 hundred nine and paise 0.000 1309.30 thirty only. meter 400 mm dia Piles Rs. One thousand five 20.2.2 hundred twenty three and 0.000 meter 1523.20 paise twenty only. 450 mm dia Piles Rs. One thousand nine 20.2.3 hundred seventy eight 0.000 1978.80 and paise eighty only. meter 500 mm dia Piles Rs. Two thousand three 20.2.4 hundred six and paise

0.000

0.000

meter

meter

AJ94 Kund

600 mm dia Piles

20.2.5

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Slechwarf

1615 16105117

2306.60 sixty only.

2996.10 paise ten only.

Rs. Two thousand nine hundred ninety six and

70 N.

Alay Icania

U

Chief Engineer
B.S.E.I.D.C. Ltd. Palna

	20.2.6	750 mm dia Piles				Rs. Four thousand two
	20.2.0	730 mm dia 1 nes				hundred nineteen and
- n			0.000	matan	4210.70	
			0.000	meter	4219.70	paise seventy only.
					/	
2	20.3	Boring, Providing and installing cast in situ				
		single under reamed piles of specified				
		diameter and length below pile cap in M-25				
		cement concrete, to carry a safe working				
		load not less than specified, excluding the				
		cost of steel reinforcement but including the		- 1		
		cost of boring with bentonite solution and				
	75.7	the length of the pile to be embedded in pile				
		cap etc. all complete. (Length of pile for		D. HON		
		payment shall be measured upto to the				
		bottom of pile cap):				
	20.3.1	300 mm dia Piles				Rs. One thousand nine
1.14	20.3.1	300 mm dia i nes				The second section of the second section of the second section is a second section of the second section section is a second section of the second section sec
			0.000	matan	1024.20	hundred thirty four and
	20.3.2	400 mm dia Piles	0.000	meter	1934.20	paise twenty only.
	20.3.2	400 mm dia 1 nes				Rs. Two thousand two
			0.000	motor	2225.20	hundred twenty five and
	20.3.3	450 mm dia Piles	0.000	meter	2223.30	paise thirty only.
	20.3.3	430 mm dia 1 nes				Rs. Two thousand three
			0.000	motor	2207.50	hundred ninety seven and
	20.3.4	550 mm dia Piles	0.000	meter	2397.30	paise fifty only.
	20.3.4	330 mm dia 1 nes				Rs. Two thousand six
			0.000		2605 10	hundred five and paise
			0.000	meter	2605.10	ten only.
3	20.4	Extra over item No. 23.3 for providing		72 17 1		
3	20.4	additional bulb in under reamed piles, under				
Barria B		specified dia meter				
		(Only the quantity of extra bulbs are to be				
		paid).				
		pard).				
	20.4.1	300 mm dia Piles				Rs. One thousand two
						hundred forty and paise
			0.000	Each		ten only.
	20.4.2	400 mm dia Piles	7			Rs. One thousand three
1 1					R.	hundred seventy three
			0.000	Each		and paise eighty only.
	20.4.3	450 mm dia Piles				Rs. One thousand four
						hundred fifty four and
			0.000	Each		paise eighty only.
	20.4.4	500 mm dia Piles				Rs. One thousand five
						hundred ninety seven and
			0.000	Each		paise twenty only.
			0.000	Ducii	1371.20	parse twenty only.

AJay 1cmm

U

 Θ

 Θ

assurption your idon self.				
				0
				0
				0
			the minimum specific mediant in the	
			lating of balanceur, and an olive out to mighted sub-	
				0
			lari of organization of the second	
			E STATE OF THE STA	0
Present with a parlant				
				U
				. 0
				0
2005-10 ten outv		(inner)		
				0
			althivory lift is ELL of Local after most	
				0
			runing till kind to selle	
	1			
			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
				1
			Confidence age	
				0
a period of the state of the st				
				. 0

Chief Engineer
- 8.5 E.I.D.C. Ltd. Paina

100			12			
EAR	THWORK	IN EXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM		cum	205.20	Rs. Two hundred five and paise twenty only.
5	2.29.1	Surface dressing of the ground including	310.330	Cum	203.20	
		removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	136.410	100 sqm	718.800	Rs. Seven hundred eighteen and paise eight only.
EA	RTH FILL	ING				
6	2.26	Filling available excavated earth (excluding				
		rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM				Rs. Sixty six and paise forty only.
			188.980	cu.m	66.40	
SA	ND FILLI	NG				
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM				Rs. One hundred ninety two and paise fifty only.
		TOTAL QUANTITY = 119.81 CUM	119.810	cu.m	192.50	
FLAT	BRICK SO	DLING				
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM				Rs. Two hundred twenty seven and paise sixty only.

AJay Iconer 16-5-17

U

Ö

 Θ

Juncos

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

| Section | 16/25/17

	1.00		
			and before as the management of settings of the 1982 of the
			And brighted the Land
			have allow thought an applied and and the refer to the first
			AND A PROPERTY PROPERTY AND LANCES
		GIRBELL	AND THE PERSON OF THE PERSON O
			DALLOS MARINES

90/2

FI - 2 - 21

 Θ

Chief Engineer 2.S.E.I.D.C. Ltd. Pathe

			13			
	P.C.C.					
9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM	13.000	cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
10	4.1.4	Providing and laying in position cement	13.000	Cu.III	2113.10	
		concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	11.720	cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
	FLOORING		11.720	cu.m	3219.70	
11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM				Rs. Eight hundred one and paise eighty only.
			46.040	sq.m	801.800	
	WALL TILE	S		~ 1,	227.000	

AJay Kurur 16-5-17

 Θ

1/1/02

Chief Engineer

B.S.E.I.D.C. Ltd., Patpa

Plant | Section |

16| 5 | 16| 5 | 17

		to Legis D. Charles agreed to treat the great		
		regarding and their september of the		
		The State of the Second Second		
		booth basely. Singer Strengel ben smitter !!		
" vino artois salestoni				
		YOU BY THE TIER OF A LIE SOME		

AJOY YOUR

 \bigcirc

Ó

Ó

F1 7-71

CYNTY.

Chief Engineer
B.S.E.I.D.C. Ltd. Patns

			14			
12	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM				Rs. Seven hundred fifty four and paise twenty only.
			188.874	sq.m	754.200	
13	RING & SK					
15	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM				Rs. Nine hundred sixty eight only.
	4		281.852	sq.m	968.00	
14	11.27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm				Rs. Nine hundred twenty seven and paise fifty only.
			74.37	sq.m	927.50	
15	8.3.2	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work				Two Hundred Thirty Nine and paise ten only
4.1			0.00	М	239.10	

AJAY Kune 16-5-17

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

			0
			0
		alter marginet topics which complete	
			10
			0
			0
			0
			0
			U.
			- 0
		protection and first the state of them)	
		Sass will be the late was said the	C
			0
		Max (28 PT)	
			0
Position between a conf.		madiges and rend jointed with the salake to	
		- Julia heater central	0
		Color sale to selecte the dollars interesting	
		no vendo guivetto	U
		polishing a sylve. Denily of advance for	
			0
		For an experience of the partition of the late	
		minus of appointing a second of periodical	
		a sure swall in the artist residence of several sure	
The but has bus said			. 0
			U

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

			15			
WORI	K BELOW	PLINTH LVL.				
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK A	BOVE PLINTH LVL.	/		/	
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (Icement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
			20.510	cu.m	5666.20	
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM				Rs. Three thousand four hundred thirty eight and paise ninety only.
			0.930	cum	3438.90	

AJay 1cma 16-5-17

 \odot

 Θ

Chief Engineer
B.S.E.I.D.C. Ltd. Patnay 16/05/12

		PARTY B WITHOUT A
The an be based		
		Liquid phononing pollute of the south of
		treat and outs with the both and much
		Dediction in the Secretary of the Control of the Co
		- MOSTABLE - WORLDING - 2057 SOWI-
		get the distriction and laying in position specified produced for the principal specified
		riva le lattimuo non DS primarved
		Entorope stance of the stance of
		내 그렇게 하고 있는 것은 사람이 있는 그렇게 된 사람들이 생생하고 있었다는 [2]

U

Chief Engineer 8.S.E.I.D.C. Ltd. Patna

0				16			
	19	5.3	Reinforced cement conrete work in				
0		+	beams, suspended floors, roofs having slope				
0		5.33B.4	upto 15, landings,balconiec, shelves,				
		+	chajjas, lintels, bands, plain window sills,				
0		5.33B.1	staircases and spiral stair cases upto floor				
			five level excludingthe cost of centring,		- Y-5		
			shuttering, finishing and				-7.5-27.5-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3
0			reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm				
JE ;			nominal size).				Rs. Four thousand five
0			Add or deduct for providing richer or leaner				hundred eighty one and
0			mixes respectively at all floor levels.				paise twenty only.
9			Providing M-15grade R.C.C instead of M-				
0			20 grade R.C.C.				
			Proiding M-25 grade R.C.C. instead of M-				
0			20 grade R.C.C.				
ò	4-15		= 100.44 CUM				
0				100.440	cu.m	4581.20	
0	Bl	RICK WOR	eK				
0							
	20	6.1.14A	Brick work with bricks of class designation				
0			100A in foundations and plinth in cement				
			mortar 1:6 (1cement :6 coarse sand)				Rs. Three thousand nine
0	1		= 39.878 CUM				hundred ninety two and
0							paise ninety only.
				20.070	3 S. C. L. A	2002.00	
Θ	21	6.1.14A	Brick work with bricks of class designation	39.878	cu.m	3992.90	
0	21	+	100A in foundations and plinth in : Cement	/		/	
		6.3A	mortar 1:6 (1 cement: 6 coarse sand)				
0			Extra for Brick work in superstructure				Rs. Four thousand four
	-7		above plinth level upto floor V cum				hundred twenty seven
0			= 160.082 CUM				and paise fifty only.
0							
9				160.082	cu.m	4427.50	
0	22	6.18.4A	Half brick masonry with bricks of class				
		+	designation 100A in foundations and plinth		1 4 4 7		
		6.19A	in : Cement mortar 1:4 (1 cement: 4 coarse				Do Cina la del del
			sand)				Rs. Five hundred thirty
			Extra for half Brick masonry in				eight and paise thirty
0			superstructure above pinth level upto floor V level.				only.
	- 3 5		= 134.043 SQM				
0			13 10 13 3011	134.043	Sq.m.	538.30	

AJay 1cmm

0

0

0

July 1º les

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

1615

16105117

Mily want withing about about approxi-				
with All stemption work below with all	THE STATE OF			
Broiding Miss grode R.C. C. 201 of N.				
nothergreen and the Plant drive (No. 1 (1.68))				
	Insurance file			
	Inserved til (for			
	Insumito (i)			
100.5 in femiliations and plinify in consum relation 1. or feed on a section south	Transaction (III)			
The value of the second second plants is consent to the second se	Instruction (i) (i) 318.98	O Sext		
the rain femiliations and plinit in consum to the rain of the rain of the rain of the design and the rain of the design and the rain of th	Instruction (i.e., 1878). See All Comments of the Comment of the C			
1900 y in femiliations and plinity in consumt necessary south and one of the second south for the second south for the second south in a consent south for the second south in a consent south for the second south in a consent south of the second south s	Instruction is a second of the			
1995. In femiliarions and plinib in consum notation of the constant of the con	Instruction is a second of the			
1900 y in femiliations and plinity in consumt notices of the consumt of the consumt of the consumption of the consumitions and summy to a consum summer of the consumeration of the construction of th	Instruction is a second			
The committee of the committee of the plant of the committee of the commit	Transition (i) BCS MS THE CHARLEST OF (b) WILLIAM THE TREE TO CHARLEST OF (c) THE CHARLE			
manus ai plinite force encountent of 7,001; construct the encounter of the encountered of the construction of the encountered	Transition (in the control of the co			
manuscription of the manuscription of the state of the manuscription of the state o	The content of the STA THE STATE OF THE STAT			
manuscript description encountries of 1901; contract the encountries of the encountries	The content of the STA THE STATE OF THE STAT		ton again seisen	
manuscript description encountries in 2.001; the encountries of the en	The section of the se		the second lead and considered and c	
marking at the property of the stand and the	The service is a service in the service is an analysis of the serv		ton again seisen	
manuscription of the manuscription of plants in consum the manuscription of the manuscription	The service is a service in the service is an analysis of the serv		the second lead and considered and c	
marking at the property of the stand and the	The service is a service in the service is an analysis of the serv		the second lead and considered and c	

0.

0

Chief Engineer 8.S.E.I.D.C. Ltd. Patna

	9
•	_
ı	

0				17			
0 0	23	6.21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM				Rs. Seventy five and paise ninety only.
0				134.043	Sq.m.	75.90	
0	24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1::4 (1 cement: 4 coarse sand)				Rs. Four thousand one hundred eighty four only.
0	141		= 8.75 CUM	8.750	cum	4184.00	
0	PL	ASTER WO	DRK	/			
0	25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
0	26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM				Rs. One hundred eighty five and paise sixty only.
0	27	12 11 4		16.650	sq.m	185.60	
0	27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580	sq.m		Rs. Eighty nine and paise thirty only.
0	28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing		oq	07.50	
0			water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM				Rs. One hundred forty five and paise fifty only.
0			SELTIC TAINK - 32.02 SQIVI	52.820	sq.m	145.50	
0	29	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	/	Rs. Seventy seven and paise forty only.

AJax kms 18-5-17

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Slewey

				0
				0
				0
				0
				0
				0
				0
				-
				0
				1 20
				0
				0
				0
		Moderne		
				0
		Company to the same make the sty		0
				O
				0
		PADE WILLIAM STANFORD STANFORD		
				0
				0
				0
			1.51.24	0
		na taganaha andagan sasar		
				0
				-
				0
				0
				0
				0
				0

Alax Love

Chief Engineer
8.3.E.L.D.C. Ltd, Patna

			10			
30	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc. = 136.41 SQM				Rs. Two hundred thirty two and paise ninety only.
			136.410	sq.m	232.90	
FINIS	SHING WOI	RK				
31	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM				Rs. Sixty eight and paise eighty only.
			836.658	sq.m	68.80	
32	13.80A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2266.768	sq.m	118.70	Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM				Rs. Sixty four only.
	12		1430.110	sq.m	64.00	
34	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and	/		/-	Rs. Twenty five and

AJ94 1cm

11/6 PS

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Phys. | 16/05/17

				C
			Estende Messel primarily or year mouse	0
				0
				0
				0
				0
				0
			business agreed they gere Sunoand	. 0
			stom to cally from up. of the bottom	
				0
				0
			ange of a 10.50 to being a same	
				0
				0
				0
				0
visits timevas				
				Θ
	GT IN CO			0
				0
				0
			ปกครั้ง เกรเล เกรเลขาย แล้วสมโดเลือนสุดเล	
				0
			DOMEST OF LIAM DESIGNATION	
				0
				0
				0
				0
				9
				0

Chief Engineer 8.S.E.I.D.C. Ltd, Patna

iron/steel work. 105.728 SQM)				19			
36 13.93.1 Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM 221.408 SQM 50.90	0	35	13.81.3	zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.	105.728	sa.m	21.30	
37 10.14.1 Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG 38 9.21.1 Providing and fixing flush door shutters conforming to IS : 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well matched commercial 3 ply veneering wiln vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM 39 9.119.1 Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm		36	13.93.1	approved brand and manufacture to give an even shade two or more coats on new work	/		/	Rs. Fifty and paise ninety
doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG 38 9.21.1 Providing and fixing flush door shutters conforming to IS : 2202 (Part-I) non- decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wilh vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM Rs. One thousand eigh hundred twenty three a paise eighty only. 48.195 sq.m 1823.80 9.119.1 Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH)	27	10.14.1	Descriding and fiving Time from for	221.408	sq.m	50.90	
blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG 38 9.21.1 Providing and fixing flush door shutters conforming to IS : 2202 (Part-I) non-decorative type,core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM 39 9.119.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH)	37	10.14.1	doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10				
plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG 38 9.21.1 Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM 39 9.119.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH)			blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20				
9.21.1 Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM Rs. One thousand eigh hundred twenty three a paise eighty only. 48.195 sq.m 1823.80 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH				plugs and screws or with fixing clips or with bolts and nuts as required including				
conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM 48.195 sq.m 1823.80 Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH					339.675	Kg.	75.10	
wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM 48.195 sq.m 1823.80 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH)	38	9.21.1	conforming to IS: 2202 (Part-I) non- decorative type.core of block board				
hundred twenty three a paise eighty only. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM 48.195 sq.m 1823.80 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH				wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands				Rs. One thousand eight
= 48.195 SQM 48.195 sq.m 1823.80 Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH Rs. Sixty six and paise fifty only.)			35 mm thick including anodized aluminum butt hinges				hundred twenty three and paise eighty only.
9.119.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH								
9.119.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH								
type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH Rs. Sixty six and paise fifty only.)	39	9.119.1		48.195	sq.m	1823.80	
				type) with necessary screws etc.complete 250x10mm				Rs. Sixty six and paise fifty only.
	,			10 ± 2 , BUILDING = 44 EACH	44.000	each	66.50	

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

| Skiller | Ski

		er.		0
			the origin to covering works a submode trust	
				-0
ylan ytimit				
				0
			to mise thereto produce the primary like it is not	0
document being with a selection				0
				0
				0
				0
				11/2
			may to brown to a to all in the following sections:	10
				0
			The Megagin and Charles and Committee of the Committee of	0
			essile instruitori mad	
				0.
			directors with the first to so the laterality.	0
			supplied in the second of the	
				0
			56 P. 2.3 til. Providing side dalay alter alber signers	
			bacomive 'speacon or beeck fivard	0
				10
			about the rest of the state of	
				-0
				0
			5	0
				0
			Was the Committee of th	. 0
				-0

MINT KOLA

F1 -7 -11

Chief Engineer R.S.E.I.D.C. Ltd, Patna 10.

-	-
-)	\sim
/	u

			20			
40	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
41	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22,000	anah	92.70	Rs. Eighty two and paise seventy only.
42	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	82.70	Rs. One hundred seventy seven and paise forty only.
S	TEEL WOI	RK			/	
43	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws				Rs. Three thousand two hundred seventy and paise sixty only.
		instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows. = 95.715 SQM				

AJAY KMY 18 15.17

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Okthorusty 16/05/17

			HOATH ONE PIE	0
				0
			I Carrigant monoduite gold bus and on the 1250 - 1	
				0
				0
			Line condres treatment to brook a state of the conditions of the c	
			The state of the s	0
				0
	1,245.74			
				0
			AROW FIRST	. 0
				0
				0
				0
			strapeos futuros de traffigites and facti	
				0
				1:1
				Θ
				0
				0
He stransferrer at less of interest in the contract of the con				0
				9
				0
			Later to the total and the second	0
				0
				0
				0
				0

Chilef Engineer B.S.E.I.D.C. Ltd. Patna 2/6/

)			21			
44	10.12.1 + 10.13C	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM				Rs. Three thousand two hundred seventy seven and paise sixty only.
			2 240		2277.60	
45	9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG	3.240	sq.m Kgs.	91.50	Rs. Ninety one and paise fifty only.
46	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.		Kgs.	91.30	
		TMTC-500				
	5.22.7A	Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	Rs. Seventy four and paise forty only.
	5.22.7B	Thermo-Mechanically Treated bars TMTC-500 10mm dia			/	Rs. Seventy three and

AJay Jemer

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
40, Jk.hov
16/05/17

					.0
					0
					U
					0
					0
					0
					0
			to broat him the Bridge want of Assessed		U
					0
					0
र प्रकार है जिस्सान है है है			here are continued to the second the		0
					0
					0
					-0
					0
					0
					0
		Takeen			C
					C
			A prince pales to the market A		
			Surlines and magning of semilines and true		0
					e
					0
					10
					0

Chief Engineer B.S.E.I.D.C. Ltd, Patna CHC. 12/1/20/31

			22			
	- 5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG	71.80	Rs. Seventy one and paise eighty only.
	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH				Rs. One hundred twenty one and paise eighty only.
			42.000	Each	121.80	
48	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG		kg.	91.10	Rs. Ninety one and paise ten only.
49	10.5	Providing and fixingin position collapsible steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.				Rs. Four thousand one hundred fifteen and paise sixty only.
		approved steer primer.			4115.60	

Chief Engineer
B.S.E.I.D.C. Ltd. Patna
1105
16/95/17

PART run parker street in the second of			
		No. of	
mornition on being comple but any brought			
			K., Cho bruisis
			The stage has seen
	W.		
			to neugificial state
to sees comme a galatine administrati-			
Charles Service Control			

Chief Engineer B.S.E.I.D.C. Ltd, Patna C.L.C. 2.8

			23			
50	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM				Rs. Three hundred nineteen and paise thirty only.
			75.414	sq.m	319.30	
SI	HUTTERI	NG	/		/	
51	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM				Rs. One hundred sixty six and paise seventy only.
			55.781	Sqm.	166.70	
52	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM				Rs. Two hundred fifty one and paise thirty only.
		347.241 3QM	349.241	Sqm.	251.30	
53	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM				Rs. Three hundred forty four and paise forty only.
<i>5.1</i>	5.0.2	Continue and aboutoning including strutting	367.575	Sqm.	344.40	
54	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM				Rs. Two hundred seventy five and paise sixty only.
		- 431.34 SQWI	451.540	Sqm.	275.60	
					Total	5,716,706.85
					Total (A)	5,716,707.00
Plu	mbing	and sanitary Work				
55	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to				
		IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				

AJay

0

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehour J

1615 16105/12

			browner than our limited mobile testing	
			MO2 185 - F. 3	
			gmillion, griske jani ser savus, kom prática d	
the trul pring hone and			da.E	
			MOS STORMS	
			1988年4月16年	
		7		

ALLY ICENS

1

0

0

Chief Laglaser B.S.E.I.D.C. Ltd, Patna

0	
7	
-	-

			24			
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundred fourteen and paise twent only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				
	SOR 12.79.1	Coupler				
	SOR 12.79.1.2	110mm = 10 MTS	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
	SOR 12.79.5	Bend 87.50 ⁰				
	SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred sevent three and paise seventy only.
	SOR 12.79.6	Shoe (Plain)	/			
	SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.
57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.				Rs. Three thousand thir five and paise forty only

AJay Kumar

U

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

1615

1605/17

SOR Ellipse Send			
			vin Mily lan 55 (A
SOR SHOWING			
SOR I Draw Stue			La be send and bad
			neithear and p
			in a damit groups
110000			
		ALERES.	

U

Chief Engineer E.S.E.I.D.C. Ltd, Patna Sigl

)			25			
58	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
59	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only.
60	SOR 17.34 SOR 17.34.2	Provding and fixing toilet paper holder Vitreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.
61	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	1	Each	2120.300	Rs. Two thousand one hundred twenty and pais thirty only.

AJAY Kumor

0

Chief Engineer

B.S.E.I.D.C. Ltd., Patra

219

16/05/17

		C
		0
		0
		. 0
		0
		0
		0
		- 0
		0
		O
		0
	and the second of the second country	0
	tons allow our blog gastien by your thin	0
		0
	Kings of two satisfic being with a fractification	
Mass our moderns	Same State and Sample Same State Sta	0
	idakku dhishelli . mare tari	
		0
		0
ment bring the three product than		
		0
	St. aged telling Press M. J. met. of Scholastill	0
	Lington instance will provide a sum of the same	0
		0
		0
	-paragraph and	0
		0

Chief Engineer

ALLY KINGER

0

0

Chief Engineer
8.S.E.I.D.C. Ltd, Patna

0				26			
0	62	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
0 0	63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			/	
0 0 0		17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
0 0 0	64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH				Rs. Six hundred forty three and paise forty only.
0				12.000	Each	643.400	
0 0	65	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH				Rs. Four hundred seventy eight and paise thirty only.
0				12.000	Each	478.300	
	66	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER				Rs. Two hundred forty one only.
				50.000	metre	241.000	

AJAY

0

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skhoudhe

16/05/17

				(
				(
				1
				(
				1
		Secretary Commencer of the Commencer of		
	The transfer of the control of the c	The second secon	Secure of the second program of the second p	The state of the s

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Aday. Jenning

O

9	-	1
2	-	

)			27			
67	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER				Rs. One hundred ninety three and paise eighty only.
			60.000	metre	193.800	
	18.9.4	32 mm nominal outer dia Pipes	40.000	metre	251.100	Rs. Two hundred fifty one only.
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	146.400	Rs. One hundred forty six and paise forty only.
68	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.				Rs. Six and paise eighty only.
		= 4000 PER LITER	1000 000	per	6,000	
69	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931	4000.000	litre	6.800	
		15 mm nominal bore. = 12 EACH	12.000	Each	497.000	Rs. Four hundred ninety seven only.
70	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				
	18.52.1	15 mm nominal bore. = 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
71	SOR 18.58	Providing and fixing P.T.M.T. grating of approved quality & colour			/	
	SOR 18.58.1	circular type				
	SOR 18.58.1.1	100 mm nominal dia,	11	Each	47.90	Rs. Forty seven and paise ninety only.

AJAY Icumor

0

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Sk. houther

1615

16105/11

		tunceire, we trace has selfter combessed		
			1.45,076	

Chief Engineer B.S.E.I.D.C. Ltd, Paina

AJAY KEMINA

0				28			
0	72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded				
0			stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as				Rs. Three hundred twelve
0			per standard design :				and paise fifty only.
0			100 mm diameter S.W. pipe = 50 METER				
				50.000	metre	312.500	
0	73	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars			/	
			jointed with stiff mixture of cement mortar				
0			in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc.				Rs. Three hundred twelve and paise ninety only.
0			complete:				and paise innety only.
0			100 mm dia R.C.C. pipe = 15 METER				
0			13 MB1ER	15.000	metre	312.900	
0	74	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in			/	
0			cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C.				Rs. Three thousand one
			horizontal grating with frame complete as				hundred seventeen and
0		7	per standard design :				paise thirty only.
0			With common burnt clay F.P.S. (non modular) bricks of class designation 7.5				
0			= 2 EACH	2.000	Each	3117.300	

HJax Ichman

 Θ

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jk. hours

16/5/19

		100 a sa companio spesio ben'ny mandra dia m Jenggino dia mandra di	
the first care is hour			

Tagnion:

HAY ICHMAN

Ö

Chief Engineer 8.S.E.I.O.C. Ltd. Patna

			24			
75	B.S.R	Contructing brick masonry chamber for				
	19.30.1.1	Underground C.I. Inspection Chamber and				
		bend with 75 class designation bricks in				
		cement mortar 1:4 (1 cement : 4 coarse				
		sand) C.I. Cover with frame (light duty)				
		455x610 mm internal dimentions, total				
		weight of cover with frame to be not less				
		than 38 kg. (weight of cover 23 kg. and				
		weight of frame 15 kg.) RCC top slab with				
		1:1.5:3 mix (1 cement: 1.5 coarse sand :3				
		graded stone aggregate 20 mm nominal				
		size) foundation concrete 1:5:10 mix (1)				Rs. Three thousand nine
		cement:5 coarse sand : 10 graded stone				hundred forty nine and
		aggregate 40 mm nominal size), inside				paise ten only.
		plastering 12 mm th. with cement mortar 1:3				
		(1cement:3 coarse sand) finished smooth				
		with a floating coat of neat cement on walls				
		and bed concrete etc. complete as per			Training)	
		standard design.			Mary Johnson	
		Inside dimensions 466x610 mm and 45cm				
		deep for single pipe line :				
		With common burnt clay F.P.S. (non				
		modular) bricks of class designation 7.5				
		= 6 EACH				
		- 0 EACH				
			6.000	Each	3949.100	
76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre				
	19.32.1	deep with 45 x 45 cm dry brick honey comb				
		shaft with brick and S.W. drain pipe 100				
		mm diameter, 1.8 m long complete as per				
		standard design.				
		With common burnt clay F.P.S. (non				Rs. Twenty five thousan
		modular) bricks of class designation 7.5				nine hundred and paise
	18.5	= 1 EACH				ten only.
1339		- I EACH				Tel 4 2 3 10 10 11
- 4						
			1.000	Each	25900.100	
77	B.S.R	Providing and fixing S.W. intercepting trap			/	
1111	19.34	in manholes with stiff mixture of cement				
		mortar 1:1 (1 cement : 1 fine sand)				
		including testing of joints etc. complete:				
				17		D
	19.34.1	100 mm dia				Rs. Two hundred eighty
		= 2 EACH				three and paise eighty
			2.000	Each	283.800	only.
			7			
			/			

AJAY ICHMER

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Sk. hourly

16 5 16 16 105/11

	in which care trees were a second		
	1146) Zinge Seit, alzentri, zuie Obezeitk		
	for the sugarty and the		
	Table to the transfer out of the come		
	land in providing the specimen goal gain		
			nar other method and
			nar other method and
			nar can an chant all
			nar other method and
			nar ett en planet ekk Se Francische kal erin Albemen
	embry of rest will be the somewhat the company of the state of the sta		Karingan Karingan Maringan Maringan
	entry of rest of the state of t		Karingan Karingan Karingan Karingan
	and a manufacture of the same and a second of the same		Karinging all mar Bilancia marang
	emply of rest and an it to the gradual date control of the state gradual date of the state gradual date of the state of th		Karingan Karingan Karingan Karingan
	and a manufacture of the same and a second of the same		en de la company
	emply of rest and an it to the gradual date control of the state gradual date of the state gradual date of the state of th		ene de la company de la compan
	emply of rest and an it to the gradual date control of the state gradual date of the state gradual date of the state of th		ena di penganji ak Sangangangangangan Juganga
	emply of rest and an it to the gradual date control of the state gradual date of the state gradual date of the state of th		mar alt an parametri alt an familia mar Marina
	emply of rest and an it to the gradual date control of the state gradual date of the state gradual date of the state of th		ens de la cesta de la cesta La concepta de la cesta de La concepta de la cesta de

NV.

AJAY ICEMEN

Chief Engineer B.S.E.I.D.C. Ltd, Patna

4/2

			30			
78		Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring = 1 EACH	1.000	Each	60432.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only
79	ANALYSIS	NON SCHEDULED ITEMS(MARKET RATE) = EACH				
		P.V.C. PIPE = EACH				
		Provding and fixing soil,waste and vent pipes = EACH				
		110 mm dia = 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven and only.
		P.V.C. FITTINGS = EACH	/			
		DOOR TEE 110 mm dia = 4 EACH	4.000	each	365.000	Rs. Three hundred sixty five only.
		DOOR BEND 110 mm dia = 8 EACH	0.000	1	283.000	Rs. Two hundred eighty three only.
		BEND 45 ^o 110 mm dia	8.000	each	185.000	Rs. One hundred eighty five only.
		VENT COWEL 110 mm dia = 3 EACH	3.000	each	65.000	Rs. Sixty five only.
		PIPE CLIP 110 mm dia = 100 EACH	100.000	each	53.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia = 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
80	Code no. of	(i) C.I. cover and frame 300 x 300 mm inside		cuon	130.000	Rs. Three hundred seventy four and paise s
		SEPTIC TANK = 1 EACH	1.000	Each	374.060	only.
81	1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each	436.400	Rs. Four hundred thirty six and paise forty only.
82	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH	1.000	Б. 1	740 110	Rs. Seven hundred forty eight and paise eleven
			1.000	Each	748.110 Total	only. 348,404.9
			/	- 72	Total (B	

Ajay kymer

 Θ

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Mon Skehous

16/5 (6/25/1)

LONG .			
19.4			
PIEF CLESS FRANCIES			
		J. heart	

U

Chief Engineer 8.S.E.I.D.C. Ltd, Patna

		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium				
		class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor				
		single core cable etc as required.				
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-	119.000	INUS.	723.160	eighteen only.
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed				
		medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS				Rs. Seven hundred seventy seven and pais seventy only.
		PVC insulated copper conductor single core cable etc as required	3.000	Nos.	777.700	
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-	5.000	1105.	777.700	
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess,				
		including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For				Rs. Three hundred six and paise three only.
- 1		light plugs to be used in non residential buildings).				

AJay lours

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehuudt

16/5/10

		Librarian Works (174, hipping cest hat		
		fraters formed before he does not		
				F
			12 GW (1	
				1.
				(
The state of the s		Sant problem in contract of the contract of th		
				-(
				(

Chief Engineer B.S.E.I.D.C. Ltd, Patna

0				32			
0000	86	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
00000			Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.		Nos.	590.000	Rs. Five hundred ninety only.
0	87	2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-		1100.	330.000	
0 0 0 0 0 0			Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required			062.540	Rs. Nine hundred sixty three and paise fifty four only.
0	88	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-	12.000	Nos.	963.540	
	89	1.24	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required Supplying and fixing following modular type switch/ socket on the existing modular	420.000	Mtrs.	163.620	Rs. One hundred sixty three and paise sixty two only.
0			plate switch box / cover including connections etc.as required				

AJ9Y Kumor

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

JAC

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

1815

18

	plantage and by enter the strong		
	nie mesonalne grotterie en rekide kandenterie. Na policie de Maria grafikanskie distribuit in socialist.		
	Stock September and the second second		
		1 000	
	Inframent #7M XME ARC school in groups		
	Product Outer		
		1	
	American State Purel		
			dal mire et aglassi a sorti
	di ditto una rigni, divitare manual -		
	THE REPORT OF A PART OF STREET		
	minimum gormani mala lahi prondred		
	a focus gainers with no Cartes across each		

AJAY Krimm

Chief Engineer
8.5.E.I.B.C. Ltd, Patna

0				33			
0		1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
		1.24.4	5 pin, 5/6 amps socket outlet.	23.000	Each	01.010	Rs. Seventy nine and
9	45.0			25.000	Each	79.790	paise seventy nine only.
0	90	1.14	Circuit / Sub-main wiring in PVC Conduit:-			/	
0000			Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
		1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.	107.060	Rs. One hundred seven and paise six only.
		1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Witis.	107.000	Rs. One hundred thirty
0				350.000	Mtrs.	132.310	two and paise thirty one only.
0		1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)			/	Rs. Three hundred ninety two and paise eighty nine
0		1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	54.000	Mtrs.	392.890	only. Rs. Six hundred two and
				10.000	Mtrs.	602.970	paise ninety seven only.
0	0.1		S/F 'C' series SP MCB:-	/		/	
0	91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
0		2.10.1	6/32A, Single Pole	36.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
0		2.10.3	6/32A ,DP	2.000		160.500	Rs. Four hundred sixty three and paise fifty nine
	92	2.13	S/F TPN MCB:-	3.000	Each	463.590	only.
0			Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				
0			commissioning etc. as required				

AJay Kmar

0

0

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehwahr

1615 1612712

			and the state of t	
gains Secoly and Colle.				
			puole grupe organise kuuse to garani Rossa is wayot er or district zeto disessibili.	
			pline and the season but had been 2001	
			Thirt and to discuss the	
			and hi can represent the steer accommendation of	
	-7		with the countries with	

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

			,	
1	ሓ	/	٦	
6	/	-	Ť	

0				34			
0		2.13.2	63 A,TPN				Rs. Six hundred seventy six and paise seventy
0				3.000	Each	676.700	only.
0	93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto				
0			300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
0		2.15.2	40 Amp.				Rs. Two thousand one hundred forty four and
	94	2.8	S/F TP MCB DB:-	3.000	Each	2144.230	paise twenty three only.
0	94	2.8	Supplying and fixing of following way, horizontal type three pole and neutral,				
0			sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with				
0			tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate,				
0			interconnections, phosphatized and powder painted including earthing etc. as required				
0			(Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.				
0							
0		2.8.5	4 Ways (4+12 ways) double door				
Θ							Rs. Seven thousand four hundred thirty and paise
0							fifty seven only.
	0.5	1.00		3.000	Set	7430.570	
0	95	1.33	S/F Ceiling Rose:-				
0			Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and paise forty three only.
0	96	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
0			Supplying and fixing batten / angle holder including connection etc as required.			/	
					7-7-3-1		

AJay 1cma

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skinnul

16/65/134

			Juneau ser, senta vena, godine co-se di
			CONTROL OF FIGURES OF STATE
			qu. Ori
Land of the Lord o			
			Limited by the state of the sta
			the amond manufacture of the Joseph Profession
			are'n timele slightdoorsie met min mille
			operage the material state and an artist of
			HillostovaltundonAtenary t
	UP, IV		

B.S.E.I.D.C. Ltd, Patna

97	1.25	S/F Modular type electronic fan regulator:-				Rs. Two hundred eighty six and paise eighty four
			24.000	Each	286.840	only.
		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.
99		Telephone Wiring in Existing Conduit:-				
	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.				
	1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
		EARTHING				/
101	5.6	COPPER EARTH PLATE ELECTRODE:-	/			

AJay (cumo

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Show of 16/25/17

		35		
	Tel Mutule e ou electronic fan rechald			
			1000	
	formula templem to 2 Newsylve	7		
		190 yr (-).		
	eacoat tun manuaris annes e			

U

Chief Engineer B.S.E.LD.C. Ltd, Patna

0				36			
0 0			Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.				Rs. Nine thousand three hundred eighty four and paise ninety two only.
0				2.000	Each	9384.920	
0	102	5.10	P/F 25 x 5mm copper earth strip in pipe :-			/	
0			Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I.				
0			pipe from earth electrode including connection with brass				Rs. One thousand ninety
0			nut, bolt, spring, washer excavation and re- filling etc. as required.				two and paise eighty two only.
			inning etc. as required.	12.000	Mtrs.	1092.820	
0	103	5.14	P/F 25 x 5 mm copper earth strip in surface/recess:-			/	
	.3						
0							
0							
0			Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
0	104		Cable Laying of 1.1 KV & 11 KV :-	24.000	Witis.	804.300	
0 0 0		7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
0		7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise two only.
	105		G.I. Pipe for Cable protection:-				
0		14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand)				
0			including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				

AJAY

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

19 Schwall

16/25/12

		96		
	from the many open at least a new catellers and			
	this to got but I the light to read			
	but his majoralize teleskal a a specific and			
			007 1 08	
	sina betsteam 3.44 radiuma ngo to sinkasi i			
	gransidus laus matericus gailleteil			

Chief Engineer R.S.E.I.D.C. Ltd. Patna

Ö

	14.14.2	150 mm dia	34			n m 1 1 1 1 1 1 1
	14.14.2	130 mm dia				Rs. Three hundred eighty seven and paise eighty
1			10.000	Mtr.	387.840	four only.
106	9.1	1.1 KV Cable End Termination:-Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of	/			
	9.1.22	1.1 KV grade as required. 3.5 Core 50 Sq.mm.				Rs. Two hundred seventy two and paise seventy
			2.000	Each	272.700	only.
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable			/	
		aluminium conducter.				
		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse				
		switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle				
		panel, making connections, etc. as required.				
	2.1.2	63 amps,TP&N, HRC				Rs. Two thousand two
			3.000	Each	2260.380	hundred sixty and paise thirty eight only.
109	2.5	S/F Busbar Chamber:-				
	2.5.3 B.S.R	Providing and fixing following capacity busbar chamber with 4 strips of suitable size				
	2009	made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required.				Rs. Six thousand two hundred twenty two and paise sixty one only.
		200 amp.TPN		E		/

AJay Kum

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

2404

1615

1615

1615

16105

171

		Eduran Oct			0
					0
				E741.	
		line ware realize gradien bein graniques			
					0
					0
					0
					0
					0
The state of the s					0
					O
					0
					0
					0
7,100 -601					
					0
					0
					0
		interest interesting the public in a state to			
		pacul. Milliong charactures.			
					0
		Part Field ages of			
					0
					0
					0
					0
- Six Summer Six of		Alle de pour des contragas du titut			
					0
					0

MIN YELA

0

0

Chief Engineer
S.S.E.I.D.C. Ltd, Patna

ay T		>	<u> </u>			
110	2.7.4 B.S.R 2009	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps, Four pole	1.000	Each		Rs. Seven thousand nine hundred seven only.
111	6.5	Providing and fixing copper tape 20 mm X	1.000	Each	7907.000	
		3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)				Rs. Three hundred seventy nine and paise seventy six only.
			80.000	meter	379.760	
112	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required.	30.000	matan	410.060	Rs. Four hundred ten an paise six only.
113	2.2	Providing and fixing follwing rteing and	30.000	meter	410.000	
113	2.2	breaking capacity MCCB in existing cubicale panel bord including drilling hole				
		cubicale panel making connection etc as required				
	2.2.3	160 amp. 16KA	1.000	EACH	4565.200	Rs. Four thousand five hundred sixty five and paise twenty only.
			1.000	Ericii	Total (C)	503,812.7
		FIRE FIGHTING				
114	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.		Nos	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
			10.000	Nos.	7549.750 Total	75,497.5
			/		Total (D)	
		CARRIAGE OF MATERIALS			= : (2)	
115		Type of materials			Rate Incl. 1% Lab. Cess	
		Cement	139.566	МТ		Rs. Two hundred eighty nine and paise eighty seven only.

HJay Icher

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Skybully

1615

612717

		11		
			from Course Sandare, Laure Green Countrill	
			para temperatura de la companya de l	
			& not the than to one against take and could be a	
	Tons die			
			unado i de de tampo ada es	
			the transfer product the state of the state of	
			Lolumpool	
			A Roll Come (ID) 7 C.2	
			DRV, black and account 69 con female -0.80 Dr	
Julian Marketian				

U

Chief Engineer R.S.E.I.D.C. Ltd, Patna

		27				
		Sand	188.457	cum	1958.33	Rs. One Thousand nine Hundred Fifty Eight and paise thirty three only.
		Local Sand	125.918	cum	205.29	Two Hundred Five and paise Twenty Nine only
		Stone Chips	176.279	cum	1745.32	Rs.one Thousand seven Hundred forty five and paise thirty two only.
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
		Steel	18.050	МТ		Rs. Two hundred eighty nine and paise eighty seven only.
116		A COST OF MATERIAL FOR COMM. W.R.T GAYA AS PER SOR				
	Bricks		120.253	Thous.	500.70	Rs. Five hundred and paise seventy only
	Cement		139.566	МТ	1131.10	Rs. One Thousand One Hundred thirty one and paise ten only.
					Total	1,038,688.52
					Total (E)	1,038,689.00
			Grand	Total (A+	B+C+D+E)	7,683,111.73
SL. No.	DISTRICT	NAME OF INSTITUT	E		will see the see	Amount (Rs.)
1	MADH EPURA	BLOCK RESOURCE CE	NTRE			7,683,111.73
			Total Cos			7,683,111.00
	SEVI	ENTY SIX LAKH EIGHTY THREE THO	USAND O	NE HUND	RED ELEV	VEN ONLY

AJ97 Kymer

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skinsully

1815

1815

oli in lun, punti i petr.				
			a modernia.	
	1131.10			
	tisto T			
VII. 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				
ET ITT GRAFT			AND PRINCIPLE RESOLUTION PARTY OF	

MIL.

Chief Engineer
S.S.E.I.D.C. Ltd. Patna

AJ97 Kurun

Part !		s of Sl. No. 78 (Construction of 125mn t of Materials	1 x 40mm	x 90m 7	Tube well)	is given below
1	A - Cost	125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fiftee only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and paise thirty eight only.
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rs. One hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
		Sub - Total "A"				46138.3

AJay 1cm

0

0

0

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Schmidt

16/5 16/95/1)

		Assembly 18	
some tradition for the			
in and sactors in a control of the c		grinde de ar armente en model de gostales de Band Palmo, doministrar de que está en com-	
R. Danibumines extraction for the leading from the second		incoming and rising of D. paper acreptoned with the production particular acres on the table of the particular acres on the table of	
No. 1 is built of a long of the control of the cont		wide the Langit most beginned from CE to a Section 1	
		Supplying all equipments, until that internitation of hill signal rings other state matter, purposed of hills 181 matter is a supple capable of anichorus small light at the ten republic of anichorus small light states opened united of 127 150 acc files states opened united of 257 150 acc	

My M

Chief Engineer 8.S.E.I.D.C. Ltd, Patna

AJAY YOURS

13	(iv) a) Fappro Prov 32 m all C	For 40mm dia UPVC pipe 75.00 m to above For 40mm dia UPVC ribbed strainer of roved quality viding all labour & tools and lowering nm dia G.I pipe as per specificatin etc. Complete Dlying labour and developing the T/Well ave sand free discharge all complete as direction of E/I	8 24 1	mtr mtr Each	21.34	eight and paise seventy nine only. Rs. One hundred forty eight and paise seventy nine only. Rs. Twenty one and paise thirty four only. Rs. Two hundred eight and paise fifty only.
14	(iv) a) Fappro Prov 32 m all C	75.00 m to above For 40mm dia UPVC ribbed strainer of roved quality viding all labour & tools and lowering nm dia G.I pipe as per specificatin etc. Complete olying labour and developing the T/Well ave sand free discharge all complete as	8	mtr mtr	21.34 280.50	Rs. One hundred forty eight and paise seventy nine only. Rs. Twenty one and paise thirty four only. Rs. Two hundred eight and paise fifty only.
	a) Fappro	75.00 m to above For 40mm dia UPVC ribbed strainer of roved quality viding all labour & tools and lowering rim dia G.I pipe as per specificatin etc.	8	mtr	148.79	eight and paise seventy nine only. Rs. One hundred forty eight and paise seventy nine only. Rs. Twenty one and
13	(iv) '	75.00 m to above For 40mm dia UPVC ribbed strainer of			148.79	eight and paise seventy nine only. Rs. One hundred forty eight and paise seventy
			. 14	mtr		eight and paise seventy
			14	mtr		eight and paise seventy
12						Rs. One hundred forty
	(iii)	61.00 m to 75.00 m				
11	(a) F	For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirt six and paise eighty eigonly.
	(ii)	30.5 m to 61.0 m				
	(i)	0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise through
10	(1	b) for 40 mm dia UPVC pipe				
9	(a) F	For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seventy seventy.
	(i)	0 to 30.5 m				
	redu x U. of st etc. tools	ing by jet dheki by suitable cutter of ace as the case may be lowering 125 mm .P.V.C x 40 mm dia G.I pipe & strainer tandard quality iron, shoe, plug & socket all complete including providing all s and plants required for the job as per cification and direction of the engineer harge.				

Tender approved in favour of Ajay Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ Rate i.e. total amount comes to Rs. 69,14,800=00 (Rupees Sixty Nine Lacs Fourteen Thousand Eight Hundred Only)

AJay Jemes

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Skiboulty

1615

16105112

					0
					- 2 1
					0
				Company of the firm of the Control of the	0
				ng dan shugan sa ta nan sa kan ba bata a la sa	
				The real facilities of the region of the last section	0
					0
					0
	ris a substitution in the				0
		reality is		The state of the s	0
					0
				equip 1891 Left courses sol to	the last
	behand ScO 28.				0
					0
					0
					0
					0
					0
				They Note building the Car	0
					0
					0
					0
				anterauli basaret ganoret lutjulit e Ir	0
					0
					0
٠					V
				la la en l'impegallo esperato la estra bissione de la company. La companya de la com	
					0
					0
					0
				refinancialys i	0

Chief Engineer B.S.E.I.O.C. Ltd., Patna

Performance Security

Name of Agency – "Ajay Kumar"

Performance Security of "Ajay Kumar" of "BRC-Gailarh(SL. No.-108)"

NSC No	DOI	Reg. No.			Amount
24EF528648-52	04.05.13	520113	10000*5		50000.00
31EF 913324	11.07.14	555114			10000.00
31EF 913325	11.07.14	555114			10000.00
Passbook No.					
991085	19.01.15				100000.00
FDR No.	DOI				Amount
110400DP00011208	17.11.	16 To 17.11.1	17		200000.00
110400DP00011244	17.11.	16 To 17.11.1	17		20000.00
110400DP00011253	17.11.	16 To 17.11.1	17		5000.00
110400DP00011262	17.11.	16 To 17.11.1	17		5000.00
				Total	400000.00

(Rupees Four Lacs Thousands Only)

0

0.

0

0

0

0

0

0

लेखा पदाधिकारी बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

21/02/17

Ajay como

16/21/

Chief Engineer B.S.E.I.D.C. Ltd, Patna

16/5

लेखा पदाधिकारी बिहार राज्य जैक्तणिक आधारभूत संस्थाना विकास निगम लिए, पटना

Chief Engineer B.S.E.LD.C. Ltd. Patna

AJOY KEEL

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking) Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

<u>Letter</u>	of	Acce	ntance
			PACCATE OF

Letter no :- BSEIDC/FIN/2563/2016-17/-

29.10.16

To,

Ajay Kumar, Vill+P.O.-Baijnathpur, P.S.-Sour Bazar, Distt.-Patna.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Gailarh, Madhepura (SL. No.-108 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 69,14,800=00 (Rs. Sixty Nine Lacs Fourteen Thousand Eight Hundred Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,98,000=00 (Rs. Three Lacs Ninety Eight Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

29-10-2016 (Brajesh Prasad)

Memo no: BSEIDC/FIN/2563/2016-17/-10448 Chief Consultant (Technical)

Date: .. 29:19:16 Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC

website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2563/2016-17/-

Memo no: BSEIDC/FIN/2563/2016-17/-

84401

89-10-2016 Chief Consultant (Technical)

Date: .. 29:10:16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

10448

184-10-2016 **Chief Consultant (Technical)**

Date: 29.1016

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

14-10-8016 Chief Consultant (

Chief Engineer S.E.I.D.C. Ltd, Patna

AJAY Junes

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.	
Shiksha Bhawan, Bihar Rastrabhasa Parishad Camous, Arbarya Shiy Pilian Sahay Batti, Saldaya	0
Cor ID No.2 USGRAUGROOTISGCOISSES. c-mail: beside grandl.com, website: why beside in, Fax No.: 0012-2610256	0
	0
Lotter no :- BSEIDC/FIN/2563/2016-17/- 10448 Date	
	0
Ajay Kumar, Vill+P.OBaijnathpur,	0
P.SSour Bazar, DiattPatna.	
	0
This is to notify you that your Bid dt. 11.06.2016 for execution of	\bigcirc
"Construction of Block Resource Centre at Gailarh) Madhepura (SL, No108 of NIT No40)	0
2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of	0
10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of	0
Rs. 69,14,800=00 (Rs. Sixty Nine Lacs Fourteen Thousand Fight Hundred Only) You are hereby requested to furnish performance security including additional	0
security in the form detailed in LT.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt.	
of Smar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3.98.000=00	0
(Ms. Three Lacs Ninety Eight Thousand Only) within ten days of receipt of this letter of	0
acceptance valid upto 28 days from the date of expiry of defects liability period and sign the	0
contract, failing which action as stated in Para 31.3 of ITB will be taken. Yours faithfully	θ
	\bigcirc
	0
Chief Consultant (Technical)	0
Copy forwarded to : Sri Pankaj Kumar Singh, Computer Programmer for unloading on RELIDO	0
website/Senior Account Officer, BSEIDC, Patna for information & necessary action	0
Chief Consultant (Technical)	
Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.	0
	. ()
	0
Meno no: BSEIDC/FIN/2563/2016-17/- Poyy 8 Chief Consultant (Technical) Date: 29:12:15	0
	0
	0
Alany Verse	
C S E LD C. Ltd, Patna	

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपीरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com. website: www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरमाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15-16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:

SL.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016, 15:00 Hrs.
7	Date and Time of Pre bid Meeting – 25.04.2016, Date and Time of Pre bid Meeting – 25.05.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting $-25.05.2016$, 16:00 Hrs.
5	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016,15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08, 06.2016, 16:30 Hrs.
5	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

AJax kuna

बेहार राज्य शैक्षणिक आधारम्त

बिहार सरकार का एक उपक्रम

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail bseide@gmail.com, website; www.bseide.in, Fax No., 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.- 2,

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "움-로자터귀" on dated 10.02.2016 vide P.R.-12943 (편이刊o)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

or.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,
C	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.
m	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.
· 10	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

AJay cuncy

Chief Engineer B.S.E.I.D.C. Ltd, Patna

ALAY ICTION

U

Ó

414 राज्य शैक्षणिक आधारभूत सरवना

000000

0

0

0

0

0

0

00000000

बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

2650 Letter no.: BSEIDC/NIT/2015-16/-

Patna, Date: 1年63.16

Corrigendum No.-

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL.	Total management	A month of month of
00.	Existing provision	Amenaea provision
	Period of Sale of Bid document (Download)	Period of Sale of Bid document (Download) from
_	from dated 03.03.2016 to 28.03.2016,	dated 03.03.2016 to 30.04.2016,
	15:00 Hrs.	15:00 Hrs.
C	Last date and time for receipt (Upload) of Bids	Last date and time for receipt (Upload) of Bids on
7	on dated 29.03.2016,15:00 Hrs.	dated 01.05.2016,15:00 Hrs.
***************************************	Time and date for opening of Technical Bids on	Time and date for opening of Technical Bids on
n	dated 31. 03.2016, 16:30 Hrs.	dated 04. 05.2016, 16;30 Hrs.
	Time and date for opening of Financial Bids on	Time and date for opening of Financial Bids on
4	dated 11.04.2016, 15:30 Hrs.	dated 17.05.2016, 15:30 Hrs.
V	The Cast of BOO and EMD will be	2000 000 15 00 02 3016 15.00 Ums
7	THE COST OF BOX AND ENTER WHI. DE	THE COST OF BOX and ENTE WILL be accepted up to 04:05:2010, 15:00 1115.
Accessional and a second secon		

The other terms and conditions shall remain unchanged.

Chief Engineer

(Brajesh Prasad)

Chief Consultant (Technical)

AJax 1 cymor B.S.E.I.D.C. Ltd, Patna

Chief Englaser 9.S.E.LD.C. Ltd, Palna Slot.

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of

Chief Engineer B.S.E.I.D.C. Ltd, Patna

carried and ender should be stoned by the person holding proper proves about receive

which his tender than the office of and earliest maney for letted.

Chief Engineer P.S.E.I.D.C. Ltd, Patna

1 -11-2 2181

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

-----X------X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

AJ97 Kymor

Page 2 of

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Company Office A

e l'anguet au , coeue ment difficultée

oracle and to have not become the state

The state of the second shall be expedited by the control of the second second

gallers in an annual not be less oftenent trapplies en lieu se consultation en la seconda de la consultation de la consultation

St. The course, of shall treat a his oversal argument for war or and helic action works.

The contract of the enter at factions to the appropriate of infacts for supervision of the process with boundary and expensive as a series of the process with boundary and appropriate cost.

14. If equivaragned againstic if not included in sanctional cares will be payable after approval of satisfactors. In a complete of a submittee.

26. The conferences may out a one their rate more than 10 % below Bill of Occurring rates once with their tender, we be contained rejected trains cover half to for this work.

-21: Placification work mirel collisity enth legion Blackberry rules 195 as visit at the general recent above for a legit final works 1972 for ap-16-date specification as:

21. High, united to cated the safety responsible for supply and use of sale standard malectal cated the control of the fingular cated and such substitution of such substitution of such substitution of such substitutions and the cated of the safety of the substitution of the substitutio

25. The Verect liability Ferrod Statistics since (5) years from the date of countriction

STREW Sells 50

0

0

0

0

0

0

0

vowing rold

Chief Engineer B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड (बिहार सरकार का एक उपक्रम) शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य 1. सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निवदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख में)	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि (रू० में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अर्वा
1	BRC Ekma, Saran	85.2	1,70,400	10,000	5750	15 मा
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 मा
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 मा
4	BRC Marhowrah,Saran	85.2	1,70,400	10,000	5750	15 मा
5	BRC Amnour, Saran	85.2	1,70,400	10,000	5750	15 मा
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 मा
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 मा
8	BRC,Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 मा
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 म
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 म
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 म
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 म
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 म
14	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	15 म
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 म
16	BRC, Jhanjharpur, Madhubani	85.2	1,70,400	10,000	5750	15 н
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 म
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 म
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 म
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 F
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 H
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 F
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 F
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 F
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 F
26	BRC, Khanpur,Samastipur	85.2	1,70,400	10,000	5750	15 F
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 F
28	BRC, Mohanpur,Samastipur	85.2	1,70,400	10,000	5750	15 F
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 F
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	1.5
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 F
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 F
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 F
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15 F
35	BRC Madhuban,E.Champaran	85.2	1,70,400	10,000	5750	15 F
36	BRC Patahi,E.Champaran	85.2	1,70,400	10,000	5750	15 F
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750	15 F
38	BRC Adapur, E. Champaran	85.2		10,000	5750	
39	BRC Bankatwa, E. Champaran		1,70,400			
40		85.2	1,70,400	10,000	5750	15 H
	BRC Dhaka, E. Champaran	85.2	1,70,400	10,000	5750	15 F
41	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5750	15
42	BRC Narkatiaganj, W.Champaran	85.2	1,70,400	10,000	5750	15 म
43	BRC Sikta, W.Champaran	85.2	1,70,400	10,000	5750	15 म
44	BRC Bhithan, W. Champaran	85.2	1,70,400	10,000	f Engineer	15 म


AJay 1cymor B.S.E.I.D.C. Ltd, Patna

All the property of the control of t		
	BUT THE PROOF THE PARTY THE PARTY OF THE PROOF	
Column C		
The color of the		
The state The		
The color of the		
10 10 10 10 10 10 10 10		
Section Sect		
Color Colo		
100 100		
State Stat		
1907 1908 1909		n Day
March Marc		
2.50 2.50		
St. Line of American Landershore		
All	1982 His D. William Car. 1 Car. 1	
Mar. American Am		
1.00 1.0 10 10 10 10 10	eges ud. nr. par or 1.36 gardenes San and san	
Section Company Company Section Company Section Company Section Company Section Sect		
The Company Additional Section		
Color Colo		
The Comment of Substitution Secondary 1,70,400		
Section Sect		
St. 1.70,400 1.7	그리고 1	
news of the control o		
10	그렇게 하는 사람들이 가는 사람들이 하는 사람들이 하는 것이 되었다. 그는 사람들이 되었다면 하는 사람들이 되었다면 하는 사람들이 되었다면 하는 사람들이 되었다면 하는 것이다.	
State Stat		
### Standard		
Sec 170,000	A TANK TANKAN I SANTAN NASAN INAMAN ANTAN AN	
Second Company Compa		
His Misington Sample of the Control		
100 100		
The Control of Control		
28.2 1.7.1.00 10.00 250 38.2 7-9.00 10.00 250 38.3 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 10.00 250 38.4 7.00 10.00 250 38.5 7.00 10 250 38.5 7		
SEC Survey and the first state of the second s		
1996 1, 10, 100 1, 10, 10, 100 1, 100 1		
Set Character Character Canada		
PRO CONTROL Changering Sea 170, the plan system of	그러워 하는 이 나이가 하면서 된 경영이 되었다. 그가 있는 사람들은 없는 이 사람들은 데, 그리고 있는 아름이 하다. 보다는 이 없는데 하다.	
Più departe Chimpione 25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
His Andrews Charge and the period to the per		
His Profession was trained by the second state of the second state	고양하다는 사람이 보면 가게 그리고 있는데 사람이 되었다. 그 사람이 되는 사람들이 되는 것이 되었다. 그렇게 되었다. 그렇게 되었다.	
SECTION OF THE PROPERTY OF THE		
His tenders at the second seco		
His temperate to temperate the second of the	. 사용 등 도시는 어떻게 되는 것이 되었다면 하는 것이 되었다는 이 그 그리고 있는데 그리고 있는데 하는데 하는데 하는데 없다면 다른데 없다면 없다면 없다면 없다면 없다면 없다면 없다면 없다면 다른데 하는데 하는데 하는데 없다면	
The second charges and the second sec		
Chief Engineer Chief Engineer Chief Engineer		
Chief Engineer Constitution of the Constituti		
Chief Engineer		
Chief Engineer		
Chief Engineer		
E S F I D.C. Ltd. Pa	Chief English	
	MI COLOR	

2/4

45	BRC Lauriya, W.Champaran	85.2	1,70,400	10,000	5750	15 700
46	BRC Pinraci W Champaran	85.2	1,70,400	10,000	5750	15 माह 15 माह
47	BRC, Majhaulia, W. Champaran	85.2	1,70,400	10,000		
48	BRC Darauli, Siwan	85.2	1,70,400	10,000	5750	15 माह
49	BRC Hussainganj, Siwan	85.2	1,70,400	10,000	5750	15 माह
50	BRC Mairwa, Siwan	85.2	1,70,400		5750	15 माह 15
51	BRC Basantpur, Siwan	85.2		10,000	5750	15 माह
52	BRC Maharajganj,Siwan		1,70,400	10,000	5750	15 माह
53	BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
54	BRC,Hasanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
55	BRC Uchkagaon,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
56	BRC Sidhwalia,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
57	BRC Bhorey, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
58	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
59	BRC Pachdeuri, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
60	BRC Kuchaikot, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
61		85.2	1,70,400	10,000	5750	15 माह
	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 माह
62	BRC Chainpur,Kaimur	85.2	1,70,400	10,000	5750	15 माह
63	BRC Bhagwanpur,Kaimur	85.2	1,70,400	10,000	5750	15 माह
64	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
65	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
66	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 माह
67	BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750	15 माह
68	BRC Karahgar,Rohtas	85.2	1,70,400	10,000	5750	15 माह
69	BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750	15 माह
70	BRC Tilauthu,Rohtas	85.2	1,70,400	10,000	5750	15 माह
71	BRC Karakat, Rohtas	85.2	1,70,400	10,000	5750	15 माह
72	BRC Dawat,Rohtas	85.2	1,70,400	10,000	5750	15 माह
73	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	
74	BRC,Manihar,Katihar	85.2	1,70,400	10,000		
75	BRC,Pranpur,Katihar	85.2	1,70,400		5750	15 माह
76	BRC, Kadwa, Katihar		-	10,000	5750	15 माह
77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15 माह
78	BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	15 माह
79	BRC,Narpatgani,Araria	85.2	1,70,400	10,000	5750	15 माह
80	BRC, Araria	85.2	1,70,400	10,000	5750	15 माह
81		85.2	1,70,400	10,000	5750	15 माह
	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 माह
83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
84	BRC, Purnea East,	85.2	1,70,400	10,000	5750	15 माह
85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 माह
86	BRC,Amour,Purnea	85.2	1,70,400	10,000	5750	15 माह
87	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 माह
88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 माह
89	BRC,Tarhagach,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
90	BRC,Thakurganj,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000		
92	BRC Katoria,Banka				5750	15 माह
93	BRC Rajaun, Banka	85.2	1,70,400	10,000	5750	15 माह
94	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15 माह
95		85.2	1,70,400	10,000	5750	15 माह
	BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15 माह
96	BRC Jamui	85.2	1,70,400	10,000	5750	.15 माह
97	BRC Barhat, Jamui	85.2	1,70,400	10,000	\\ 5750	15 माह
98	BRC Chakai, Jamui	85.2	1,70,400	10,000	5750	15 माह
99	BRC Gidhour,Jamui	85.2	1,70,400	10,000	5750 5750	15 माह
100	BRC Sikandra, Jamui	85.2	1,70,400	10,000	5750	15 माह
				Chie	f Enginee	1
				BSFIL	C. Ltd, P	atna
/	AJ97 Kuma			21194		
				615	3 (1.3)	
				WIS		

 \bigcirc



	BRC Asharganj, Munger	85.2	1,70,400	10,000	5750	15 माह
	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
	BRC Pirpainti,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
	BRC Puraini,Madhepura	85.2	1,70,400	10,000	5750	15 माह
106	BRC Gwalpada,Madhepura	85.2	1,70,400	10,000	5750	15 माह
	BRC Kumarkhand,Madhepura	85.2	1,70,400	10,000	5750	15 माह
108 J	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 माह
	BRC Saurbazar,Saharsa	85.2	1,70,400	10,000	5750	15 माह
	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह
111 I	BRC Mahensi, Saharsa	85.2	1,70,400	10,000	5750	15 माह
	BRC Sonbarsa,Saharsa	85.2	1,70,400	10,000	5750	15 माह
113 I	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह
	BRC Supaul	85.2	1,70,400	10,000	5750	15 माह
115 I	BRC Pipra,Supaul	85.2	1,70,400	10,000	5750	15 माह
116 I	BRC Pratapganj,Supaul	85.2	1,70,400	10,000	5750	15 माह
117 I	BRC Nirmali,Supaul	85.2	1,70,400	10,000	5750	15 माह
118 I	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750	15 माह
	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15 माह
	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
	BRC, Imamganj,Gaya	85.2	1,70,400	10,000	5750	15 माह
	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
	BRC, Koch, Gaya	85.2	1,70,400	10,000		
	BRC, Jehanabad	85.2	1,70,400		5750	
127 I	BRC,Kako,Jehanabad			10,000	5750	15 माह
/	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
		85.2	1,70,400	10,000	5750	15 माह
	BRC Karpi,Arwal	85.2	1,70,400	10,000	5750	15 माह
	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
II .	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	BRC, Rega,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	BRC,Pupri,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
139 I	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
140 E	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
141 E	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	
	BRC, Rahui, Nalanda	85.2				15 माह
- ''	BRC, Ekangarsarai, Nalanda		1,70,400	10,000	5750	15 माह
	BRC, Silaw, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	BRC, Katrisarai,Nalanda	85.2	1,70,400	10,000	5750	15 माह
0		85.2	1,70,400	10,000	5750	15 माह
	BRC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	. 5750	15 माह
	BRC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	○5750	15 माह
	BRC,Aurai,Muzaffarpur	85.2	1,70,400	10,000	5750	15 मार
	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5759	15 माह
156 E	BRC,Minapur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह

Chief Engineer B.S.E.I.D.C. Ltd, Patna

AJay Kumar

U

157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC,Jagdishpur,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
159	BRC Charpokhri Bhoinur	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 माह
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
175	BRC, Beldour,Khagaria	85.2	1,70,400	10,000	5750	15 माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
178	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
180	BRC,Jandaha,Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC ,Mahua,Vaishali	85.2	1,70,400	10,000	5750	15 माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
			1 , ,	, , , , ,	7	

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तदनुसार अग्रधन की राशि घट या बढ सकती है।

(iii).वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

प्री बिड मीटिंग का समय स्थान एवं तिथि

दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभृत संरचना विकास निगम, पटना।

निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 31.03.2016, समय- 15:00 घंटा

टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 31.03.2016, समय- 16:30 घंटा

(8) वित्तीय बिड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान

दिनांक- 11.04.2016, समय- 15:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

(10) निविदा की वैधता की अवधि

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

(11) ई-टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त द्रेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य स¶ी√महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविद्या

संलग्न करना अनिवार्य है।

परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्त्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

ALIAY Icumar

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Quief Engineer 8.S.E.I.D.C. Ltd, Patna

Aler Kanna

(14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE 53 DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of

Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत / अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेत् सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता

AJay Kumar

Chief Engineer B.S.E.I.D.C. Ltd, Patna

companies and the companies of providing or of the companies of the conference of the companies of the compa Chief Engineer B.S.E.I.D.C. Ltd, Patna

0

0

0