Schedule XLV-Form No. 61 Block Resource Centre at Suppi, Sitamarhi. ion Ltd. (SL No. - 140) gency - [Form No. F-2] Ampech Kuman ITEM RATE TENDER AND CONTRACT FOR WORKS Agreement No. -149 F2 of 2016-17 & D.S.R General Rule and Direction for the guidance of Contractors. 1. All works proposed for execution by contract will be notified in a form of invitation to tender in the passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. nonth from This notice will state the work to be carried out the items and approximate quantities thereof as cifications well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection innexed respects in with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each RE SUPPI, member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be : fore the If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 FIFTEEN For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money. 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cashed to site for earnests money here in before mentioned shall be made in Government Treasuries and the challenging be enclosed with the tender. 11/01

(2)

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required about the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by Chical Captage et e signature witnessed He shall then if he is competent, to accept the tender, sign the stephance of the tender, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

(3) 2

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

Name of work

Estimated cost

Earnest money

Initial security deposits (including earnest money) to be deposited befor

the commencement of the work

Time required for the work from date of written order to commence

RATE TENDERED

In figures

In words

Percentage to be deducted from bills Rs. 5% (Rupees five percent)

..... monthly

ा If	several	sub-	work	are
inclu	ded the	ey sh	ould	be
ai	ned in a	sepa	rate li	st.

- of the estimated cost of the ork. (b) This deposit will be 5%
- (c) This percentage deduction from bills will be redited to the contractors
- security deposit.

- Date of written other to commence [g]

[a]

[b]

[e]

[f]

- Total number of item of work tendered for [h]

Item of work

tem No.	Item of work	

अमर्श कुमा

11/1/2017

2119 11/01

11/01

ation Ltd.

RE _

, & D.S.R

ed in the s month from pecifications e annexed er respects in

TRE SUPPI,

before the

e FIFTEEN

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Per

11/01/101

(5) 3

Itom No	Itom of work	RATE T	ENDERED	Dor	AIROTALL	
tem No.	Item of work	In figures	In words	Per	ation Ltd	
					ation Ett	
					RE	
					, & D.S.R	
					fed in the	
					s month from	
					pecification	
					e annexed	
					er respects i	
*					TRE SUPPI,	
					(
		en he			before the	
					t)	
					ce FIFTEEN	
					M /102	
					1/10/113	
				CANCEL FOR COMMUNICATION AND A FEW PROPERTY OF THE PROPERTY OF	ineer	
					d, Patna	
				11/01	11/01/14	

Schedule XLV - Form No. 61 (6) RATE TENDERED , Item of work Item No. Per In figures In words

(7) 4

THE REAL PROPERTY.	ll and the sale	RATE TE	PRODUCED BY THE PRODUCED BY TH	Per		
em No:	Item of work	In figures	In words •	T CI	ation I td	
					ation Ltd	
10000				nagasetes tip del Aarigoti saaren operationerin erek		
		get to start the start of	#2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
eth in a light masses		says new sineless at	de dominio de		DE	
			and sails 1	milieta la completa de	RE	
			Y Comment	0.5	, & D.S.R	
eki. Kanataran mekinekin ne						
		the first and the first of	12 LX 3 C C C			
					ed in the	
				A STATE OF THE STA		
			9.80		s month from	
		read cheest to	The Property		pecifications	
					e annexed	
-10-2-11-2-12-2	Dully and the state of the	THE RESIDENCE		CATER AS AS	er respects in	
		and the second s				
		agent (1931 Wenter)				
J		Part of the second			TRE SUPPI,	
To a Carlo		to the beautiful				
		de gase des comments de		J. 21 11 2 11 11 11 11 11 11 11 11 11 11 1		
		VE GERTEN	And the second	CONTRACTOR STATE		
	The seconds in	to be by the duals of			(-	
		Learn Luaine nasal	(a transfer on the same			
				Part of the second	•	
			a managaran sa	The same of the same of		
Carrier (Claring)	The Committee of the Aug		The second second	ar afrequent 3.75 as		
					before the	
	The star vegetal are				Ora files	
	中的人的 经制度的			The state of the s		
			and Switzenstein St.)	
	A THE LOCAL PROPERTY OF THE				ce FIFTEEN	
					CE FINTEET	
		Carlo de la Carlo de	*	in the region	intras to	
(1) (4) (1) (1) (1) (1) (1)	and the second	The Laborator			1969	
THE M	A service of the serv	Comment of the second	0			
aginess.	Chief E B.S.B.LD C.	Jan Jan That			7/10/17	
Deleta a certific	est Addition Code				Myorg	
	1-12				neer	
					d. Patna	
					d, Patna	
				11/01	11/01/14	

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for a applicable, or in ssors in office the sums of money mentioned in the said conditions

*Signature, of contractor be fore comission of tender

Dated the

day of

witness Address

Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of 20

> signature of the office accepting the tender

Acceptances communicated on.....

signature of the part taking the tender

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be certify as the date on which Executive En- gineer or his

Clause 2 :- The time allowed for carrying out the work as entered in the tender considered untill such date as shall be strictly observed by the contractor and shall be reckoned from the date or which the wirtten order to comence work is given to the contractor. The work shall the work is finished after throughout the stipulated period of the contract be carried on with all due diligence necessary rectification of (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for contractor to the Engineer's every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor sna Pstert the real and be absolutely at the disposal of Government.

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessite for any in his o proper. The Executive Engineer shall at the same time inform the contractors. Ltd. Patna claims compensation for the delay.

11/1/2010

ation Ltd.

RE

1, & D.S.R

fed in the rs month from specifications ne annexed ier respects in

NTRE SUPPI,

contractor remains liable to pay compensation if action not take under

Power to take posession

of or require removal of

or sell contractor plant.

d before the

nt)

nce FIFTEEN

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

*Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it charge under the contractor shall use certain stores to be provided be the Engineer-into be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in become due to the contractor under the contract or otherwise, or painst or form the security deposit, or the proceed of sale thereof, if the same is held in sever ment security supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

(11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation tyres engineer of any alternation having been made in the original specification, drawing stern to the original specification of the original instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56

ation Ltd.

accordance with specification drawing other etc.

TRE

1, & D.S.R

fed in the rs month from specifications he annexed ner respects in

Alteration in specifications and designation.

NTRE SUPPI,

Do not in validate contract

Time in consequence of

d before the

Rate for work no in estimate or schedule of

ince FIFTEEN

nt)

sommon sation for alter-

rates of the district.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where suc-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as

Action and compensation payable in case

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been

Contractor or responsible Agents to be

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground configures on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or a chief region become apparent in if within three months (six months in the sase of Droad-vork Paftera certificate final or other of its completion shall have been given by the Engineer-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract nation and the same consequence shall ensure as if the contract nation and the same consequence shall ensure as if the contract of the had been recinded under clause 3 here of, in addition the contractor shall to recover or be paid to any work therefore actually performed the under the

अमर्श देगार

damage done and for imperfection a months

Contractor to supply to

ation Ltd.

RE

. & D.S.R

fed in the 's month from pecifications ie annexed ler respects in

And is liable for damage arising for non-provision of light fencing etc.

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

11/01

NTRE SUPPI,

d before the

it)

nce FIFTEEN

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Chef Engineer 9.3.8 Withes

अमर्श क्रमा

अमर्रा अमार

Contractor.

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be cha	ch the material arged to the tractor	OR()	Place of delivery	- ation Ltd
	Unit	Rs.	P.	Dennie of SMC	
A STATE OF THE STA	oun i		80 £		RE _
THE REPORT OF THE PARTY.	MASE OF	SORW Henri	D H I	IAR, DOTE . 18-49 IVI s	, & D.S.R
	the execution		ecrosic		fed in the
a de la companya de l	alam a me	CES SHOULD	d they		s month from
(s ⁷ : ••					ne annexed
the succession of the successi	rostinons is		ath)		er respects in
STIAN		AND THE STATE OF	135	RECORD TO STREET	NTRE SUPPI,
	Timate à Cale.	Remodel	1835 Of		
	Councilla and C	- Re. This	15		(
	nesi Manie				
	ni secosty dep	ovis (mea)	ing lac		d before the
	Leathest Mores	X 2.1		Potali i proceso di .	
	Citago la les as	darie il fron	Fell 121	1 5% (America Transport	nt)
	Chapted 191	the week in	n due		nce FIFTEEN
	ro vangan wa		1104		
ote :-The person or firm subm	nitting the tender st	nould see that t	he rates	in the above each adula-	to passe ten or y
by the Engineer-in-charge or	the issue of the fo	rm prior to the	submissi	on of the lender.	o palse seronty
Te of Contrator)			C	hief Engineer	Majorily

(Signature of Contrator)

PORTE Engineer

PORTE (INDOCE MENUTY PROSPECT) 11/01

11/01

Igineer
Ltd, Patna
Kenoudy

Chief Engineer

				9				
Bih	ar Sta	te Educati	onal Infr	astructure Development	Corporation Ltd			
				RESOURCE CENTRE IN				
S.N.	D	istrict	Block	Name of B				
1		Sitamarhi Suppi BLOCK RESOURCE CENTRE						
T	HE ITE		(EL	O.R BCD BIHAR, DATE - 15 ECTRICAL) 2014	-09-2014, & D.S.R			
I/we l	peradu to	andon for 1	TENDER FOR	WORKS				
the da design conda accord	nte of with the state of with the state of with the state of with the state of the	ten order to comment of the such conditions o	commence and documents with such mailitions so far Mork :- CONS		d of years month from with the specifications ects to the annexed and in other respects in			
h) Th:-	1 '	(B) Estimate Agreeme	ed Cost :- R ent value :- R	Rs.76,48,545=00 Rs. 71,39,152=00	(-			
stimated ne work	% of the d cost of	(C)Earnest M	Money:-					
_	ctors	Commenceme	int of the wor	s (including earnest money) to be dek- Rs. 2,92,500/- (Details attached)	eposited before the			

BIHAR STA	ATE EDUCATIONAL INFRASTRUC SHIKSHA BHAWAN	10	
	WE EDUCATIONAL INFRASTRUC	TURE DEVEL OPMENT	CORROR
	SHIKSHA BHAWAN	SAIDBUR DATALA	CORPORATION LTD.
	B.O.Q. FOR BLOCK PESO	, CAIDPUR, PATNA.	

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE	ITEM RA	TE BASED ON S	0.0.000	KCE CENTRE IN	BIHAR	
		T DYOLD ON 2	<u>.O.R BCD BIHAR, D</u>	ATE - 15-09-2014	9 D 0 D (=)	
SL.			O.R BCD BIHAR, D	10-03-2014,	& D.S.R (ELECTI	RICAL) 2014
1	DISTRICT					

No.	DIOTRIC	WANTE OF INSTITUTE				BLOCK
1	Sitamarh	BLOCK RESOURCE CENTRE				Suppi
			CIVIL W	/ORKS		Саррі
SI.	SOR					
Vo.	Item No.	Item of Work	Qty	Llm	Rate	A
1	2	3		Un	(Rs.)	Amount
	PILE		4	5	6	(Rs.)
1	WORKS 20.2	Boring, providing and installing				1
	iii ee oo m	cement concrete piles of grade Na 25 of specified diameter and length below the pile cap, to carry a saftworking load not less that specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the ength of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length for payment shall be neasured upto bottom of pile cap).	the north of great fit the			
	20.2.1					Rs. One thousand three
2		00 mm dia Piles	0.000	meter	1309.30	hundred nine and paise thirty only.

	2 20.	3 Boring, Providing and inc	talling	11		
	20.	cast in situ single under re piles of specified diameter length below pile cap in cement concrete, to carry a working load not less specified, excluding the cost steel reinforcement but inclute the cost of boring with bent solution and the length of the p be embedded in pile cap etcomplete. (Length of pile	amed and M-25 safe than st of uding onite ile to c. all	-11		
	20.3.1	payment shall be measured up the bottom of pile cap):	to to			
	20.3.2	400 mm dia Piles	0.000	meter	1934.2	Rs. One thousand nine hundred thirty four and paise twenty only.
	20.3.3	is a min dia Files	0.000	meter	2225.3	
		450 mm dia Piles	0.000	meter	2397.50	Rs. Two thousand three hundred ninety seven and paise
	20.3.4	550 mm dia Piles	0.000	meter	2605.10	Rs. Two thousand six hundred
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs at to be paid).				five and paise ten only.
	20.4.1	300 mm dia Piles	0.000	Each	40.40	Rs. One thousand to a line
1	20.4.2	400 mm dia Piles	3.000	Laun	1240.10	Rs. One thousand two hundred forty and paise ten only.
			0.000	Each	1373.80	Rs. One thousand three nundred seventy three and

	EARTI	HW		12		
	2.8.		lan) and 1.5) cum	205.2	Rs. Two hundred five and paise twenty only.
5	2.29.1 EARTH FILLING	Surface dressing of the ground including removing vegetation as inequalities not exceeding 15 of deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	nd	100 sqm	718.800	Rs. Seven hundred eighteen and paise eighty only.
6	2.26 SAND	Filling available excavated eart (excluding rock) in trenches, plinth sides of foundations etc. in layer not exceeding 20 cm in depth consolidating each deposited laye by ramming and watering lead = 188.98 CUM	n, s	cu.m	66.40	Rs. Sixty six and paise forty only.
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM FOTAL QUANTITY = 119.81 CUM		cu.m	192.50 F	Rs. One hundred ninety two and paise fifty only.
8	FLAT 11.72 F					

	P.C.C.			13		
10	4.1.5	Providing and laying in position cement concrete of specified grad excluding the cost of centring an shuttering- all work upto plinth leve 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mn nominal size) = 13 CUM	13.000	cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
	FLOORIN	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand: 4 graded stone aggregate 40 mm nominal size)10 + 2, BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM		cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
11	i I C ji	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the points with white cement and natching pigment etc., complete.	46.040	sq.m	801.800 F	Rs. Eight hundred one and paise eighty only.

-)	4
/	-

	WALL) 4	4	
1					,	
12	TILES	_				
1 12	11.36	Providing and fixing 1st qua	lity			
			les			
1		conforming				
		(Thickness to be specified by t	22			
1		manufacture) of specified by t	he			
		manufacture) of approved make	in			
1		Sildues Ayes	pt			
1		burgundy, bottle green, black	of			
1	×	ally size as approved by	-			B -
		Engineer-in-charge in skirting	188.874	sq.m	754.20	Rs. Seven hundred fifty four and
1		lisers of steps and dados over 1	2			paise twenty only.
_		mim thick bed of cement Mot	ar			
1		1:3(1 cement: 3 coarse sand) an	d			
_		Jointing with grev cement slurry &	∞			
1		3.3 kg per sqm including pointing i				
_		white cement mixed with pigmer	n			
		of matching shade complete.	it			
	FLOORING	shade complete.				
	&					
10	SKIRTING					
13	11.26.1	Kota stone slab flooring over 20				
4		mm (average) thick base laid	1			
		over and jointed with grey cemen				
	;	slurry mixed with pigment to				
		match the shade of the slab				
	li li	ncluding rubbing and polishing				
		complete . Base with 1:1:1 (1 lime :	281.852	sq.m	968.00	Rs. Nine hundred sixty eight
		surkhi: 1 coarse coard.) (1 lime :				only.
	-	surkhi: 1 coarse sand) / 1:4 (20 O 25MM THICK)				
	'	= 281.852 SQM				
		- 201.052 SQIVI				
14	11.27 K	ota stono alche oo				
	1	ota stone slabs 20 mm thick in				
	n	sers of steps skirting. Dado &				
	/+	illars laid on 12 mm (average				
	1(0	mortar 1.3 (1 cament.)				
	3	coarse sand) and jointed with				
	l gi	ey cement slurry mixed with	74.37	sq.m	927.50	Rs. Nine hundred twenty seven
	pi	gment to match the shade of the		94.111	927.50	and paise fifty only.
	Sia	ab including rubbing and				pared inty offig.
	pc	lishing complete. Details of cost				
	for	10 sqm				
1.5						
15	8.3.2 Ex	tra for providing edge moulding to				

	R.C.C.			5		
16	5.1.1	Providing and laying in position				
		specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
T	R.C.C. WORK ABOVE PLINTH LVL.					
17		Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) 10 + 2 . BUILDING = 20.51 SQM	20.510	cu.m	5666.20	Rs. Five thousand six hundred sixty six and pasie twenty only.
	c c c p c	Providing and laying in position specified grade of reinforced sement concrete excluding the cost of entring, shuttering, finishing and einforcement-All work puto linth level. 1:2:4 (1 cement:2 parse sand:4 graded stone ggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	0.930	cum	3438.90 r	Rs. Three thousand four nundred thirty eight and paise ninety only.

4	
- 1	
- 1	10
- 1	

19		I	1	6		
		Reinforced cement conrete work beams, suspended floors, room having slope upto 18 landings, balconiec, shelves chajjas, lintels, bands, plain window sills, staircases and spiral statcases upto floor five level excluding the cost of centring shuttering, finishing and reinforement with 1:2:4(1 cement: coarse sand: 4 graded stone aggregate 20 mm nominal size). Add or deduct for providing richer or leaner mixes respectively at all floor levels. Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.	in fs 5, s, w ir el 1, 22 100.440		4581.20	Rs. Four thousand five hundred eighty one and paise twenty only.
	WORK					
20	((=	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 1cement :6 coarse sand)		cu.m	3992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
	+ d a c c c c c c c c c	Brick work with bricks of class esignation 100A in foundations and plinth in: Cement mortar 1:6 (1) ement: 6 coarse sand (1) Extra for Brick work in uperstructure above plinth level boto floor V cum 160.082 CUM	160.082	cu.m	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
	+ cla 6.19A for mo sa Ex	alf brick masonry with bricks of ass designation 100A in undations and plinth in : Cement ortar 1:4 (1 cement: 4 coarse nd) tra for half Brick masonry in perstructure above pinth level	134.043	Sq.m.	538.30 p	Rs. Five hundred thirty eight and aise thirty only.

24	6.1A	+ Priok was to the		17		
1	6.1.12	designation 100A in foundation and plinth in : Cement mortar 1 .:4 cement: 4 coarse sand)	ns	cum	4184.0	Rs. Four thousand one hundred eighty four only.
25	13.13.					
26	13.13.1	(1 cement : 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
27	+ 13.26	cement: 3 coarse sand) with floating coat of neat cement & necement punning SEPTIC TANK = 16.65 SQM	16.650	sq.m	185.60	Rs. One hundred eighty five and paise sixty only.
28	13.17.1	1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580	sq.m	89.30	Rs. Eighty nine and paise thirty only.
29	+13.36.1	cement: 3 coarse sand) with a floating coat of neat cement 8 Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM	52.820	sq.m	145.50	Rs. One hundred forty five and paise fifty only.
30	11.3.1	Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM Cement concrete flooring 1:2:4(1	388.530	sq.m	77.40 f	Rs. Seventy seven and paise forty only.
	11.8	stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick				
	a E	with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement	136.410	sq.m	232.90 R	s. Two hundred thirty two and aise ninety only.

			-	
- 1	٨.	-	٠,	v
- 1		`	ď,	_

	FINISHI	N	18			
	G WOR					
31	13.46.1	Finishing walls with Acrylic Smoot exterior paint of required shade :New work (Two of more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM	g 836.658	3 sq.m	68.4	Rs. Sixty eight and paise eight only.
32		Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. Distempering with all based	2266.768	3 sq.m	118.7	Rs. One hundred eighteen and paise seventy only.
		Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM		sq.m	64.00	Rs. Sixty four only.
	r a 0	Applying priming coat with ready nixed pink or grey primer of approved brand and manufacture in wood work (hard and softwood) = 115.68 SQM	115.680	sq.m	25.20	Rs. Twenty five and paise twenty only.
35	m ire	Approved Dialin and	105.728	sq.m	21.30	Rs. Twenty one and paise thirty only.

37 10.1	4.1 Providing and five T		19		
38 9.21.1	for doors. windows and ventilar of mils steel Tee-sections, jo miltred and welded with 15x3 r lugs 10 cm long embedded in cem concerete blocks 15x10x10 cm 1:3:6 (1 cement: 3 coarse sand graded stone aggregate 20 n nominal size) or with wooden plugs and screwor rawl plugs and screws or w fixing clips or with bolts and nuts required including	tors ints mm ent of : 6 339.67 mm ws ith as	'5 Kg.	75	Rs. Seventy five and paise ten only.
	Providing and fixing flush do shutters conforming to IS: 220 (Part-I) non-decorative type.core block board construction with fram of 1st class tiard wood and we mathched commercial 3 ply veneering wiih vertical grains of cross bands and face veneers of both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM	02 of ne ell or n 48.195	sq.m	1823.8	Rs. One thousand eight hundred twenty three and paise eighty only.
39 9.119.1 40 9.104.1	M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH	44.000	each	66.50	Rs. Sixty six and paise fifty only.
	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2 , BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
3.220.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic posting and the continuous)				

42 9.100.	1 Providing and fixing M.S. sliding		20		
STEEL	black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred seventy sevel and paise forty only.
WORK					
43 10.12.7 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of	95.715	sq.m	3270.60 H	Rs. Three thousand two nundred seventy and paise sixty only.

٠)	- 1
	-1

51	1 10 10	0.4 D		21		
	10.13	windows or ventilators of standard resteel sections, joints mitered and we with 15x3 mm M.S. lugs10cm long steel legs embedded in cement concluded blocks 15x10x10cm.of (1:3:6) (1cemed 3coarse sand: 6graded stone aggreed 20mm nominal size) or with wooden pland screws or rawl plugs and screws with fixing clips or with bolts and nuts required, including providing and fixing glass panels with glazing clips and speemetal-sash putty of approved macomplete including applying a priming of approved steel primer excluding the complete including and other fitting excensessary hinges or pivots required. Doors Extra for providing and fixing steel beading approved shape and section where the section was crews instread of glaxing clips and models and putty in steel doow windows, ventilators and compositis. Steel ventilators = 3.24 SQM	olled lded with crete ent : gate ugs s or as g of cial ake oat ost ept as ng iith et. rs, iite		3277.6	Rs. Three thousand two hundred seventy seven and paise sixty only.
	9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats squar or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG	of	Kgs.	91.50	Rs. Ninety one and paise fifty only.
46	5.22	Reinforcement for RCC work including straightening, cutting bending, placing in position and bonding all complete.				
		TMTC-500				
<u> </u>	5.22.7A 5.22.7B	Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	Rs. Seventy four and paise forty only.
		Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1300.000	KG	73.10	Rs. Seventy three and paise ten

5	17 10.19	Providing 9 finite 14.0		22		
		16 mm. dia. M.S. bar 1 Mtr. Lorbent to required size and shap placed in position and fixed Truss Frame / RCC Slab / beam the time of casting all complete a per building specification and direction of E/I. (Where material is not supplied by deptt.) = 42 EACH	e, in at 42.000) Each	n 121.8	Rs. One hundred twenty one and paise eighty only.
48		etc. to steel ladder railling & staircase railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nomina bore. = 550 KG	550.000	kg.	91.10	Rs. Ninety one and paise ten only.
		Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	4.52	sq.m	4115.60	Rs. Four thousand one hundred fifteen and paise sixty only.
	MISCELL ANEOUS WORK					
50	t. I /	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick pallast 40mm nominal size well sammend and consolidated and grouted with fine sand including inishing the top smooth.	75.414	sq.m	319.30 R	Rs. Three hundred nineteen and aise thirty only.

0,	2 5.9.	5 Centring and at the		23		
53		strutting, propping etc. and remoof form for lintel, beams, pl beams, griders, bressumers a contilevers.	oval inth and 349.24	1 Sqm.	251.3	Rs. Two hundred fifty one and paise thirty only.
54		strutting, propping etc. and remo of form for columns, pillars, pie abutments, posts and struts = 367.575 SQM	val rs, 367.575	Sqm.	344.40	Rs. Three hundred forty four and paise forty only.
	5.9.3	Centring and shuttering includi strutting, propping etc. and remove of form for suspended floors, root landings, balconies and acceptatform. = 451.54 SQM	al	Sqm.	275.60	Rs. Two hundred seventy five and paise sixty only.
					Total	5.740.700
21	1.				Total (A)	5,716,706.85
Tur	mbing a	and sanitary Work			(71)	5,716,707.00
55		D***: -1'				Constitution of the Consti
	B.S.R 12.78	Providing and fixing on wall facunplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4988 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.	g r 5			
56	12.78	pressure 4 kgf per sqm) rain water pipes cinforming to IS:4988 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter. = 40 MTS	40.000	MTS	214.200 F	Rs. Two hundrd fourteen and
56	12.78.2 SOR 12.79	pressure 4 kgf per sqm) rain water pipes cinforming to IS:4988 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.	40.000	MTS	214.200 Fp	Rs. Two hundrd fourteen and paise twenty only.
	12.78.2 SOR 12.79	unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4988 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter. = 40 MTS Providing and fixing on wall face unplasticised PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for	40.000	MTS	214.200 Fp	Rs. Two hundrd fourteen and paise twenty only.

	- 2
/	1
_	-

5	7 B.S.F	Providing and finite		24		
	17.1.1	I solution and lixililli water close	C. P C. ly 1) 1 s c			
58		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH	6.000	Each	3035.400	Rs. Three thousand thirty five and paise forty only.
	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
59		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH Providing and fixing white vitreous	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
	17.4.2 1 2 3 7 5 5 6 6 6 6 6 6 6 6	china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass mions and G.I. clamps complete, including painting of fittings and rackets, cutting and making good				

61	B.S.R	Providing and fixing wash basin		25		
	17.7.1	The straining will wash hash	o. S	4		
62	18.63	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	12.000	Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.
		Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
64	17.28.2.1	= 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise
04	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	12.000	Each	643.400	Rs. Six hundred forty three and paise forty only.
65	17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. prass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	12.000	Each	478.300	Rs. Four hundred sevnety eight and paise thirty only.

)
	1
9	
1	1
	. 7

66	B.S.	R Providing and fiving Old		26		
	18.8	Polyvinyl Chloride (CPVC) piphaving thermal stability for hot cold water supply including CPVC plain & brass thread fittings including fixing the pipe we clamps at 1.00 m spacing. Thincludes joining of pipes & fitting with one step CPVC solved cement and the cost of cutting chases and making good the samincluding testing of joints compled as per direction of E/I Concealed work including cutting chases and making good the water. 15 mm nominal outer dia Pipe = 50 METER	es, & all led rith nis gs ent ng te te	metre	241.000	Rs. Two hundred forty one only.
67	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes having thermal stability for hot 8 cold water supply including all CPVC plain & brass threaded fittings This includes jointing or pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER	60.000	metre	193.800	Rs. One hundred ninety three and paise eighty only.
	8.9.4	32 mm nominal outer dia Pipes	40.000	metre	251.100	Rs. Two hundred fifty one and
	8.9.2	20 mm nominal outer dia Pipes	40.000			paise ten only.
	3.S.R	Providing and placing on terrace (at	40.000	metre	146.400	Rs. One hundred forty six and paies forty only.
1	8.48	storage tank ISI :12701 marked with cover and suitable locking arrangement and making	4000 000	per		
		necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	4000.000	litre	6.800	Rs. Six and paise eighty only.

70	B.S.R	Providing and finite on		27		
	18.52	programs and lixing CP hras	d			
74	18.52.1	= 10 EACH	10.000) Each	670.700	Rs. Six hundred seventy and
71	SOR 18.58	Providing and fixing P.T.M.T grating of approved quality & colour				paise seventy only.
	SOR 18.58.1					
72	SOR 18.58.1.1		11	Each	47.90	Rs. Forty seven and paise ninety only.
72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER		metre	312.500	Rs. Three hundred twelve and paise fifty only.
74		Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER	15.000	metre	312.900	Rs. Three hundred twelve and paise ninety only.
14	19.27.1 ((i F C ((Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. non modular) bricks of class esignation 7.5	2.000	Each	3117.300	Rs. Three thousand one hundred seventeen and paise thirty only.

_	0
64)	×
/	

75	DCI			28		
	B.S.I 19.30.	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mort 1:4 (1 cement : 4 coarse sand) C Cover with frame (light dut 455x610 mm internal dimentions total weight of cover with frame to be not less than 38 kg. (weight cover 23 kg. and weight of fram 15 kg.) RCC top slab with 1:1.5: mix (1 cement: 1.5 coarse sand : graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cemen mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S.	on ss ar .l. y) s, to of e 3 3 m e e e e t t e e e t t e e e t t e e e e e t t e e e e e t t e e e e e t t e e e e e t t e e e e e t t e e e e e e t t e e e e e e t t e	Each		Rs. Three thousand nine hundred forty nine and paise ten only.
\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\	19.34	(non modular) bricks of class Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1)		Each	25900.100	Rs. Twenty five thousand nine hundred and paise ten only.
		cement : 1 fine sand) including testing of joints etc. complete :				

-	~
"	1
/	
(Same	_/

79		NON		29		
19		NON SCHEDUL	ED			
		ITEMS(MARKET RATE)				
		= EACH				
		P.V.C. PIPE				
		= EACH		,		
\	ANALY	SI Provding and fixing soil, waste a	nd			
	S	vent pipes	na			
		= EACH				
		110 mm dia				
		= 40 EACH	40.000	metre	2.47.000	Rs. Three hundred forty seve
		P.V.C. FITTINGS	10.000	metre	347.000	only.
		= EACH				Offity.
		DOOP TEE 440				
		DOOR TEE 110 mm dia	4.000			Do Three has been dealer
-		= 4 EACH	4.000	each	365.000	Rs. Three hundred sixty five
		DOOR BEND 110 mm dia	0.000			only.
-		= 8 EACH	8.000	each	283.000	Rs. Two hundred eighty three
		BEND 45° 110 mm dia	1000		-	only.
-		= 10 EACH	10.000	each	185.000	Rs. One hundred eighty five
		VENT COWEL 110 mm dia				only.
-		= 3 EACH	3.000	each	65.000	Rs. Sixty five only.
		PIPE CLIP 110 mm dia				rto. Gixty live offly.
_		_ = 100 EACH	100.000	each	53.000	Re Fifty three
		FLOOR TRAP 110X110 mm dia			00.000	Rs. Fifty three only.
		= 10 EACH	10,000			
			10.000	each	436.000	Rs. Four hundred thirty six onl
C	ode no.	(i) C.I. cover and frame 300 x 300				and thirty six offi
	of 1352	mm inside	1			D
		SEPTIC TANK = 1 EACH	1.000	Each	374.060	Rs. Three hundred seventy for
C	ode no.	(ii) S.C.I. plain bend 100 mm dia				and paise six only.
	of 1621	SEPTIC TANK = 1 EACH				_
		JOE TO TAIN TEACH	1.000	Each	436.400	Rs. Four hundred thirty six and
C	ode no	(iii) S.C.I. Tee 150 mm dia				paise forty only.
0	f 7087	SEPTIC TANK - 4 5 1 5 1	1.000	Fact	7.10	Rs Savon hundred f
+	. , 501	SEPTIC TANK = 1 EACH		Each	748.110	Rs. Seven hundred forty eight
					Total	and paise eleven only.
-		Electrical Man			Total (B)	348,404.9
		Electrical Works (1% labour cess			rotar (B)	348,405.0
		nas been added on current DSR-				
-		2014)				
	1.10	Point Wiring in PVC Conduit, with				
		viodular type Switch:				
	1	Wiring for light point/ fan point/				
	16	exhaust fan point/ call bell point				
	V	vith 1.5 sq.mm FRLS PVC insulated				
1		copper conductor single				

84 1.1	Twin Control Point Wiring in PV		30		
	Conduit, with Modular type Switch	:-			
	Wiring for twin control light poin with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	e y 3.000	Nos.	777.700	rs. Seven hundred seventy seven and paise seventy only.
85 1.31	with Modular Type Accessories:-				
	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).		Nos.	306.030	Rs. Three hundred six and paise three only.
86 1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
87 2.18	Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.	12.000	Nos.	590.000	Rs. Five hundred ninety only.
2.10	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-				

1	1
-	

588	3 1.12	Power Plug Wiring in PVC cond	d:4	31		
		(2x4 sq. mm):- Wiring for light/ power plug w 2X4 sq. mm FRLS PVC insulated copper conductor single core cal in surface/ recessed mediumcla PVC conduit alongwith 1 No 4 s mm FRLS PVC insulated copper conductor single core cal for loop earthing as required	vith d ble ass	0 Mtrs.	. 163.620	Rs. One hundred sixty three are paise sixty two only.
89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box cover including connections etc.a required	ne /			
	1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
90	1.14	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	Rs. Seventy nine and paise seventy nine only.
		Circuit / Sub-main wiring in PVC Conduit:- Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated,				
	1.14.1	copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 Sqmm + 1x1.5 sqmm earth				
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth	40.000	Mtrs.		Rs. One hundred seven and paise six only.
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth	350.000	Mtrs.	132.310	Rs. One hundred thirty two and paise thirty one only.
		wire (to be used as sub main)	54.000	Mtrs.	392 890	Rs. Three hundred ninety two and paise eighty nine only.
	6	4 X 10 sq. mm + 2 X 10 sq. mm earth wire S/F 'C' series SP MCB:-	10.000	Mtrs.	602.970 F	Rs. Six hundred two and paise ninety seven only.
		O COLICA OF MICE:-				oover only.

92	2.13	3 S/F TPN MCB:-			32		
		Cum al :	Ovvin				
1		rating, four pole, 240 volts, is	owing				
		in the existing MCB DB con	olator				
1		With connections to the	npiete				
		with connections, testing	and				
1		commissioning etc. as required	d				
	2.13.	2 63 A,TPN					
				3.000	Each	676.70	Rs. Six hundred sevnety six and
93	2.15	S/F TPN RCCB:-Supplying	and		24011	070.70	paise seventy only.
		fixing of following rating	throo				,
		phase and neutral, 415	volto				
		residual current circuit bre	voits,				
		(RCCB) having a sensitivity cu	rrant				
		upto 300 miliamperes in	the				
		existing MCB DB complete	the				
		connections, testing					
		commissioning etc. as required	and				
	2.15.2	40 Amp.					
				000			Rs. Two thousand one hundred
			3.	000	Each	2144.230	forty four and paise twenty three
94	2.8	S/F TP MCB DB:-					only.
		Supplying and fixing of follow	vin a				
		way, norizontal type three note	and				
		meutral, sheet steel. MCB distribution	tion				
		board, 415 volts, on surface/rece	200				
		Complete with tinned conner has to	nor				
		neutral bus bar, earth bar, din b	par.				
		detachable gland no	ato				
		interconnections, phosphatized	and				
		powder painted including earthing e	etc.				
		required (\\/ith	out				
		MCB/RCCB/ISOLATOR). Make	:-				
		Legrand/Anchor/Havells/HPL.					
	2.8.5	1 1/2/2 (1.10					
	2.0.0	4 Ways (4+12 ways) double door					Do Cover the
			3.00	00	Set	7430.570	Rs. Seven thousand four
95	1.33	S/E Coiling Day				.00.070	hundred thirty and paise fifty
		S/F Ceiling Rose:-					seven only.
		Supplying and fixing 2 pin ceiling ros	se				
		on the existing junction box/ woode	en 80.00	00	East-	10 (==	Rs. Forty throo and
		block including connection etc a required.	as OU.U		Each	43.430	Rs. Forty three and paise forty three only.
6		S/F Batten / Angle Holder:-					arree orny.
		Aligie Holder -					

	-
2	2
-	7
1	9

98	1.21	S/F PVC Conduit:-		33		
	1.21	37 FVC Conduit:-				
		Supplying and fining a				
		Supplying and fixing of following sizes of medium class PVC	g			
		conduit along with accessories in				
		surface/recess including cutting	ון			
		the wall and making good the same	2			
		in case of recessed conduit				
		as required.				
_	1.21.1	20 mm				
		25 11111	110.000) Mtrs	. 53.530	Rs. Fifty three and paise fifty
99		Telephone Wiring in Existing			00.000	three only.
-	1.10	Conduit:-				
	1.18	Supplying and drawing following				
		pair 0.5 mm dia FRLS PVC insulated annealed connections				
		insulated annealed copper conductor, unarmored telephone				
		cable				
		in the existing surface/ recessed				
		steel/ PVC conduit as required				
	1.18.2	2 pair	F0.000			Do Finh
100	1.24	S/E Modular to a 2000 to 100	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
		S/F Modular type Switch / Socket:-				eighteen only.
		Supplying and fixing following			_	
		modular type switch / socket on the				
		existing modular plate and switch				
		DOX including connections but				
		excluding modular plate etc as required.				
	1.24.6	Telephone socket outlet				
			2.000	Each	95.950	Rs. Ninety five and paise ninety
		EARTHING				five only.
01	5.6	COPPER EARTH PLATE				
		ELECTRODE:-				
		Earthing with copper earth plate				
	- 1	600mmx 3mm thick including				
		acessories and providing masonary enclosure with cover plate having				D- Ni- ii
	1	locking arrangement and watering	2.000	Each	9384.920	Rs. Nine thousand three
		pipe of 2.7 meter long etc with		_5.011		hundred eighty four and paise ninety two only.
	(charcoal/cock and salt as required				Timety two offig.

0	,
1	/.
9	
1.	

5	03 5.14	4 5		34		
, ,	5.14	I o v o mini copper earth stri	p in	1		
_		Surface/ recess :-				
1		Providing and fixing 25 mm X 5	mm			
		copper strip on surface or in				
1		recess for connections etc.	24.00			Po Ciertal
		required.	as 24.00	0 Mtrs	864.56	Rs. Eight hundred sixty four and
						paise fifty six only.
-10	04	Cable Laving of 1.1.10 / 2.11 / 17				
1		Cable Laying of 1.1 KV & 11 KV	:-			
	7.1	Louina				
1	/.1	Laying of one number P	VC			
		insulated and PVC Sheathed	/			
		XLPE power cable of 1.1 KV gra	do			
		of following size direct in aroun	nd			
1		including excavation sa	nd			
		cushioning, protective covering a	nd			
	/	refilling the trench etc as required	na			
		and trotter etc as required				
1	7.1.2	Above 35sq.mm and Upto 9	25			
		Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise
, 10	5	G.I. Pipe for Cable protection:-	-	With 3.	204.020	two only.
	14.14					tive errily.
1		Providing, laying and fixing	-			
		following dia RCC pipe NP	2			
		class(light duty) in ground complet	e			
		With RCC collars, joints with	h			
		cement mortar 1:2 (1 cement	2			
		Tine sand) including trenching (7	5			
		cm) and refilling etc.as required	ĭ			
		IIRO2d orossin-	1			
		condition)	=			
	14.14.2	150 mm dia				
			10.000	Mtr.	387.840	Rs. Three hundred eighty seven
106	9.1	1.1 KV Cable End Termination:			307.040	and paise eighty four only.
		Supplying and making indoor cable				, and only.
		end termination with brass double				
		compression gland and a double				
		compression gland and aluminium				
		lugs for following size of PVC				
		insulated XLPE Al. Ar. Cable of 1.1				,
		KV grade as required.				
	0.4.00	0.7				
	9.1.22	3.5 Core 50 Sq.mm.				
			2.000	Each	272.700	Rs. Two hundred seventy two
107	1908 JSR	3.5 core 50 sq mm xlpe/pvc				and paise seventy only.
	2014	insulated sheathed				
		(Heavy duty)armoured electric				

10	08	S/F HRC fuse type TDON		35		
	2.1	fallswine stor. Troviding and fix	ing &N nel			Zero
h	2.1.2	63 amps,TP&N, HRC				
109		S/F Busbar Chamber:-	3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paies thirty eight only.
	2.5					
110		Providing and fixing following capacity busbar chamber with strips of suitable size made capper, heavy duty, complete with a accessories including connections, earthing the body, et as required. 200 amp.TPN Providing and fixing following	4 of	Each	6222.610	Rs. Six thousand two hundred twenty two and paise sixty one only.
111	B.S.R 2009	capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel making connections etc. as required. 125 Amps, Four pole	1.000	Each	7907.000	Rs. Seven thousand nine hundred seven only.
112	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)		meter	379.760	Rs. Three hundred seventy nine and paise seventy six only.
. 12	-	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)	30.000	meter	410.060	Rs. Four hundred ten and paise six only.

			36			
-		FIRE FIGHTING				
114	DGS&D	Brand new ISI marked Life Gu ABC type multipurpose F Extinguishers 4 Kgs. Capac fitted with pressure guage compl in all respects, ready to u complete installation kit.	Fire city,	00 Nos	5. 7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
					Tota	
		CARRIAGE			Total (D	75,497.
115		CARRIAGE OF MATERIALS			· otal (B	75,498.
1		Type of materials			Rate Incl. 1% Lab. Cess	
		Cement	139.56	6 MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
		Sand	188.457	7 cum	1970.29	Rs.One thousand nine hundred seventy and paise twenty nine.
		Local Sand	125.918	cum	205 29	Rs. Two hundred five and paise twenty nine only.
		Stone Chips	176.279	cum	1748.71	Rs. One thousand seven hundred forty eight and paise seventy one only.
		Brick	120.253	Thous.	601 67	Rs. Six hundred one and paise sixty seven only.
110		Steel	18.050	МТ	280 87	Rs. Two hundred eighty nine
116 AC	DD EXTRA	COST OF MATERIAL FOR				and paise eighty seven only.
Bri	cks		120.253	Thousand		Rs. Three hundred Thirty three
Ce	ment		139.566	MT	1007.18	and paise thirty six only. Rs. One thousand seven and
"De	etails of	SI No. 79 (C	otal Čost	in 'Rs'		paise eihateen only
1	12	SI. No. 78 (Construction of 5mm dia UPVC casing pipe	125mm x	40mm	x 90m Tube	7,648,545.00
2		nfirming to ISS mm dia UPVC pipe confirming to	27	Meter	315.00 R	Rs. Three hundred fifteen only.
3	153	mm dia PVC ribbed strainer of	48	Meter	99 38 R	s. Ninety nine and paise thirty ight only.
3	anr	proved quality	8	Meter		s One hundred eigibted

Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser 8 pipe, starter control panel, 1.25" Full way Rs. Twenty six thousand four Each 26,446.00 valve, 1.25" M.S clamp, 1.25" G.I Elbow, hundred forty six only. 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of Sub - Total "A" Part 'B' - Cost of Labour 46138.37 Boring by jet dheki by suitable cutter of reduce as the case may (i) 0 to 30.5 m 9 (a) For 125 mm dia U.PV.C pipe Rs. Two hundred eight and 27 mtr 208.77 10 paise seventy seven only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m Rs. One hundred nineteen and 3.5 mtr 119.03 (ii) 30.5 m to 61.0 m paise three only. 11 (a) For 40 mm dia UPVC pipe Rs. One hundred thirty six and 30.5 mtr 136.88 paise eighty eight only. (iii) 61.00 m to 75.00 m 12 a) For 40mm dia UPVC pipe Rs. One hundred forty eight and 14 148.79 mtr paise seventy nine only. (iv) 75.00 m to above a) For 40mm dia UPVC ribbed 13 Rs. One hundred forty eight and strainer of approved quality mtr 148.79 Providing all labour & tools and paise seventy nine only. 14 lowering 32 mm dia G.I pipe as per 21.34 Rs. Twenty one and paise thirty 24 mtr specificatin etc. all Complete four only. Supplying labour and developing the 15 T/Well to have sand free discharge all 280.50 Rs. Two hundred eighty and Each complete as per direction of E/I paise fifty only. Sub - Total 14,294.28 Total C="A+B" (iii) 61.00 m to 75.00 m 60,432,65 12 a) For 40mm dia UPVC pipe 148.79 Rs. One hundred forty eight and 14 mtr (iv) 75.00 m to above paise seventy nine only. a) For 40mm dia UPVC ribbed 13 148.79 Rs. One hundred forty eight and strainer of approved quality mtr

Performance Security

Name of Agency – "Amresh Kumar"

Performance Security of "Amresh Kumar" of "BRC-Suppi(SL. No.-140)"

<u>DOI</u> 06.06.16 To 06.06.19 17.11.16 To 17.11.18		Amount 160000.00 132500.00
	Total	292500.00

(Rupees Two Lacs Ninety Two Thousands Five Hundred Only)

लेखा पदाधिकारी
बिहार राज्य शैक्षणिक आधारभूत संरचना
विकास निगम लि०, पटना

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2590/2016-17/-10463

Date 29.10.2016

To.

Amresh Kumar AT+P.O.-Rasalpur, P.S.-Dumra, Distt.-Sitamarhi.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Suppi, Sitamarhi (SL. No.-140 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 6.66% (Six Decimal Six Six Percent) below BOQ rates amounting to total contract price of Rs. 71,39,152=00 (Rs. Seventy One Lacs Thirty Nine Thousand One Hundred Fifty Two Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 2,92,000=00 (Rs. Two Lacs Ninety Two Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

Chief Consultant (Technical)

Memo no: BSEIDC/FIN/2590/2016-17/- 10463

Copy forwarded to : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Chief Consultant (T.)

Memo no: BSEIDC/FIN/2500/2016 171 1211

40

Patna, Date: (30.04.)

Corrigendum No.- 3

e to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News dated 10.02.2016 vide P.R.-12943 (취이취이)15—16 through e-tendering bihar.gov.in for the Construction of "Block Resource Centre (BRC) in e following amendments have been made as mentioned below:-

sting provision	
string provision	Amended provision
3id document (Download) 2016 to 10.05.2016,	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016, 15:00 Hrs.
ore bid Meeting – 25.04.2016,	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
for receipt (Upload) of Bids 6,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06 .06.2016 ,15:00 Hrs.
opening of Technical Bids on 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
pening of Financial Bids on 5:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.

Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

(T/2015-16/- 2937

Patna, Date: 28-2016

Corrigendum No.- 2

to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News ated 10.02.2016 vide P.R.-12943 (निoਜo)15-16 through e-tendering ihar.gov.in for the Construction of "Block Resource Centre (BRC) in following amendments have been made as mentioned below :-

Amended provision	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
ing provision	d document (Download) 16 to 28.03.2016,	e bid Meeting – 15.03.2016,	r receipt (Upload) of Bids,15:00 Hrs.		ening of Financial Bids on 30 Hrs.

st of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

ाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314 0301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

IT/2015-16/-

Patna, Date: 17,03,16

Corrigendum No.-

e to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering bihar.gov.in for the Construction of "Block Resource Centre (BRC) in e following amendments have been made as mentioned below:

id document (Download) id document (Download) olde to 28.03.2016,

ost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

l conditions shall remain unchanged.

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following:

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days

14 The contract

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या– 40 वर्ष 2015–16 (केवल ई-टेन्डिरिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम 1	कार्य का नाम BRC Ekma,Saran	प्राक्कलित राशि (लाख में	की राष्ट्रि	रा विपत्र की	Beltron Bio Processing Fee (In Rs.	समाप्ति
2	BRC Baniyapur,Saran	85.2	1,70,400	0 10,000		
3	BRC Masrak, Saran	85.2	1,70,400		5750	15 मार
4	BRC Marhowrah,Saran	85.2	1,70,400	-0,000	5750	15 माह
5	BRC Amnour, Saran	85.2	1,70,400		5750	15 माह
6	BRC,Dariyapur,Saran	85.2	1,70,400		5750	15 माह
7	BRC,Garkha,Saran	85.2	1,70,400	-,000	5750	15 माह
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400		5750	15 माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	,-00	5750	15 माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400		5750	15 माह
11	BRC, Ghanshyampur, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400		5750	15 माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 माह
	BRC Khaiouli M. II.	85.2	1,70,400	10,000	5750	15 माह
20	BRC, Khajouli, Madhubani	85.2		10,000	5750	15 माह
	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC, Babubarhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
25 I	BRC Rosada, Samastipur	0.7.0	1,70,400	10,000	5750	15 माह
26 H	BRC Samastipur		1,70,400	10,000		15 माह
	BRC, Khanpur,Samastipur	0=-	1,70,400	10,000		15 माह
	BRC, Hasanpur, Samastipur		1,70,400	10,000		15 माह
	BRC, Mohanpur, Samastipur		1,70,400	10,000		15 माह
	RC, Patori, Samastipur		1,70,400	10,000		5 माह
	RC, Shivajinagar, Samastipur	0.7.0	1,70,400	10,000		5 माह
ı B	RC,Sangrampur,E.Champaran	05.2	1,70,400	10,000		5 1112

		101 BRC Asharganj, Munger			5		
		102 BRC Naugachhia,Bhagalpur	~ 85.2	1,70,400	10,000	5750	1.7
		103 BRC Pirpainti,Bhagalpur	85.2	1,70,400		0,00	- 110
	_ 1	04 BRC Shahkund,Bhagalpur	85.2	1,70,400		5750	
	1	05 BRC Puraini, Madhepura	85.2	1,70,400		5750	10
,	_ 1	06 BRC Gwalpada, Madhepura	85.2	1,70,400		5750	15 माह
		07 BRC Kumarkhand, Madhepura	85.2	1,70,400	-,000	5750	15 माह
	-	08 BRC Gailarh, Madhepura	85.2	1,70,400		5750	15 माह
		99 BRC Saurbazar, Saharsa	85.2	1,70,400	, , , , ,	5750	15 माह
	ria,	10 BRC,Navhatta,Saharsa	85.2	1,70,400	- 0,000	5750	15 माह
		BRC Mahensi Saharas	85.2	1,70,400	10,000	5750	15 माह
	11	Triumensi, Sallaisa	85.2	1,70,400	10,000	5750	15 माह
	11	Solibarsa, Sallarsa	85.2	1,70,400	10,000	5750	15 माह
	11	The Shift, Dakhillyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह
	11	Supaul	85.2		10,000	5750	15 माह
	11	- ipia, Supaul	85.2	1,70,400	10,000	5750	15 माह
		Tratapgani, Supaui	85.2	1,70,400	10,000	5750	15 माह
	11	- Turnan, Supaul	85.2	1,70,400	10,000	5750	15 माह
	11	Tagnopul, Supatti	85.2	1,70,400	10,000	5750	15 माह
	119	, ritari, Gaya		1,70,400	10,000	5750	15 माह
	120	- teeliicilak. Gaya	85.2	1,70,400	10,000	5750	15 माह
	121	, wazirgani, Gava	85.2	1,70,400	10,000	5750	15 माह
	122	, Monampui, Gaya	85.2	1,70,400	10,000	5750	15 माह
	123	BRC, Imamgani Gaya	85.2	1,70,400	10,000	5750	15 माह
	124	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
	125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह
	126	BRC,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	
	128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	
	129	BRC Arwal	85.2	1,70,400	10,000	5750	
	130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
\bigcirc	131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000		15 माह
	133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	135	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	136	BRC, Merajgang, Sitamarhi	85.2	1 =0 10-	10,000	5750	15 माह
	137	BRC, Pupri, Sitamarhi	85.2		10,000	5750	15 माह
	138	BRC,Barthnaha,Sitamarhi	85.2	1 70 100		5750	15 माह
	139	BRC Runisaidawa Cir	85.2	1 =0	10,000	5750	15 माह
^	140	BRC, Runisaidpur, Sitamarhi	85.2	1 =0 10-	10,000	5750	15 माह
	141	BRC, Suppi, Sitamarhi	85.2	4 =0	10,000	5750	15 माह
	142	BRC, Pakribarawan, Nawada	85.2	1 =0	10,000	5750	15 माह
	143	BRC, Warisaliganj, Nawada	85.2	1 =0	10,000	5750	15 माह
		BRC, Akabarpur, Nawada	0=-		10,000	5750	15 माह
	144	BRC, Narhat Nawada	03.4	1,70,400	0.000	5750	1 =

- (14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक इाफ्ट ''बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 होगा।
- (ख) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"
 Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/Holidays or any other reason.
- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो
- (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डिरंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डिरंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरमाष सं० 0612-2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता