Name of Work-Construction of Block. Schedule XLV-Form No. 61 Resource Centre at Kako, tion Ltd. Jehanabad. (SL No.-127) BIHAR PUBLIC WORKS DEPARTMENT Agency - [Form No. F-2] Mithlesh Kuman Sirgh & D.S.R Agreement No. 72 F2 of 2017-18. General Rule and Direction for the guidance of Contractors. d in the Date of Commencement - 14-06-2017 month from 1. All works proposed for execution by contract will be notified in a form of invitation to tender ecifications passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. annexed This notice will state the work to be carried out the items and approximate quantities thereof as respects in well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive RE KOKA Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he before the complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 e FIFTEEN If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

Punite gmi Ma

atna

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

B.S.E.I.D.C. Ltd, Patna

MARIAN BOND USE

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If severa	I sub-work	are
cluded th		
detained in a		

- (b) This deposit will be 5% of the estimated cost of the Work.

[c]

[e]

- This percentage [d] eduction from bills will be credited to the contractors security deposit.
- Name of work [a]
- [b]
 - Earnest money
 - Initial security deposits (including earnest money) to be deposited befor the commencement of the work
 - Percentage to be deducted from bills Rs. 5% (Rupees five percent)
 - Time required for the work from date of written order to commence [f] monthly

RATE TENDERED

- Date of written other to commence [g]
- Total number of item of work tendered for [h]

		KAIETE	KATETENDERED			
Item No.	Item of work	In figures	In words	Per		
	Research, the					
	.,,					
			170	11/12		
				14/6/12		
			Chief En B.S.E.I.D.C.	gin eer td Patna		
MANIE	e gm Mot		JA.			
14/1	117	1	416			
,						

ation Ltd.

RE

& D.S.R

ed in the month from ecifications e annexed r respects in

TRE KOKA

before the

ce FIFTEEN

Maria Nia	Ham of work	RATE TE	NDERED	D	
Item No.	Item of work	In figures	In words	Per	
OR pack year	a contact the contact with a	nio d'Una della della compara			
	Constitution of the constitution and the constitution of the const	Ola disessed has a	Selection when		
total Tally sonet		oi o thejduč tina to oi u pabyong saa			
		el deputation als set o	rattouthman		
TO STEE THE RESERVE		and the state of the		HONGE E INTONES	
				Selection by	
		lacor been n	es) ide	1	
		100000000000000000000000000000000000000			
korda nahi unsa		Man will the		6 (1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		o i alterganimos			
			4.4		
this og sv		centage to be dedu			
32 2 37		ow in the LS mich as			
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		. 8.35 (10. 13.15)			
	work tendered for	to metric section or to	.t		
			n Schlieb		
		of the state of the			
and delice bed in	Managara and established Allegara.	the late of the second			
		STATE OF STA	2113 CT 3172 CT		
		100			
* /-					
	Fig. 1. The state of the sample of the state of				
-011/A		Lesson Marie Ch			
400	Large II	# Introduction of the co	The contract of the contract o		

Muning good Pre-

3

chedule XLV - Form No. 61

(5)

Item No.	Item of work	RATE TE	NDERED		- <u>ition</u> l
		In figures	In words	Per	2.75
- 40					
					RE
					& D.S.
					& D.S.
					(Rs.)
					ed in the
					month
					pecificati
					e annexe
					er respec
					TRE KOP
	the Francisco Constitution				2
					usand three -
					d before the
					and palse (A
					it)
					nce FIFTE
					CONTRACTOR OF THE PARTY OF THE
					end page true
					d name in
					Property and the
13					
					eer , Patna
7.	3minba				southon)
UMULY	3m; n)			Company of the second	5112

Item No.	Item of work	RATE TE	NDERED	
	STATE OF MOIN	In figures	In words	Per
	•	*		
			•	
			*	
			Y S	
	(大) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1			
NO. 19 TO THE RESERVE				

4

Shedule XLV - Form No. 61

(7)

em No.	Item of work	RATE TE	NDERED		ation Ltd
Control of the second	TICHTOT WOLK	In figures	In words	Per	
				aline to province out	RE
					, & D.S.R
		An			Amount
					(Re.)
					fed in the
					s month from pecification
					e annexed
					er respects i
					TRE KOKA
			MARINE STREET		
			7654574594574		
			etta Jene en 7. Napoleonia		
					V
			ANTENNA SANTAN		
				the control of others	
		And the second in the			d before the
					usand five teres
		Plantanion.			
					nt)
					nce FIFTEEN
			dender o		· Corporat Roma
					and case surv
			mil.	27.00	NION PLANT
				unani logati	nd pake has only
			Marine and the second		
Tak					eer
					Patna
1		A SECTION OF THE	and the later of the second		5/12
vu uiqiq i	30ml 1/25	3	Or the Land Co.	Envir	

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

day of

20

*Signature, of contractor before comission of tender

Signature of witness to

Dated the

The above tender is hereby accepted by me on behalf of the Governor of Biha-

day of

20

signature of the officer

witness Address
Occupation

accepting the tende

Acceptances communicated on.....

signature of the party taking the tende



Compensation

contractor's signature

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, of arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive Engineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date or which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds on month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one half of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persule security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as his may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start forfeited, and be absolutely at the disposal of Government.

Muny som he

(9)

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting and hinderance on account of which be desires such extension as aforesaid and the Executive er Engineer shall, if in his opinion (which shall be final) reasonable grounds be showed Patna thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the control whether he claims compensation for the delay.

Mury 3milhe

ation Ltd.

RE

. & D.S.R

fed in the s month from pecifications le annexed er respects in

ITRE KOKA

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant

I before the

t)

ce FIFTEEN

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose all materials supplied to the contractor shall remain the absolute property of Government shall and not on any accounts he removed from this site of the work and shall at all times be open to

not on any account

Stores supplied Government

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor cation drawing other etc. shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the Do not in validate contract work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of Compensation for alterthe work in full, but which he did not derive in consequence of the full amount of the work —ation in or restriction of not having been carried out neither shall he have any claim for compensation by reason werk to be carried out. of any alternation having been made in the original specification, drawfig to be a tittl. Patna instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Mury gon The

tion Ltd.

RE

Work to be executed accordance with specifi& D.S.R

ed in the s month from pecifications e annexed er respects in

Alteration in specifications and designation

TRE KOKA

d before the

nce FIFTEEN

Rate for work no in estimate or schedule of rates of the district

Ber

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever of any treed work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Uniny ormy As

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the damage done and for contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work f in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such pecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of he Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absorbed at the disposal of Government and the same consequence shall ensure at the consequence shall e had been recinded under clause 3 here of, in addition the contractors le le critiled, Patna to recover or be paid to any work therefore actually performed the Dader the contract.

MMHY SMI BE

RE

, & D.S.R

ation Ltd.

Contractor to supply to plantladder scaffolding

> ed in the s month from pecifications e annexed er respects in

ITRE KOKA

And is liable for damage arising for non-provision of light fencing etc.

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes

or if contractor become

d before the

1t)

nce FIFTEEN

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:-All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship of materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, of any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions of otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof of as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumpayable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26:- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness.

MMHY 3MC Mc Contracto 8

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	Rates at wh will be ch	ich the materi larged to the stractor	THE RESERVE OF THE PERSON NAMED IN	Place of delivery	
	Unit	Rs.	P.	OF A RESPONDED	'RE
THE PART OF S				(1) = 18, 11	1, & D.S.R
	you execut o			eres from al the work. Seem within a prince of a all respects with	rs month from
		ents rofery Critical State Critical State	i to		he annexed
			(A.W.)		NTRE KOKA
	Entra Let	14 - \$13.73. 30 - 143.113.	16,86 14,57		
	in the representation of the second s				vus and theese the
		eposita i inc ic vocic ica — Ps. 3	ion.	enrassi mo is i is be be Reciberale nevenesi	ted before the
			on H		ent)
	i de la companya de l	or Pag week		leve of sommer the action of	nence FIFTEEN
		rde-bides	7.00		ox and palae sixty
				marks to the second	and poise ten only.

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Muny Smil 12 (Signature of Contrator)

ignature of Executive Engineer)

ineer

ation Ltd.

The person of th

Bihar State Educational Infrastructure Development Corporation Ltd.

·	B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR							
S.N.	District	Block	Name of BRC					
1	Jehanabad	Kako	BLOCK RESOURCE CENTRE					

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

4 1 10	MEMORANDUM
(a) If several sub- work are incuded they should be detained in the separate list	(A) Name of Work :- CONSTRUCTION OF BLOCK RESOURCE CENTRE KOKA JEHANABAD (SL.No127)
	(B) Estimated Cost :- Rs. 71,15,860=00 Agreement value :- Rs. 64,04,274=00
(b) This deposit will be 5% of the estimated cost of the work.	(C)Earnest Money :-
c)This percentage deduction from bills will be credited to the contractors ecurity deposits	(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work- Earnest Money:- Rs. 3,70,000/- (Details attached)
	(E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
	(F) Time required for the work from date of written order to commence FIFTEEN MONTHS
	(G) Date of written order to commence :-
	(H) Total number of item of work tendered for :- 116
	RKS: (Quantity per BRC)

Mourie som he

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Schoulder

14/6

Alc6/17

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014

	" DISTR	ICT	NAME OF INSTRU			2017	COLORN (ELECTRICAL) 2	
No).		WILL OF MOTITULE		BLOCK			
	ad	iab	BLOCK RESOURCE CENTRE		Kako			
				CIVIL W	ORKS			
SI.	SOR							
No.			Item of Work	Qty.	Uni	t Rate (Rs.)	Amount	
			3	4	5	6	(Rs.)	
	PILE WO	RKS	5				,	
		as settres and le in ince each (Le be	cored cast-in-situ reinforce cement concrete piles of grade N 25 of specified diameter and ength below the pile cap, to carrous safe working load not less that pecified, excluding the cost of teel reinforcement but including the cost of boring, with bentonite colution and temporary casing of peropriate length for setting out of the pile to be embedded the pile cap etc. all complete cluding removal of excavated arth with all lifts and leads ength of pile for payment shall measured upto bottom of pile p). O mm dia Piles	n n n n n n n n n n n n n n n n n n n				
	20.2.1		0 mm dia Piles	0.000	meter	1309.30	Rs. One thousand three hundred nine and paise thirty only.	
	20.2.2		mm dia Piles	0.000	meter	1523.20	Rs. One thousand five hundred twenty three and paise twenty only.	
	20.2.3		mm dia Piles	0.000	meter	1978.80	Rs. One thousand nine hundred seventy eight and pasie eighty only.	
	20.2.4			0.000	meter	2306.60	Rs. Two thousand three hundred six and paise sixty only.	
	20.2.0		mm dia Piles	0.000	meter	2996 10	Rs. Two thousand nine hundred ninety six and paise ten only.	

Muly som ho

Chief Engineer B.S.E.I.D.C. Ltd.

_	00.0			Ti.		
1	20.2.	and Tiles	0.000) met	ter 4219	Rs. Four thousand two hundred nineteen and paise seventy
	20.3.1	cast in situ single under reame piles of specified diameter ar length below pile cap in M-2 cement concrete, to carry a saworking load not less that specified, excluding the cost of steel reinforcement but includin the cost of boring with bentonit solution and the length of the pile to be embedded in pile cap etc. a complete. (Length of pile for payment shall be measured upto to the bottom of pile cap)	ed and 25 fe an of ge e e e III			only.
1 1	20.3.2	400 mm dia Piles	0.000	mete	r 1934.2	Rs. One thousand nine hundred thirty four and paise twenty only.
	20.3.3	450 mm dia Piles	0.000	meter	2225.3	Rs. Two thousand two hundred twenty five and pasie thirty only.
1	20.3.4		0.000	meter	2397.50	Rs. Two thousand three hundred ninety seven and paise fifty only.
3		550 mm dia Piles	0.000	meter	2605.10	Rs. Two thousand six hundred
1 1 1	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				five and paise ten only.
	20.4.1	300 mm dia Piles	0.000	Each	1240.10	Rs. One thousand two hundred forty and paise ten only.
1		400 mm dia Piles	0.000	Each	1373.80	Rs. One thousand three hundred seventy three and
		450 mm dia Piles	0.000	Each	1454 80	Rs. One thousand four hundred fifty four and paise eighity only.
	20.4.4	500 mm dia Piles	0.000	Each	1597.20	Rs. One thousand five hundred ninety seven and paise twenty only.
	EARTHWO	RK IN EXCAVATION				

Muy 3m ho

1 20	1		12		
	as(exceeding 30cm in depth. 1 in width as well es 10sqm on p incloding dressing of sides ramming of bottom, lift upto including getting out the excavasoil and disposal of surplus soi directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CU	lan) and 1.5 ited I as 318.53	0 cum	205.:	Rs. Two hundred five and paise twenty only.
EARTH FIL	including removing vegetation a inequalities not exceeding 15 deep and disposal of rubbish, le upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	nd cm	100 sqr	m 718.80	Rs. Seven hundred eighteen and paise eighty only.
2.26	(excluding rock) in trenche plinth, sides of foundations etc. layers not exceeding 20 cm depth: consolidating eac deposited layer by ramming an watering lead = 188.98 CUM	s, in n h 188.980	cu.m	66.40	Rs. Sixty six and paise forty only.
	local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119.810	cu.m	192.50	Rs. One hundred ninety two and paise fifty only.
	local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM	305.410	sq.m	227.600 Fa	Rs. Two hundred twenty seven and paise sixty only.
	EARTH FIL 2.26 BRICK SC 11.72	in Width as well es 10sqm on princloding dressing of sides ramming of bottom, lift upto including getting out the excavate soil and disposal of surplus soidirected within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CU Surface dressing of the groun including removing vegetation and inequalities not exceeding 15 of deep and disposal of rubbish, lest upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM EARTH FILLING 2.26 Filling available excavated eart (excluding rock) in trenches plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM SAND FILLING 2.28 Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM FIRICK SOLING 11.72 Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building	in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom,lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM EARTH FILLING 2.26 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM SAND FILLING 2.28 Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM FBRICK SOLING 11.72 Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2 , BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM SEPTIC TANK = 13.57 CUM SEPTIC TANK = 13.57 CUM	EARTH FILLING 2.26 Filling available excavated earth (excluding rock) in layers not exceeding 20 cm in layers not exceeding and watering lead = 18.79 CUM SAND FILLING 2.28 Supplying and Filling in plinth with local sand including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM FIRICK SOLING 11.72 Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 1.57 CUM SEPTIC TANK = 1.57 CUM	Larthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom,lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM SARTH FILLING 2.26 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM SAND FILLING 2.28 Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM SEPTIC TANK = 291.88 CUM SEPTIC TANK = 201.88 CUM SEPTIC TANK = 201.88 CUM SEPTIC TANK = 3.57 CUM

Renay 3m Me

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

1416

1416

1416

1416

1416

1416

1416

_				13		
-	P.C.C.					
9 1 10	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM	13.000	cu.m	2775.7	Rs. Two thousand seven hundred seventy five and paise seventy only.
	FLOORING	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM		cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
	i si	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, Iaid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing he joints with white cement and matching pigment etc., complete. FOILET PORTION = 46.04 SQM	46.040	sq.m	801.800	Rs. Eight hundred one and paise eighty only.

Muly gmithe

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Kehow han

1416

1416

1416

	WALL T	LES		14		
	11.36	ceramic glazed wall to conforming to IS: 150 (Thickness to be specified by manufacture) of approved make all colours, shades excluding burgundy, bottle green, black any size as approved by Engineer-in-charge in skirting risers of steps and dados over mm thick bed of cement Mod 1:3(1 cement: 3 coarse sand) a jointing with grey cement slurry 3.3 kg per sqm including pointing white cement mixed we pigment of matching shadomplete. TOILET PORTION = 188.8 SOM	iles 622 the e in ept of 12 188.874 tar nd @ ng ith de	sq.n	n 754.20	Rs. Seven hundred fifty four and paise twenty only.
13	11.26.1					
	11.27	mm (average) thick base laid over and jointed with grey ceme slurry mixed with pigment to match the shade of the slaincluding rubbing and polishing complete. Base with 1:1:1 (1 lim: 1 surkhi: 1 coarse sand) / 1:4 (2 TO 25MM THICK) = 281.852 SQM	281.852 e 0	sq.m	968.00	Rs. Nine hundred sixty eight only.
		Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (averagonal (thick cement mortar 1:3 (cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of costor 10 sqm	74.37	sq.m	927.50	Rs. Nine hundred twenty seven and paise fifty only.
15		Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work	0.00	M	239.10	Rs. Two hundred thirty nine and paise ten only.

Muly gon he

Chief Engineer

S.S.E.I.D.C. Ltd, Patro

Rehendre

14/6

14/6//

				15		
WOR	RK BELO	W PLINTH LVL.				
16	5.1.1	specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59 183 CLIM	59.183	cu.m	5110.7	Rs. Five thousand one hundred ten and paise seventy only.
17	5.2.1	PLINTH LVL.				
1 18	5.1.3	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) 10 + 2 BUILDING = 20.51 SQM	20.510	cu.m	5666.20	Rs. Five thousand six hundred sixty six and pasie twenty only.
	5.1.5	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	0.930	cum	3438.90	Rs. Three thousand four hundred thirty eight and paise ninety only.

Muny Borte

Chief Engineer

R.S.E.I.D.C. Ltd. Patra

Laboratory

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1416

1

540				16		
	5.3 + 5.33B. + 5.33B.	landings,balconiec, shelve chajjas, lintels, bands, pla window sills, staircases and spir stair cases upto floor five levexcludingthe cost of centrin shuttering, finishing and reinforement with 1:2:40 cement:2 coarse sand:4 grade stone aggregate 20 mm nominisize). Add or deduct for providing riche or leaner mixes respectively at a floor levels. Providing M-15grade R.C.C. Proiding M-20 grade R.C.C. instead of M-20 grade R.C.C.	ofs 5, es, nin cal eel g, (1 100.440 al		4581.2	Rs. Four thousand five hundred eighty one and paise twenty only.
20	6.1.14A		s	cu.m	3992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
21	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM	160.082	cu.m	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
22	6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level. = 134.043 SQM		Sq.m.	538.30	Rs. Five hundred thirty eight and paise thirty only.
23	l k	Extra for providing and placing in position 2 Nos, 6 mm dia , MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM	134.043	Sq.m.	75.90 F	Rs. Seventy five and paise ninety only.

Muny gon the

Chief Engineer

S.S.E.I.D.C. Ltd, Patrolle

212.

1416.

1406//

				17		
1 24	6.1A + 6.1.12/	The work with blicks of class	ss	17		
		and plinth in : Cement mortar 1 .:4 cement: 4 coarse sand) = 8.75 CUM		cun	n 4184.0	Rs. Four thousand one hundred eighty four only.
P	LASTER W	VORK				
25	13.13.4	20 mm cement plaster of mix; 1:	0			
26	10.40.4	(1 cement : 6 coarse sand) = 836.658 SQM	836.658	B sq.m	123.5	Rs. One hundred twenty three and paise fifty only.
1	1	The second of th	1			, , , , ,
	+ 13.26	floating coat of neat cement 8 neat cement punning SEPTIC TANK = 16.65 SQM	16.650	sq.m	185.60	Rs. One hundred eighty five and paise sixty only.
<u> </u> 27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580) sq.m	89.30	Rs. Eighty nine and paise thirty only.
28	7.1 +13.36	12 mm cement Plaster 1:3 (1				
1 1 29	13.24.2	cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM	52.820	sq.m	145.50	Rs. One hundred forty five and paise fifty only.
		6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	77.40	Rs. Seventy seven and paise forty only.
30		Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	136.410	sq.m	232.90	Rs. Two hundred thirty two and paise ninety only.

Muny 3milher

Chief Engineer

B.S.E.I.D.C. Ltd. Patna/

Zhan

146.

1406/13

	INICHINO	MODIC		18		
31	INISHING	4				
		Smooth exterior paint of required shade :New work (Two more coat applied @ 1.67 ltr/ 10 sqm over and including primit coat of exterior primer applied @ 2.20 kg/ 10 sqr EXTERNAL WALL = 836.68 SQM	or ng 836.658	sq.m	n 68.8	Rs. Sixty eight and paise eighty only.
32	13.80A.:	Providing and applying which cement based putty of average thickness 2 mm, of approve brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	ed ed 2266.768 e	sq.m	118.7	Rs. One hundred eighteen and paise seventy only.
		washa ble distemper of approve brand and manufacture to give a even shade. New work (two or more coats over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM) 1430.110	sq.m	64.00	Rs. Sixty four only.
34	13.81.1	Applying priming coat with ready mixed pink or grey primer or approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM	115.680	sq.m	25.20	Rs. Twenty five and paise twenty only.
35	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM	105.728	sq.m	21.30	Rs. Twenty one and paise thirty only.
30	,	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM	221.408	sq.m	50.90	Rs. Fifty and paise ninety only.

Muly 3milho

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehouether

3	7 10.14.	1 Description		19		
		for doors. windows and ventilate of mils steel Tee-sections, join miltred and welded with 15x3 m lugs 10 cm long embedded in ceme concerete blocks 15x10x10 cm 1:3:6 (1 cement: 3 coarse sand 6 graded stone aggregate 20 m nominal size) or with wooden plugs and screw or rawl plugs and screws or wifixing clips or with bolts and nu as required including = 339.675 KG	ent of d: 339.675	S Kg.	75.	Rs. Seventy five and paise ten only.
	9.21.1	Providing and fixing flush does shutters conforming to IS: 220 (Part-I) non-decorative type.com of block board construction with frame of 1st class tiard wood an well mathched commercial 3 ply veneering with vertical grains of cross bands and face veneers of both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM	oz re ch d d or n 48.195	sq.m	1823.8	Rs. One thousand eight hundred twenty three and paise eighty only.
] 39	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.000	each	66.50	Rs. Sixty six and paise fifty only.
40	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2 , BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
41	-	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each		Rs. Eighty two and paise seventy only.

Muny son he

Chief Engineer

B.S.E.I.D.C. Ltd, Patra

Kehousher

14/6, /4/06/17

- 12			20		
42	9.100.1 Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled,with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred seventy seven and paise forty only.
	TEEL WORK				
	2.1+10.13I Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty	95.715	sq.m	3270.60	Rs. Three thousand two hundred seventy and paise sixty only.

MH144 3002 PAS

Chief Engineer

3.S.E.I.D.C. Ltd, Paina

Kehousher

14/6. |4/06//)

	4 0 4 15			21		
		Providing and fixing glazed sted doors, windows or ventilators standard rolled steel section joints mitered and welded windown 15x3 mm M.S. lugs10cm long windown steel legs embedded in ceme concrete blocks 15x10x10cm. (1:3:6) (1cement: 3coarse sand 6graded stone aggregate 20mm nominal size) or with woode plugs and screws or rawl plug and screws or with fixing clips of with bolts and nuts as required including providing and fixing glass panels with glazing clips and special metal-sash putty approved make complete including applying a priming coal of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and	of s, th th th nt of : m n s or 3.240 of d d of e t t	sq.m	3277.6	Rs. Three thousand two hundred seventy seven and paise sixty only.
45	9.82.1	Providing and fixing M.S. grills or requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG	F	Kgs.	91.5	Rs. Ninety one and paise fifty only.
46	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete. TMTC-500				
	5.22.7A 5.22.7B	Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG Thermo-Mechanically Treated	8393.000	KG	74.40	Rs. Seventy four and paise forty only.
		bars TMTC-500 10mm dia = 1300 KG	1300.000	KG	73.10	Rs. Seventy three and paise ten only.
	5.22.7C 5.22.7D	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG	71.80	Rs. Seventy one and paise eighty only.
		Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
	1	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.

Muire 3m De

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Herouth

14 6 |4/06//

_				22		
	5.22.7F	Thermo-Mechanically Treate bars TMT-500 25mm dia = 0 KG	0.000	KG	72.2	Rs. Seventy two and paise twenty only.
47	10.19	Providing & fixing M.S. Fan hoo of 16 mm. dia. M.S. bar 1 Mt Long bent to required size an shape, placed in position and fixe in Truss Frame / RCC Slab / bear at the time of a street of the street o	r. d d			
		at the time of casting all complet as per building specification an direction of E/I. (Where material is not supplied by deptt.) = 42 EACH	d 42.000	Each	n 121.8	Rs. One hundred twenty one and paise eighty only.
48	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG	550.000	kg.	91.10	Rs. Ninety one and paise ten only.
	10.5	Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	4.52	sq.m	4115.60	Rs. Four thousand one hundred fifteen and paise sixty only.
SCEL 50	LANEOUS					
30		Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM	75.414	sq.m	319.30	Rs. Three hundred nineteen and paise thirty only.
SH	IUTTERING	3				
51	r fo	Centring and shuttering including strutting, propping etc. and emoval of form for foundation, potings, basees of columns etc. or mass concrete.	55.781	Sqm.	166.70 F	Rs. One hundred sixty six and paise seventy only.

Mury 3012 De

Chief Engineer

S.S.E.I.D.C. Ltd Patna

14/6.

14/6.

and contilevers. = 349.241 SQM 53 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and strusts = 367.575 SQM 54 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 55 B.S.R Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS-5382 leaving 10 mm gap for thermal expansion. 12.78.2 110 mm diameter. = 40 MTS 66 OR 12.7 Providing and fixing on wall face unplasticised PVC moulded fittings/ accessories for unplasticised PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS-5382 leaving 10 mm gap for thermal expansion. DR 12.78 End 87.50° R 12.79 110mm bend = 10 MTS DR 12.75 Shoe (Plain) R 12.79 Shoe (Plain) R 12.79 Shoe (Plain) R 12.79 Shoe (Plain) R 12.79 110mm Shoe = 12 MTS 12.000 Each 314.730 Rs. Three hundred forteen and paise seventy only. R 12.79 110mm Shoe = 12 MTS R 2.79 I10mm Shoe = 12 MTS R 12.79 I10mm Shoe	strutting, removal of plinth bear and contile = 349.241 53 5.9.6 Centring a strutting,	propping etc. an form for lintel, beams ms, griders, bressumers evers.	nd s			
strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM. 54 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Flumbing and sanitary Work 55 B.S.R Providing and fixing on wall face unplastidised PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS.5382 leaving 10 mm gap for thermal expansion. 12.78.2 110 mm diameter. = 40 MTS	strutting,		s 349.241	Sqm	251	Rs. Two hundred fifty one an paise thirty only.
strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Total 5,716,706 Plumbing and sanitary Work Sqm. 275.60 Rs. Two hundred seventy five and paise sixty only.	pillars, pie and struts = 367.575	propping etc. and of form for columns ers, abutments, posts	d s.	Sqm	. 344.	Rs. Three hundred forty four and paise forty only.
Plumbing and sanitary Work S,716,707	strutting, removal of floors, roof and access	propping etc. and form for suspended s, landings, balconies platform.		Sqm.	275.6	Rs. Two hundred seventy five and paise sixty only.
Plumbing and sanitary Work 55 B.S.R 12.78 Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 12.78.2 110 mm diameter.					Tota	5,716,706
B.S.R. 12.78 Providing and fixing on wall face unplasticised PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:5382 leaving 10 mm gap for thermal expansion. 12.78.2 110 mm diameter. = 40 MTS 40.000 MTS 214.200 Rs. Two hundrd fourteen and paise twenty only. 16. OR 12.7 Providing and fixing on wall face unplasticised PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:5382 leaving 10 mm gap for thermal expansion. DR 12.75 Coupler R 12.79 110mm = 10 MTS 10.000 Each 144.700 Rs. One hundred forty four and paise seventy only. R 12.79 110mm bend = 12 MTS 12.000 Each 173.700 Rs. One hundred seventy three and paise seventy only. R 12.75 Shoe (Plain) Rs. 12.000 Each 314.730 Rs. Three hundred forteen and paise seventy only.	DI	no la incorporation de			Total (A	
12.78 12.78 12.78 12.78 12.78 12.79 13.700 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 13.700 12.79 12.79 13.700 12.79 13.700 12.79 13.700 Rs. One hundred forty four and paise seventy only. Rs. One hundred seventy three and paise seventy only. Rs. One hundred seventy three and paise seventy only. Rs. Three hundred forteen and	FIU	inding and sanita	ary Work	<u><</u>		, , , , , , , , , , , , , , , , , , , ,
= 40 MTS OR 12.7 Providing and fixing on wall face unplasticised -PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion. DR 12.7 Coupler R 12.79 110mm = 10 MTS 10.000 Each 144.700 Rs. Two hundrd fourteen and paise twenty only. Rs. Tone hundred forty four and paise seventy only. Rs. One hundred forty four and paise seventy only. Rs. One hundred seventy three and paise seventy only. Rs. One hundred seventy three and paise seventy only. Rs. One hundred seventy three and paise seventy only. Rs. One hundred forty four and paise seventy only. Rs. One hundred seventy three and paise seventy only. Rs. Three hundred forteen and Rs. Three	pressure 4 k pipes cinficulting jo conforming	d PVC (working agf per sqm) rain water orming to IS:4985 inting with seal ring to IS:5382 leaving 10				
unplasticised -PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion. DR 12.79 Coupler R 12.79 110mm = 10 MTS	= 40 MTS		40.000	MTS	214.200	Rs. Two hundrd fourteen and paise twenty only
R 12.79 110mm 10.000 Each 144.700 Rs. One hundred forty four and paise seventy only. DR 12.79 Bend 87.50° 12.79 110mm bend end paise seventy only. R 12.79 110mm bend end paise seventy only. DR 12.79 Shoe (Plain) R 12.79 110mm Shoe end paise seventy only. R 12.000 Each end paise seventy only. Rs. Three hundred forteen and end paise seventy only.	unplasticised fittings/ unplasticised pipes confi	-PVC moulded accessories for PVC rainwater orming to IS:4985 nting with seal ring to IS:5382 leaving				January Siny.
R 12.79 110mm 10.000 Each 144.700 Rs. One hundred forty four and paise seventy only. DR 12.79 110mm bend end paise seventy only. 12.000 Each 173.700 Rs. One hundred seventy three and paise seventy only. DR 12.79 Shoe (Plain) Rs. One hundred seventy three and paise seventy only. R 12.79 110mm Shoe end paise seventy only. R 12.000 Each 314.730 Rs. Three hundred forteen and paise seventy only.	DR 12.79 Coupler					
R 12.79 110mm bend	R 12.79.110mm = 10 MTS		10.000	Each	144.700	Rs. One hundred forty four and
= 12 MTS DR 12.75 Shoe (Plain) R 12.79 110mm Shoe = 12 MTS 12.000 Each 173.700 Rs. One hundred seventy three and paise seventy only. R 12.79 110mm Shoe = 12 MTS 12.000 Each 314.730 Rs. Three hundred forteen and	R 12.79 110mm bend					
R 12.79 110mm Shoe = 12 MTS 12.000 Each 314.730 Rs. Three hundred forteen and	= 12 MTS		12.000	Each	173.700	Rs. One hundred seventy three
= 12 MTS 12.000 Each 314.730 Rs. Three hundred forteen and	()					and paise seventy only.
	The state of the s		12.000	Each	314.730	Rs. Three hundred forteen and paise seventy three only.

MUMY Som ChE

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

Kehaulky

14/6//9

17.1.1 18.5.R Providing and fixining water closet southing pan (Indian type W.C. pan) with 100 nm sand cast ron P or S tap. 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS : 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. White Vitroous China Orissa pattern W.C. pan) with integral type foot rest. See Sect. 17.2.2 Section 17.2.2 China pedestal type water closet (European type W.C. pan) with seat and lid. 10 litre low level white P.V.C. flushing cistern, including flush pipe. with manually controlled device (handle leven), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid. 10 litre low level white P.V.C. flushing cistern, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid. 10 litre low level white P.V.C. flushing cistern including flush pipe with manually conforming to IS : 7231, with all fittings and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with shandard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins		_			24		
W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH Footing pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cisterm, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid B.S.R. Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern 3.000 Each 4688.900 Rs. Four thousand thirty five and paise ninety only.			squatting pan (Indian type Water Closquatting pan (Indian type Water Closquatting pan) with 100 mm sand cast iro or S tap, 10 litre low white P.V. Flushing cistern with municontrolled device (handle leviconforming to IS: 72 Parryware/Hindware with fittings and fixtures completing including cutting and making gothe walls and floors wherever required. White Vitreous China Orissa patternaments with party and making gother walls and floors wherever the control of the co	/.C. n P /.C. ally /el) /31 all ete od /er			
17.2.2 china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid: 3.8CGH 7.4.2 Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3.6CH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3.5CH Rook Providing and fixing toilet paper 3.000 Each 4688.900 Rs. Four thousand six hundred eighty eight and paise ninety only.	58	D C D	integral type foot rest. = 6 EACH	6.000	Eac	h 3035.40	Rs. Three thousand thirty five and paise forty only.
solid plastic seat and lid = 3 EACH Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Res. Four thousand nine hundred twenty eight and paise thirty only. Res. Four thousand six hundred eighty eight and paise ninety only.			china pedestal type water clos (European type W.C. pan) wi seat and lid, 10 litre low level whi P.V.C. flushing cistern, includir flush pipe, with manual controlled device (handle lever conforming to IS: 7231, with a fittings and fixtures complete including cutting and making goo the walls and floors wherever required:	et th the te ng ly ly like, all let			
china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH SOR Vitreous china	59	RCD	solid plastic seat and lid = 3 EACH	3.000	Each	2928.300	twenty eight and paise thirty
litre white P.V.C. automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper holder SOR Vitreous china 3.000 Each 4688.900 Rs. Four thousand six hundred eighty eight and paise ninety only.		17.4.2	china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flushing pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors	e f			Offity.
17.34 holder SOR Vitreous china	60	6	automatic flushing cistern = 3 EACH		Each	4688.900	eighty eight and paise ninety
		17.34 h	nolder	3	Each	304.2	Rs. Three hundred four and

MUNIT SMINE

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

1416. | 4106//12

_	-
/	
	-

01				25		
	B.S.R 17.7.1	The straining washing washing the	P. P. n,			
62	18.63	White Vitreous China Wash basisize 630x450 mm with a pair of 1 mm C.P. brass pillar taps. = 12 EACH Providing and fixing PTMT angle	12.000	Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.
63	B.S.R	stop cock 15 mm nominal bore,weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	1			
64	17.28.2.1 B.S.R	= 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
	17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH		Each	643.400	Rs. Six hundred forty three and paise forty only.
65	17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	12.000	Each	478.300	Rs. Four hundred sevnety eight and paise thirty only.

Muny gon the

Chief Engineer

S.S.E.I.D.C. Ltd, Patna

Skehmed hy

/4/66///

B.S.R 18.8.1 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC	one only
solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	
B.S.R 18.9.3 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.	three
18.9.4 32 mm nominal outer dia Pipes 40.000 metre 251.100 Rs. Two hundred fifty one paise ten only.	and
40.000 metre 146.400 Rs. One hundred forty six	and
B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER	nly.
B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore.	
= 12 EACH 12.000 Each 497.000 Rs. Four hundred ninety seconly.	ven

Muny gnilly

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

2406/17

				27		
1	B.S.R 18.52	providing and lixing C.F. Dias	d			
74	18.52.1	= 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and
71	SOR 18.58	Providing and fixing P.T.M.T grating of approved quality 8 colour			Salar Control of the	paise seventy only.
	SOR 18.58.1 SOR	circular type				
72	18.58.1.1 B.S.R	D :::	11	Each	47.90	Rs. Forty seven and paise ninety only.
	19.2.1	concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all				
		round S.W. pipes including bed concrete as per standard design: 100 mm diameter S.W. pipe	50.000	metre	312.500	Rs. Three hundred twelve and paise fifty only.
73	B.S.R	= 50 METER				
	19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER	15.000	metre	312.900	Rs. Three hundred twelve and paise ninety only.
74	19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. fron modular) bricks of class designation 7.5 = 2 EACH	2.000	Each	3117.300	Rs. Three thousand one hundred seventeen and paise thirty only.

MUMY BONDE

Chief Engineer

3.S.E.I.D.C. Ltd, Patny

1416. 14106/19

75	S DCI			28		
	19.30.	chamber for Underground of Inspection Chamber and be with 75 class designation bricks cement mortar 1:4 (1 cement coarse sand) C.I. Cover with fraid (light duty) 455x610 mm interior dimentions, total weight of cowwith frame to be not less than kg. (weight of cover 23 kg. a weight of frame 15 kg.) RCC to slab with 1:1.5:3 mix (1 cement 1.5 coarse sand :3 graded storaggregate 20 mm nominal size foundation concrete 1:5:10 mix cement:5 coarse sand : 10 grades stone aggregate 40 mm nominal size), inside plastering 12 mm to with cement mortar 1:3 (1 cement coarse sand) finished smooth with a floating coat of neat cement of walls and bed concrete etcomplete as per standard design. Inside dimensions 466x610 mr and 45cm deep for single pipe linity.	C.I. end in the hall ver 38 nd op nt: ne e) (1 ed al h. 33 th n c. ne e	Each	3949.10	Rs. Three thousand nine hundred forty nine and paise to only.
76	B.S.R 19.32.1	Making soak pit 2.5 m diamete 3.0 metre deep with 45 x 45 cn dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S (non modular) bricks of class designation 7.5 = 1 EACH	1.000	Each	25900.100	Rs. Twenty five thousand nine hundred and paise ten only.
77	B.S.R 19.34	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :				
70	19.34.1	100 mm dia = 2 EACH	2.000	Each	283.800	Rs. Two hundred eighty three and paise eighty only.
78		Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring = 1 EACH	1.000	Each	60432.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only.

Muniny agons he

Chief Engineer

B.S.E.I.D.C. Ltd, Path

79		NON SCHEDULED ITEMS(MARKET RATE) = EACH				
		P.V.C. PIPE = EACH	Ţ.			
	ANALYS S	Provding and fixing soil,waste and vent pipes = EACH	k			
		110 mm dia = 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven only.
		P.V.C. FITTINGS = EACH				Orny.
		DOOR TEE 110 mm dia = 4 EACH	4.000	each	365.000	Rs. Three hundred sixty five only.
		DOOR BEND 110 mm dia	8.000	each	283.000	Rs. Two hundred eighty three only.
Ĺ		BEND 45° 110 mm dia = 10 EACH	10.000	each	185.000	Rs. One hundred eighty five only.
		VENT COWEL 110 mm dia = 3 EACH	3.000	each	65.000	Rs. Sixty five only.
Ĺ		PIPE CLIP 110 mm dia = 100 EACH	100.000	each	53.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia = 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
80	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside SEPTIC TANK = 1 EACH	1.000	Each	374.060	Rs. Three hundred seventy four and paise six only.
81	01 1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each	436.400	Rs. Four hundred thirty six and paise forty only.
82	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH	1.000	Each	748.110	Rs. Seven hundred forty eight and paise eleven only.
					Total	348,404.98
					Total (B)	348,405.00
		Electrical Works (1% labour cess has been added on current DSR-2014)			3	

Mulay ozan Me

Chief Engineer
B.S.E.I.D.C. Ltd, Patna.

Rehealth

1416.

0.00				30		
1 83	3 1.10	Point Wiring in PVC Conduit, wit Modular type Switch:-	th			
		Wiring for light point/ fan point exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.	d			
	1.10.3	Group C	119.000	No	705	Rs. Seven hundred twenty five
84	1.11	Twin Control Point Wiring in PVC		Nos.	725.180	and paise eighteen only.
		Conduit, with Modular type Switch:-				/
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required		Nos.	777.700	rs. Seven hundred seventy seven and paise seventy only.
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).	25.000	Nos.	306.030	Rs. Three hundred six and paise three only.

Muliny grown

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Lyb.

146.

86	1.32	Supply and Fixing Davis Di		31		
	1.02	Point with Modular Typ Accessories:-	e			
87	2.18	Supply and Fixing GI box with modular plate and cover in from on surface or in recess including providing and fixing 6 pin, 15/1 amps modular socket outlet an 15/16 amps modular type switch connection, painting etc a required.	12.000	Nos.	590.000	Rs. Five hundred ninety only.
0,	2.10	Supply & fixing 20A SPN MCI Industrial Socket Outlet:-				
888		Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required	12.000	Nos.	963.540	Rs. Nine hundred sixty three and paise fifty four only.
00	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-				
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required		Mtrs.	163.620	Rs. One hundred sixty three and paise sixty two only.
9	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required				
	1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	Rs. Seventy nine and paise seventy nine only.

Menny agric AE

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

14/6

(4/06/1)

00		1	32		
90	1.14	Circuit / Sub-main wiring in PVC			
		Conduit:-			
		Wiring for circuit / sub-main wiring			
		along with earth wire with the			
		following sizes of PVC insulated.			
		copper conductor, single core			
		cable in surface/recessed PVC			
		conduit as required.			
		·			

1	1.14	The same of the sa	C			
		Conduit:-				
		Wiring for circuit / sub-main wirin	ıg			
		along with earth wire with the	e	27		7
		following sizes of PVC insulated	d,			
1		copper conductor, single cor cable in surface/recessed PV	e			
		conduit as required.				
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm eart	h .a.a.a			Po One hand I
		wire	40.000	Mtrs.	. 107.060	Rs. One hundred seven and paise six only.
	1.14.2	TXZ.0 39 IIIII Calti	h 350.000	N 44	100.010	D- 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1.14.9	wire	1	Mtrs.	132.310	paise thirty one only.
	1.14.9	ZXO.0 Sqriiii eaiti				De The Land
		wire (to be used as sub main)	54.000	Mtrs.	392.890	Rs. Three hundred ninety two and paise eighty nine only.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm				and paise eighty fille only.
7		earth wire	10.000	Mtrs.	602.970	Rs. Six hundred two and paise
		S/E /C/ series OP MOS			002.070	ninety seven only.
-		S/F 'C' series SP MCB:-				
91		Supplying and fixing 240 volts, 'C	1			
_		series, miniature circuit breaker	-			
		suitable for inductive loads of				
_		following poles in the existing MCB DB complete with	1			
T		and the second s	1			
		commissioning etc, as required.	<u>.</u>			
7	2.10.1	6/32A, Single Pole	00.000			Ps. One hundred
1	N. C.		36.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
	2.10.3	6/32A ,DP	and the same of th			
			3.000	Each	463.590	Rs. Four hundred sixty three
92	2.13	S/F TPN MCB:-				and paise fifty nine only.
		Supplying and fixing following				
7		rating, four pole, 240 volts, isolator				
		in the existing MCB DB complete				
		with connections, testing and				
		commissioning etc. as required				
1	0.40.0			E		
4	2.13.2	63 A,TPN	3.000	Each	676 700	Rs. Six hundred sevnety six and
93	2.15	S/E TRN DCCD Com L	0.000	Lacii	676.700	paise seventy only.
	2.10	S/F TPN RCCB:-Supplying and fixing of following rating three				
		phase and neutral, 415 volts,				
		residual current circuit breaker				
		(RCCB) having a sensitivity				
		current upto 300 miliamperes in				
		the existing MCB DB complete				
		with connections, testing and				
		commissioning etc. as required.				
	2.15.2	40 Amp.				Ps. Two thousand
			3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three
				,		only.

MUHY BONNE

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Lue

14/66/17

94	2.8	S/F TP MCB DB:-		33		
		Supplying and fixing of followir way, horizontal type three pole ar neutral, sheet steel, MC distribution board, 415 volts, c surface/recess, complete wittinned copper bus bar, neutral bubar, earth bar, din bar, detachable gland plate, interconnections phosphatized and powder painter including earthing etc. as require (Without MCB/RCCB/ISOLATOR) Make Legrand/Anchor/Havells/HPL.	nd B on th is le s, d			
	2.8.5	4 Ways (4+12 ways) double door	3.000	Set	7430.570	Rs. Seven thousand four hundred thirty and paise fifty
95	1.33	S/F Ceiling Rose:-				seven only.
0		Supplying and fixing 2 pin ceiling rose on the existing junction box wooden block including connection etc as required.	/	Each	43.430	Rs. Forty three and paise fort three only.
6	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
		Supplying and fixing batten / angle holder including connection etc as required.			Special Control of the Control of th	
7	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	286.840	Rs. Two hundred eighty six ar paise eighty four only.
		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.	/		1	organ, real only.
	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.

Muly ogon ME

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

240.

1416

1416

1406/17

				34		
99		Telephone Wiring in Existir Conduit:-	ng			
	1.18		er			
	1.18.2	2 pair	50.000	Mtrs	. 18.180	Rs. Eighteen and paise
100	1.24	S/F Modular type Switch / Socket:				eighteen only.
		Supplying and fixing following modular type switch / socket or the existing modular plate and switch box including connections but excluding modular plate etcas required.				
	1.24.6	Telephone socket outlet EARTHING	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
101	5.6	000000				
		COPPER EARTH PLATE ELECTRODE:-				
102	F 10	Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	2.000	Each	9384.920	Rs. Nine thousand three hundred eighty four and paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-				
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and re-filling etc. as required.	12.000	Mtrs.	1092.820	Rs. One thousand ninety two and paise eighty two only.
103	5.14	P/F 25 x 5 mm copper earth strip				
	1	in surface/ recess :- Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.

MURY asm ME

Chief Engineer
B.S.E.I.D.C. Ltd. Patnon
Keheulh

_				35		
104		Cable Laying of 1.1 KV & 11 KV :-				
	7.1	Laying of one number PV	'C			
1		insulated and PVC Sheathed	/			
		XLPE power cable of 1.1 k				
1		grade of following size direct	in			
		ground including excavation, sar	nd			
		cushioning, protective covering	nal			
		and refilling the trench etc a	is			
-		required.				,
	7.1.2	Above 35sq.mm and Upto 9	5 80 000			Rs. Two hundred four and and
105		Sq.mm.	80.000	Mtrs	. 204.020	Rs. Two hundred four and paise two only.
105		G.I. Pipe for Cable protection:-				two only.
	14.14	Providing, laying and fixin	g			
1		following dia RCC pipe NP				'
		class(light duty) in groun	d			
1		complete with RCC collars, joint	s			
		with cement mortar 1:2 (1 cemer	it			
		: 2 fine sand) including trenching	g			
		(75 cm) and refilling etc.as	S			
		required. (Road crossing as pe	r			
	14.14.2	site condition) 150 mm dia				
1	17.14.2	130 mm dia	10.000	Mtr.	387.840	Rs. Three hundred eighty seven
106	9.1	1.1 KV Cable End Termination:			307.040	and paise eighty four only.
		Supplying and making indoor				
		cable end termination with brass				
		double compression gland and	í			
		aluminium lugs for following size				
		of PVC insulated XLPE Al. Ar.				
		Cable of 1.1 KV grade as required.				
_	9.1.22	3.5 Core 50 Sq.mm.				
		No.	2.000	Each	272.700	Rs. Two hundred seventy two
107	1908 JSR	3.5 core 50 sq mm xlpe/pvc				and paise seventy only.
	2014	insulated sheathed	Parameter S. Communication of the Communication of		No.	
		(Heavy duty)armoured electric				
		cable aluminium conducter.				
		3.5C x 50 Sq.mm 1.1kV				Do Thursday
100			100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
108	2.4	S/F HRC fuse type TP&N switch			A CONTRACTOR OF THE PARTY OF TH	Offity.
		disconnector:- Providing and	and the same of th			
		fixing following capacity TP&N				
		disconnector fuse				
		switch unit inside the existing	× .			
		panel board with ISI marked HRC				Zero
		fuses including drilling holes in				2010
		cubicle panel, making				
		connections,				
	16	etc. as required.				
	2.1.2	63 amps,TP&N, HRC				
		SS SINPS, IT GIV, FING	2.000			Rs. Two thousand trans
`			3.000	Each	2260.380	Rs. Two thousand two hundred
\						sixty and paies thirty eight only.

Mully south

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Phys.

14/06//

	 36		
llovuina			
llowing with 4			
ade of			
2 Mith		Re	Six thousand to be

10	9 2.5	S/F Busbar Chamber:-		36		
	2.5.3	D :::				
	B.S.R	The state of the s	ng			
	2009	party subbal challibel will	4			
	2003	strips of suitable size made	of			5
		capper,heavy duty,complete wi		Eac	h 6222 C4	Rs. Six thousand two hundred
		includii	101	Lac	h 6222.61	monty wo and palse sixty one
		connections, earthing the body, e as required.	tc			only.
1		200 amp.TPN				
11	0 2.7.4					
	B.S.R	Providing and fixing followin capacity four pole OFF-loa				
	2009	changeover switch with sid				
		handle operation, in shee	1	8		
		enclosure in existing metal board	1.000			Rs. Seven thousand nine
		including drilling holes in meta	1.000	Each	7907.000	hundred seven only.
ı		panel, making connections etc. a				rididied severi offly.
_		required.	3			
		125 Amps, Four pole				
<u></u>	6.5	Providing and fixing copper tape	9			
Ĺ		20 mm X 3 mm thick on parapet				
		or surface of wall for lightning	80.000	motor	270 700	Rs. Three hundred seventy nine
1		conductor complete as required.	00.000	meter	379.760	and paise seventy six only.
1		(For horizontal run)	No.			and pales seventy six only.
112	6.6	Providing and fixing copper tape				
1		20 mm X 3 mm thick on parapet				
		or surface of wall for lightning				Do Fourth 1
		conductor complete as required.	30.000	meter	410.060	Rs. Four hundred ten and paise
		(For vertical run)				six only.
113	2.2	Providing and finite of III				
1	2.2	Providing and fixing follwing rteing and breaking capacity MCCB in				
_						
		including drilling hole cubicale				
		panel making connection etc as				
		required				
	2.2.3	160 amp. 16KA				
1			1.000	EACH	4565.200	Rs. Four thousand five hundred
				2,1011	4000.200	sixty five and paise twenty only.
-						
					Total (C)	503,812.73
		FIRE FIGHTING			, otal (0)	303,612.73
114						
114	DGS&D	Brand new ISI marked Life Guard				
4		ABC type multipurpose Fire				
		Extinguishers 4 Kgs. Capacity,	10.000	Nes	75.40	Rs. Seven thousand five
		fitted with pressure guage	10.000	Nos.	7549.750	hundred forty nine and paise
		complete in all respects, ready to	No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other party of the Concession, Name of			seventy five only.
		use, complete installation kit.				
					Total	75,497.50
					Total (D)	75,498.00
		CARRIAGE OF MATERIALS			· otal (D)	75,436.00

MUNITY STIL THE

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Aloo | Alo

	au		Total Cost	in 'Rs'		7,115,859.73 7,115,860.00	
1	Jehanab ad	BLOCK RESOURCE CENTRE			(Rs.)		
No.	DISTRICT	NAME OF	SCHOOL			Amount	
SL.					Total	471,437.02	
		Steel	18.050	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.	
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.	
		Stone Chips	176.279	cum		Rs. Nine hundred three and paise sixty only.	
		Local Sand	125.918	cum	205.29	Rs. Two hundred five and paise twenty nine only.	
		Sand	188.457	cum	892.84	Rs. Eight hundred ninety two and paise eighty four only.	
		Cement	139.566	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only	
		Type of materials			Rate Incl. 1% Lab. Cess		

(Rupees Seventy One lacs Fifteen Thousand Eight Hundred Sixty Only)

"Details of SI. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below

Part	'A' - Co	st of Materials				
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fifteen only
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	De Nie t
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Do One by Line
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seventy only
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each		Rs. One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one only.

Minny gon he

Chief Engineer
B.S.E.I.D.C. Ltd, Pat

Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I Sub - Total "A" Part 'B' - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including	nd four
Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug &	
Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug &	6138.3
providing all tools and plants required for the job as per specification and direction of the engineer in charge.	
(i) 0 to 30.5 m	
9 (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eight a paise seventy seven on	
10 (b) for 40 mm dia UPVC pipe	
(i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred ninete paise three only.	en and
(ii) 30.5 m to 61.0 m	
(a) For 40 mm dia UPVC pipe 30.5 mtr 136.88 Rs. One hundred thirty s paise eighty eight only.	ix and
(m) 01.00 m to 75.00 m	
a) For 40mm dia UPVC pipe 14 mtr 148.79 Rs. One hundred forty eigensteen paise seventy nine only.	ght and
(IV) 75.00 m to above	
a) For 40mm dia UPVC ribbed strainer of approved quality 8 mtr 148.79 Rs. One hundred forty ei paise seventy nine only.	ght and
Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete 24 mtr 21.34 Rs. Twenty one and pais four only.	e thirty
Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I Supplying labour and developing the T/Well to have sand free as per discharge all complete as per direction of E/I Rs. Two hundred eighty a paise fifty only.	
Sub - Total 14.2	and
Tender approved in favour of Mithlesh Kumar Singh @10% (Ten Percent) below BOQ rates i.e. total amount comes to 64,04.274=00 (Rupees Sixty Four Lacs Four Thousand Two Hundred Seventy Four Only)	20.4.00

64,04.274=00 (Rupees Sixty Four Lacs Four Thousand Two Hundred Seventy Four Only)

Plening gon Az

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skelmulty

14/6.

14/6.

Performance Security

Name of Agency - "Mithlesh Kumar Singh"

Performance Security of "Mithlesh Kumar Singh" of "BRC-Kako, Jehanabad (SL. No.-

Passbook No. 3332633274

DOI

Reg No.

Amount

19.07.16 3406424081 22.10.16

300000.00 70000.00

-----Total 370000.00

(Rupees Three Lacs Seventy Thousands Only)

मिल्ली पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लिंब, पटना

Muy Bon ME

Chief Engineer 3.S.E.I.D.C. Ltd, Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking) 40

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2580/2016-17/- 9866

Mithlesh Kumar Singh, Buniyadganj, Gaya.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Kako, Jehanabad (SL. No.-127 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 64,04,274=00 (Rs. Sixty Four Lacs Four Thousand Two Hundred Seventy Four Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,69,000=00 (Rs. Three Lacs Sixty Nine Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

Memo no: BSEIDC/FIN/2580/2016-17/- 98 66

Chief Consultant (Technical)

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

> 17-10-2016 Chief Consultant (Technical)

Memo no: BSEIDC/FIN/2580/2016-17/- 9866

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please. Date:.../. 8.:./ 6

Memo no: BSEIDC/FIN/2580/2016-17/-9866

Muly southe

Chief Consultant (Technical)

Date: .. / &: 1.0: 1.6

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

Chief Consultant (Technical)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

SL. no. Period from d 15:00 15:00 2 14:30 2 2 2 2 2 2 2 2 2		Existing provision	Period of Sale of Bid document (Download) from from dated 16.04.2016 to 10.05.2016, dated 16.05.2016 to 05.06.2016, 15:00 Hrs.	ime of Pre bid Meeting – 25.04.2016,	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs. Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.
SL. no. 1 2 2 2 0		Exist	Period of Sale of Bir from dated 16.04.20 15:00 Hrs.	Date and Time of Pr 14:30 Hrs.	Last date and time for on dated 11.05.2016	Time and date for op dated 13. 05.2016,	Time and date for op dated 27.05.2016, 15	The Co
LIVII /	* 7	SL. no.	-	7	C)	4	5	9

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

1416

Munique agon Ant

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (निoनिo)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

	Amended provision	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	Date and Time of Pre bid Meeting – 25.04.2016,	Last date and time for receipt (Upload) of Bids on dated 11 05 2016, 15:00 Hz.	Time and date for opening of Technical Bids on dated 13, 05,2016, 16,30 Hz.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.
	Existing provision	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	The Cost of BOQ and EMD will be
SL.	no.	Secret	2	0	7	2	9

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरमार्थ—0612—2910314 कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

Mully 4

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL. Existing provision no.	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	5 The Cost of BOQ and EN
Amended provision	Period of Sale of dated 03.03.201				The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

102,20

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

Muly 3mi Mi (Seal & Signature of Tenderer)

Page 1 of 2

Chief Engineer 3.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 45 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाषः—0612—2910314)

निविदा आमंत्रण सूचना संख्या— 40 वर्ष 2015—16 (केवल ई—टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रिजस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	काय का नाम	प्राक्कलित राशि (लाख में)	की राशि	परिमाण विपत्र की राशि (रू० में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Ekma, Saran	85.2	1,70,400		5750	15 मा
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 मार
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 माह 15 माह
5	BRC Amnour,Saran	85.2	1,70,400	10,000	5750	15 माह
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 माह
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000		15 माह
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750 5750	15 माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 माह
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000		15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 माह
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
26	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750 5750	15 माह
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750 5750	15 माह
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000		15 माह
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000		15 माह
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000		15 माह
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000		15 माह 15 माह
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000		15 माह
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000		15 माह
35	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000		15 माह
86	BRC Patahi, E. Champaran	85.2	1,70,400	10,000		15 माह
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000		15 माह
8	BRC Adapur,E.Champaran	85.2	1,70,400			15 माह
9	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000		15 माह
0	BRC Dhaka, E. Champaran	85.2	1,70,400	10,000		15 माह
1	BRC Bairia, W. Champaran		1,70,400	10,000		5 माह
2	BRC Narkatiaganj, W. Champaran		1,70,400	10,000		5 माह
3	BRC Sikta, W.Champaran		1,70,400	10,000		5 माह
4	BRC Bhithan, W. Champaran	85.2	1,70,400	10,000	5750 1	5 माह

Muly 3milhe

2110.

10	BRC Asharganj,Munger	05.3	4 =0 100			
10	2 BRC Naugachhia, Bhagalpur	85.2	, , , , , ,	,	5750	15 माह
10	3 BRC Pirpainti, Bhagalpur	85.2	, , , , , ,	, , , , ,	5750	15 माह
10	4 BRC Shahkund, Bhagalpur	85.2	, -, -00		5750	15 माह
10	5 BRC Puraini, Madhepura	85.2	, -, -, -	-,	5750	15 माह
10	BRC Gwalpada, Madhepura	85.2	, , , , , ,	,	5750	15 माह
10	BRC Kumarkhand, Madhepura	85.2	, -, -, - 0	, , , ,	5750	15 माह
108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 माह
109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 माह
110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह
111		85.2	1,70,400	10,000	5750	15 माह
112	BRC Sonbarsa, Saharsa	85.2	1,70,400	10,000	5750	15 माह
113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह
114	BRC Supaul	85.2	1,70,400	10,000	5750	15 माह
115		85.2	1,70,400	10,000	5750	15 माह
116		85.2	1,70,400	10,000	5750	15 माह
117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15 माह
118	BRC Raghopur,Supaul	85.2	1,70,400	10,000	5750	15 माह
119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
120	BRC Noomakala C	85.2	1,70,400	10,000	5750	15 माह
121	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	
122	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	
123	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
	BRC, Imamganj, Gaya	85.2	1,70,400	10,000		15 माह
124	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह
126	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह
127	BRC,Kako,Jehanabad	85.2	1,70,400		5750	15 माह
128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
131	BRC,Obra,Aurangabad	85.2		10,000	5750	15 माह
132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
135	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
136	BRC,Merajgang,Sitamarhi		1,70,400	10,000	5750	15 माह
137	BRC, Pupri, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
145	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
149	BRC, Silaw, Nalanda	85.2	1,70,400	10,000	5750	15 गाह
	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 गाह
	BRC, Karaiparsurai, Nalanda	85.2	4	10,000	5750	15 माह
152	BRC, Motipur, Muzaffarpur	85.2	4	10,000	5750	15 नाह 15 माह
	BRC Gaighot Muzaff	85.2		10,000	5750	15 माह 15 माह
	BRC Gaighat, Muzaffarpur	85.2		10,000	5750	
	BRC, Aurai, Muzaffarpur	85.2		10,000	5750	
156 I	BRC,Bandra,Muzaffarpur	85.2		10,000	5750	
120	BRC,Minapur,Muzaffarpur	85.2				15 माह
	et eu oldiere			Chief	5750 Engineer	15 माह
	Muiny son Mo			RSFID	.C. Ltd, Pa	atna
	MUMMY 3m CIN		2	4en		
			1.	416		
			-			
				The state of	The The Nati	

- (14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE 47 DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (ख) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"
 Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.
- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरंग की प्रिकया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डिरंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

Puntal 3mille

Chief Engineer

B.S.E.I.D.C. Ltd, Patna